



PERFECTION INDUSTRIAL SALES



**PUBLIC AUCTION OF
CORE SYSTEMS LLC**

Plastic Injection Molding Facility

787 Renaissance Parkway,
Painesville, Ohio 44077

Thursday May 16, 2013 9:00 AM, ET

THANK YOU FOR ATTENDING OUR AUCTION

HAVE A GREAT DAY!

PERFECTION INDUSTRIAL SALES

2550 Elk Grove Village, IL 60007
Tel: (847) 427-3333 Fax: (847) 427-8884
E-mail: sales@perfectionindustrial.com
Web: www.perfectionindustrial.com

Thursday May 16, 2013, 9:00 AM, EDT	
TABLES & SMALLS	1 - 173
TOOLROOM & INSPECTION	174 - 456
ELECTRIC INJECTION MOLDERS	457 - 464
INJECTION MOLDERS	465 - 643
PLASTICS SUPPORT EQUIPMENT	644 - 872
CHILLERS, COMPRESSORS, CRANES, FORKLIFTS, TRUCK	873 - 920
PLANT SUPPORT, ELECTRICAL, RACKING	921 - 1193
OFFICE, COMPUTERS	1194 - 1337

Final Payment: 4pm Friday, May 17th, 2013

Removal Deadline: Friday May 31, 2013

Hours: Monday – Friday 8 – 4pm.

NO ITEMS MAY BE REMOVED WHILE THE AUCTION IS IN PROGRESS!

Note: Riggers must provide safety and insurance documentation in advance.

A 15% BUYER'S PREMIUM WILL APPLY ON ALL PURCHASES, 18% ON-LINE BUYERS.
Accounting Contact: Caroline - P: 519-757-7860

Site Supervisor: John Bopp P: 708-606-3240

Wire Transfer Instructions:

Royal Bank of Canada, 3300 Highway #7
Concord, Ontario, Canada

Bank#: 003 • Transit #: 00192 • Account #: 4010286
ABA #: 021000021 SWIFT CODE: ROYCCAT2

This catalog is meant merely as a guide.
The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

TABLES & SMALLS LOTS 1 - 173

<u>Lot #</u>	<u>Qty.</u>	<u>Description</u>	<u>Price</u>
1	1	LOT OF ALPHA-NUMERIC STEEL STAMPS	_____
2	1	LOT OF ALPHA-NUMERIC STEEL STAMPS	_____
3	1	LOT OF ALPHA-NUMERIC STEEL STAMPS	_____
4	1	LOT OF ALPHA-NUMERIC STEEL STAMPS	_____
5	1	LOT OF HELICOIL THREAD REPAIR KITS	_____
6	1	LOT OF HELICOIL THREAD REPAIR KITS	_____
7	1	LOT OF PRECISION BRAND WOODRUFF KEY ASSORTMENT AND ROLL PIN ASSORTMENT MAINTENANCE KITS	_____
8	1	LOT OF MISC. THOMPSON BALL BUSHINGS	_____
9	1	LOT OF ASSORTED BREEZE HOFE CLAMPS	_____
10	1	LOT OF MISC. THERMOCOUPLES	_____
11	1	LOT OF MISC. THERMOCOUPLES	_____
12	1	LOT OF MISC. THERMOCOUPLES	_____
13	1	LOT OF CARR LANE AND LENZKES CLAMPS	_____
14	1	LOT OF LENZKES CLAMPS	_____
15	1	LOT OF CARR LANE AND DESTACO CLAMPS	_____
16	1	LOT OF DESTACO CLAMPS	_____
17	1	LOT OF DESTACO CLAMPS	_____
18	1	LOT OF WISS CLAMPS	_____
19	1	LOT OF VISION FLOW VF3A3GB FLOW METERS	_____
20	1	LOT COMPRISING PALLET OF ASSORTED SIZES OF CASTERS	_____
21	1	LOT COMPRISING PALLET OF ASSORTED SIZES OF CASTERS	_____
22	1	LOT OF (4) BESSEY 36" x 7" BAR CLAMPS	_____
23	1	LOT OF (2) WILTON 6516A 16" BAR CLAMPS	_____
24	1	LOT OF (2) DROP FORGES 14" BAR CLAMPS	_____
25	1	LOT OF (2) WILTON 6512A 12" BAR CLAMPS	_____
26	1	LOT OF (7) MISC. C-CLAMPS FROM 6"-12"	_____
27	1	LOT OF (2) JORGENSEN 72" PIPE	_____

		CLAMPS	
28	1	LOT OF (2) JORGENSEN 72" PIPE CLAMPS	_____
29	1	LOT OF (2) ACETEK 12" U-BOLTS	_____
30	1	LOT OF (2) ACETEK 12" U-BOLTS	_____
31	1	LOT OF (2) ACETEK 12" U-BOLTS	_____
32	1	LOT OF (3) 8" ACETEK 8" U-BOLTS	_____
33	1	LOT OF (3) 8" ACETEK 8" U-BOLTS	_____
34	1	LOT OF (3) 8" ACETEK 8" U-BOLTS	_____
35	1	LOT OF (2) 7" ACETEK 7" U-BOLTS	_____
36	1	LOT OF (5) 6" ACETEK U-BOLTS	_____
37	1	LOT OF (4) 6" ACETEK U-BOLTS	_____
38	1	LOT OF MISC. 4" AND 5" U-BOLTS	_____
39	1	LOT OF MISC. 2", 3", AND 4" U-BOLTS.	_____
40	1	LOT OF (4) 3" STEEL EYE BOLTS	_____
41	1	LOT OF (4) 3" STEEL EYE BOLTS	_____
42	1	LOT OF (7) 2"-3" STEEL EYE BOLTS	_____
43	1	LOT OF (4) 2 1/2" STEEL EYE BOLTS	_____
44	1	LOT OF (8) 2-2 1/2" STEEL EYE BOLTS	_____
45	1	LOT OF (20) 2" STEEL EYE BOLTS	_____
46	1	LOT OF (20) 1 1/2" STEEL EYE BOLTS	_____
47	1	LOT OF (25) 1 1/4" & 1 1/2" STEEL EYE BOLTS	_____
48	1	LOT OF MISC. EYE BOLTS AND U-BOLTS UP TO 4"	_____
49	1	LOT COMPRISING SELECTION OF RIGGING CHAINS	_____
50	1	LOT COMPRISING SELECTION OF RIGGING CHAINS	_____
51	1	OPEN	_____
52	1	PAIR OF HILMAN 7.5 CAPACITY RIGGING ROLLERS	_____
53	1	PAIR OF MULTITON RIGGING ROLLERS	_____
54	1	PAIR OF MULITON RIGGING ROLLERS	_____
55	1	WESTARD 12 TON HYDRAULIC BOTTLE JACK	_____
56	1	WESTWARD 6 TON HYDRAULIC BOTTLE JACK	_____
57	1	LOT OF (3) MEAD AIR CYLINDERS	_____
58	1	LOT OF (4) PARKER AND MILLER HYDRUALIC CYLINDERS	_____
59	1	LOT OF (2) NORGEN REGULATORS WITH LARGE QUANTITY OF NOZZLES	_____
60	1	LOT OF (5) ALEMITE AND	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

61	1	PROLUBE LUBE GUNS LOT OF (5) ZEP AND ALEMITE SPRAY AND LUBE GUNS	_____	85	1	UNIVERSAL TOOL 1/2" IMPACT WRENCH LOT COMPRISING (1) INGERSOLL RAND 1/2" IMPACT WRENCH AND (1) MSI 1/2" IMPACT WRENCH	_____
62	1	LOT OF (6) MISC. LUBE AND SPRAY GUNS	_____	86	1	LOT COMPRISING ASSORTMENT OF AIR TOOLS	_____
63	1	DYNA SYSTEMS TOOL BOX WITH LARGE ASSORTED OF BUNA O-RINGS	_____	87	1	GENERAL BD PIPE CLEANER DRAIN GUN	_____
64	1	LOT COMPRISING ASSORTED O- RINGS	_____	88	1	BLACK AND DECKER DIE GRINDER; 14,500 RPM	_____
65	1	LOT COMPRISING ASSORTED O- RINGS	_____	89	1	LOT COMPRISING MISC. GLUE AND SOLDERING GUNS	_____
66	1	RIDGID RS 1000 RIP SAW	_____	90	1	(2) DYNA SYSTEMS TOOL BOXES	_____
67	1	DEWALT DW871 14" CHOP SAW	_____	91	1	(2) DYNA SYSTEMS TOOL BOXES	_____
68	1	MILWAUKEE 6176-20 14" ABRASIVE CUT OFF SAW	_____	92	1	(2) DYNA SYSTEMS TOOL BOXES	_____
69	1	DEWALT DW703 10" COMPOUND MITRE SAW	_____	93	1	CRAFTSMAN TOOL BOX	_____
70	1	MILWAUKEE 6230 HEAVY DUTY BANDSAW	_____	94	1	LOT OF PIPE WRENCHES; Including Ridgid 36", (2) 24", Drop Forged 24", and Craftsman 18" PIPE WRENCH	_____
71	1	DEWALT DW120 1/2" RIGHT ANGLE DRILL	_____	95	1	LOT OF (5) HEAVY DUTY STEEL WRENCHES	_____
72	1	DEWALT DW239 ANTI LOCK CONTROL DRILL	_____	96	1	LOT OF ASSORTED HEAVY DUTY STEEL WRENCHES	_____
73	1	DEWALT D28497 7"/9" ANGLE GRINDER	_____	97	1	LOT OF MISC. TOOLS INCLUDING WRENCHES, SCREW DRIVERS AND PLIERS	_____
74	1	RYOBI AG402 4" ANGLE GRINDER	_____	98	1	WESCO NON SPARKING DRUM DEHEADER	_____
75	1	RYOBI BE318-2 3" X 18" SANDER	_____	99	1	WESCO NON SPARKING DRUM DEHEADER	_____
76	1	ROAD XPEDITION 6" BUFFER/POLISHER	_____	100	1	GB 930H ALUMINUM BENDER WITH HANDLE	_____
77	1	SKILSAW 54 HD 7 1/4" CIRCULAR SAW	_____	101	1	RIDGID 1/2" OD TUBE BENDER	_____
78	1	PORTER CABLE 7349 INDUSTRIAL JIG SAW	_____	102	1	RIDGID 3/8" OD TUBE BENDER	_____
79	1	BOSCH 3294EVS SABRE PLUS SAW	_____	103	1	LOT OF MISC. MALLETS	_____
80	1	BOFCH RA1054 DELUXE ROUTER GUIDE	_____	104	1	LOT OF (5) BREAKER BARS	_____
81	1	CRAFTSMAN 18V POWER DRILL WITH SPARE BATTERY AND 1 HR CHARGER	_____	105	1	LOT OF (5) BREAKER BARS	_____
82	1	LOT COMPRISING (1) BLACK AND DECKER 14.4V POWER DRILL AND (1) 9.6V POWER DRILL	_____	106	1	LOT OF (3) TOOL BOXES	_____
83	1	INGERSOLL-RAND 121-A6 AIR HAMMER KIT	_____	107	1	LOT OF (2) TOOL BOXES	_____
84	1	LOT COMPRISING (1) DAYTON 1/2" IMPACT WRENCH AND (1)	_____	108	1	LOF OF (2) ALLEN KEY SETS	_____
				109	1	LOT OF (3) ALLEN KEY SETS	_____
				110	1	LOT OF MISC. ALLEN KEYS	_____
				111	1	LOT OF MISC. ALLEN KEYS	_____
				112	1	LOT OF FILES	_____
				113	1	LOT OF FLAT HEAD SCREW DRIVERS	_____
				114	1	DREMEL 400 XPR HIGH	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

115	1	PERFORMANCE ROTARY TOOL LOCTITE INTEGRATED DUAL CHANNEL RESEVIOR DISPENSOR; 0-7 Bar	141	1	BALDOR 8" BUFFER; 1/4 HP; 1,800 RPM
116	1	LOCTITE BOND-A-MATIC 3000 RESEVIOR DISPENSOR;	142	1	JET JDP-17MF DRILL PRESS; S/N. 3120479; 13 1/2" Dia Table; 8" Throat
117	1	FIBER-LITE MI-150 HIGH INTENSITY ILLUMINATOR	143	1	JET JDP-15M DRILL PRESS; S/N. 11081900; 11 1/2" x 11 1/2" Table; 7" Throat
118	1	IMS HIGH VOLUME STATIC ELIMINATOR	144	1	JET JDP-15M DRILL PRESS; S/N. 11081888; 11 1/2" x 11 1/2" Table; 7" Throat
119	1	STATIC ENERGY 3PN1520B VARIABLE AUTOTRANSFORMER; SINGLE PHASE; 0-280V OUTPUT	145	1	WILTON 2530 DRILL PRESS; S/N. 6100046; 11 1/2" x 11 1/2" Table; 7" Throat
120	1	HYGRODYNAMICS 8072 DEW POINT MONITOR	146	1	WILTON 2530 DRILL PRESS; S/N. 6050068; 11 1/2" x 11 1/2" Table; 7" Throat
121	1	HYGRODYNAMICS 8072 DEW POINT MONITOR	147	1	WILTON 2530 DRILL PRESS; S/N. 6050074; 11 1/2" x 11 1/2" Table; 7" Throat (with spare head)
122	1	ROTOBORE RBH-1C DRIVE UNIT	148	1	MILLER MILLERMATIC 250 POWER WELDING SOURCE; S/N. KK139702
123	1	PRECISE 7309 VARIABLE SPEED CONTROL; 120V	149	1	LINCOLN SAE 200-3 SHIELD ARC WELDER; S/N. 150-03
124	1	FALOCON TOOL GEAR MOTOR, S/N. 0406; 18,000 RPM	150	1	ROCKLIN 912 MOLDMENDER MICRO WELDER; S/N. 72009
125	1	WOODHEAD GROUND LOOP IMPEDENCE TESTER; CATALOG NO. 0704	151	1	LOT COMPRISING (3) WELDING HELMETS WITH (4) (NEW) PAIRS 18" CAIMAN TUFF-STEER COWHIDE SLEEVES
126	1	BEHA LT277 DISCHARGE LAMP TESTER	152	1	TORCH SET; COMPLETE WITH CART, TANKS, AND GAGES
127	1	8" BENCH VISE	153	1	TORCH CART
128	1	WESTWARD 6" BENCH VISE	154	1	TORCH CART
129	1	CRAFTSMAN 6" BENCH VISE	155	1	2 TON GREENERD NO. 2 ARBOR PRESS; S/N. 74A4477; 5" Throat
130	1	SCHLEGEL EMF 125 6" BENCH VISE	156	1	2 TON GREENERD NO. 2 ARBOR PRESS; 5" Throat
131	1	WILTON 5" BENCH VISE	157	1	2 TON DAYTON 4Z329E ARBOR PRESS; S/N. 2003.6; 5" Throat
132	1	WILTON 4" BENCH VISE	158	1	APPROX. 2 TON ARBOR PRESS; 5" Throat
133	1	1 1/2" BALL JOINT BENCH VISE	159	1	APPROX. 2 TON ARBOR PRESS; 5" Throat
134	1	CRAFTSMAN 8" BENCH GRINDER; 1 HP; 3,450 RPM	160	1	APPROX. 2 TON ARBOR PRESS; 5" Throat
135	1	BALDOR 8107H 8" BENCH GRINDER; 3/4 HP; 3,600 RPM	161	1	APPROX. 2 TON ARBOR PRESS; 5" Throat
136	1	BALDOR 6" BENCH GRINDER; 1/3 HP; 3,450 RPM	162	1	APPROX. 2 TON ARBOR PRESS; 5" Throat
137	1	DELTA ROCKWELL 6" BENCH GRINDER; 1/2 HP; 3,450 RPM			
138	1	CRAFTSMAN 9" DISC/6" BELT SANDER; 3/4 HP; 3,450 RPM			
139	1	DELTA 5" DISC/ 1" BELT SANDER; 1/4 HP; 3,450 RPM			
140	1	BALDOR 2" BELT SANDER; 1/2 HP; 3,450 RPM			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

163	1	APPROX. 2 TON ARBOR PRESS; 5" Throat	_____		
164	1	APPROX. 2 TON ARBOR PRESS; 5" Throat	_____		
165	1	1 1/2 TON DAKE NO. 1 1/2 ARBOR PRESS; 6" Throat	_____	183	1 ENCO 100-1599 VARIABLE SPEED VERTICAL MILLING MACHINE; S/N. 43690, (1993); 80-4,200 RPM; 9" x 49" Table; 35" X-Travel; 16" Y- Travel; 40 Taper Quick Switch; 3 HP Spindle Drive
166	1	1 1/2 TON DAKE ARBOR PRESS; 4" Throat	_____		
167	1	1 TON MHC 6805-1010 ARBOR PRESS; 3" Throat	_____		
168	1	1 TON DAKE NO. 1 ARBOR PRESS; 4" Throat	_____	184	1 ACER ULTIMA V3 MILLING MACHINE; S/N. 9366356, (1993); 60-4,200 SpindleRPM; 10" x 50" Table; Servo Type 140 Power Feed; 13" Throat; 3 HP Spindle Drive; Acu-Rite Millmate DRO
169	1	1 TON GREENERD NO.1 ARBOR PRESS; 3" Throat	_____		
170	1	UNKNOWN MFR APPROX. 1 TON ARBOR PRESS; 3 1/2" Throat	_____		
171	1	UNKNOWN MFR APPROX. 1 TON ARBOR PRESS; 3 1/2" Throat	_____	185	1 BRIDGEPORT VARIABLE SPEED VERTICAL MILLING MACHINE, S/N 12BR-149291; 42" Table w/ Power Feed; 1 1/2 HP
172	1	UNKNOWN MFR APPROX. 1 TON ARBOR PRESS; 3" Throat	_____		
173	1	UNKNOWN MFR APPROX. 1 TON ARBOR PRESS; 3" Throat	_____	186	1 CASER F35 4' ARM x 9" COLUMN RADIAL DRILL, S/N 67237; 67- 1500 RPM, Coolant, Plain Box Table, Manual Clamp
		<u>TOOLROOM & INSPECTION</u>			
		<u>LOTS 174 - 456</u>			
174	1	40 TON H-FRAME SHOP PRESS; 3 1/2" x 10" Ram; 14" Throat; 24" Between Frame	_____	187	1 HARRISON ALPHA 400 15" x 48" CNC LATHE, S/N A30003, (1995); 24" Swing In Gap, 14 - 2500 RPM, Q.C.T., Harrison-GE Fanuc Alpha Control
175	1	20 TON H-FRAME SHOP PRESS; 4" X 10" Ram; 30" Between Frame	_____		
176	2	SHOP PRESS; 6" Throat; 4" Dia. Motion Control Ram	_____	188	1 CHARMILLES ROBOFORM 40 CNC RAM TYPE ELECTRICAL DISCHARGE MACHINE, S/N 600462, (1996); Table Size 29-1/2" x 19-1/2", Mode 40-131102 Console Control, System 3R Rotary Workhead, 24-Position ATC, Fire Suppression System
177	1	TEST STATION COMPRISING BRANSON 2000 ULTRASONIC WELDER	_____		
178	1	SAW KING KV-50 VERTICAL BANDSAW; S/N. V505589; (1997); 24" x 20" Table; 20" Throat	_____	189	1 ELTEE PULSITRON TR20 RAM TYPE ELECTRICAL DISCHARGE MACHINE, S/N 635; 6" x 6" Permanent Magnetic Work Chuck, System 3R Rotary Work Head w/ Magnetic Control, Heidenhain 3-Axis DRO, Model EP30 Console Control, S/N 0762, Fire Suppression System, External Die
179	1	JET VBS 350 VERTICAL BANDSAW; S/N. 352377; 21" x 19" Table; 13" Throat	_____		
180	1	WILTON 9"x 16" HORIZONTAL BANDSAW	_____		
181	1	2000 HAAS VF-3 CNC VERTICAL MACHINING CENTER, S/N: 20525, 18" x 48" Table, X - 40", Y - 20", Z - 25", 50 - 4000 RPM, 20-HP Spindle, 20-Position ATC, 40-Taper Spindle, Coolant	_____	190	1 CHEVALIER DM323 RAM TYPE ELECTRICAL DISCHARGE MACHINE, S/N 0003195; 6" x 18" Permanent Magnetic Work Chuck,
182	1	SUPERMAX YCM-40 CNC MILLING MACHINE; S/N. 102512,	_____		

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		System 3R Work Head w/ PC Magnetic Head Control, Sokki 3-Axis DRO, Internal Dielectric Fluid System	205	1	MACHINE VISE	
191	1	HUGE SELECTION OF EDM TOOLING (Rack)	206	1	KURT D60 6" PRECISION MACHINE VISE	_____
192	1	HUGE SELECTION OF EDM TOOLING (8 Boxes)	207	1	KURT 6" PRECISION MACHINE VISE	_____
193	1	HUGE SELECTION OF EDM TOOLING (7 Boxes)	208	1	YUASA ACCU-LOCK 6" MACHINE TOOL VISE	_____
194	1	HUGE SELECTION OF EDM TOOLING (7 Boxes)	209	1	YUASA ACCU-LOCK 6" MACHINE TOOL VISE	_____
195	1	REGENT YSG1224-AHD 12" x 24" AUTOMATIC HYDRAULIC SURFACE GRINDER, S/N 84EZ026; Electromagnetic Chuck, Dresser, Coolant	210	1	YUASA ACCU-LOCK 6" MACHINE TOOL VISE	_____
196	1	MITSUI MSG-250MH 8" x 18" HAND FEED SURFACE GRINDER, S/N 92105732; Permanent Magnetic Chuck, Incremental Downfeed, Mitutoyo DRO	211	1	YUASA ACCU-LOCK 6" MACHINE TOOL VISE	_____
197	1	OKAMOTO PFG612 6" x 12" HAND FEED SURFACE GRINDER, S/N 2714U; Permanent Magnetic Chuck, Sony DRO	212	1	DAPRA NC 90 3.5" ALLMATIC DUO CLAMPING VISE	_____
198	1	CHEVALIER FSG-618M 6" x 18" HAND FEED SURFACE GRINDER, S/N A3933034; Permanent Magnetic Chuck, DRO	213	1	6" x 18" MAGNETIC CHUCK	_____
198A	1	RACK WITH CONTENTS INCLUDING ASSORTED GRINDING WHEELS	214	1	BROWN & SHARPE 6" x 6" MAGNETIC CHUCK	_____
199	1	HARDINGE HLV-H TOOLROOM LATHE, S/N HLV-H-12715-T; 125- 3000 RPM, Power Carriage, 5C Collet Drawbar, Cabinet Base w/ Coolant, Accessories	215	1	SUBURBAN TOOL MSP664 6" x 6" MAGNETIC SINE PLATE	_____
200	1	BLAST-IT-ALL LB-4436-3 ABRASIVE BLAST CABINET, S/N LB960725271; w/ Dust Collector	216	1	SUBURBAN TOOL MC66 6" x 6" MAGNETIC SINE PLATE	_____
201	1	AERCOLOGY DM-1500 PORTABLE DUST COLLECTOR, S/N 34730	217	1	6" x 6" SINE PLATE	_____
202	1	REXROTH 30 GALLON CAPACITY HYDRAULIC UNIT; with 10 HP Baldor Electric Motor; 3 Phase	218	1	PO 8" 3-JAW CHUCK	_____
203	1	YUASA ACCU-LOCK 8" MACHINE TOOL VISE;	219	1	CUSHMAN 8" 3-JAW CHUCK	_____
204	1	KURT D675 6" PRECISION	220	1	SEA HORSE 6 1/2" 3-JAW CHUCK	_____
			221	1	BTC 6" J-JAW CHUCK	_____
			222	1	5" 3-JAW CHUCK	_____
			223	1	5" 3-JAW CHUCK	_____
			224	1	4" 4-JAW CHUCK	_____
			225	1	DORIAN TOOL QITP QUADRA INDEX TOOL POST	_____
			226	1	ENCO HD1 QUICK CHANGE TOOL POST	_____
			227	1	YUASA 740-300 QUICK CHANGE TOOL POST	_____
			228	1	(2) QUICK CHANGE TOOL POST	_____
			229	1	GAYLORD WITH HUGE QUANTITY OF CLAMPS	_____
			230	1	PROCUIER E TAPPING HEAD, S/N. E; SERIES 12006;	_____
			231	1	TAPMATIC A5 TAPPING HEAD; 1,500 Max RPM.	_____
			232	1	LOT OF DORIAN TOOL BORING BAR HOLDERS	_____
			233	1	LOT OF BORING TOOLING	_____
			234	1	LOT OF BORING TOOLING	_____
			235	1	LOT OF BORING TOOLING	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

236	1	LOT OF BORING TOOLING	_____	271	1	LOT OF (2) BOXES OF MISC. SINE PLATES AND FIXTURES	_____
237	1	LOT OF BORING TOOLING	_____	272	1	LOT OF V-BLOCKS	_____
238	1	LOT OF COUNTER BORE TOOLING	_____	273	1	LOT OF MAGNETIC BASE V-BLOCKS	_____
239	1	LOT OF MISC.CUTTING TOOLS	_____	274	1	LOT OF (2) COLLET FIXTURES, Including (1) Phase II 5C Fixture	_____
240	1	LOT OF MISC.CUTTING TOOLS	_____	275	1	EVEREST EDM ROTOBORE SPINDLE RBH-1C	_____
241	1	LOT OF MISC.CUTTING TOOLS	_____	276	1	DAREX DRILL SHARPENER; 1/3 HP	_____
242	1	LOT OF KENNAMETAL CUTTING TOOLS	_____	277	1	WOLF SO DRILL GRINDER	_____
243	1	LOT OF CAT 40 TOOLING	_____	278	1	DRILL GRINDER	_____
244	1	LOT OF CAT 40 TOOLING	_____	279	1	SRD DG 80M DRILL GRINDER	_____
245	1	LOT OF CAT 40 TOOLING	_____	280	1	SPIN-DEX SPIN INDEXER; S/N. 1159	_____
246	1	LOT OF JACOBS CHUCKS WITH CAT 40 TOOLING	_____	281	1	YUASA INDEXER	_____
247	1	LOT OF DME FLEXOLAP BLIND HOLE CUTTING TOOLS	_____	282	1	UNKNOWN MFR INDEXER	_____
248	1	LOT OF MILLING TOOLS	_____	283	1	UNKNOWN MFR INDEXER	_____
249	1	LOT OF MILLING TOOLS	_____	284	1	NSK VT150LAS1 ROTARY CHUCK INDEXING HEAD; S/N. 063499; 6" T-slotted Chuck; 1 1/2" Hole Thru	_____
250	1	LOT OF MILLING TOOLS	_____	285	1	NIKKEN ROTARY CHUCK INDEXIGN HEAD; 6" Chuck; 1 1/2" Hole Thru	_____
251	1	LOT OF MILLING TOOLS	_____	286	1	NATIONAL DIVIDING HEAD	_____
252	1	LOT OF MILLING TOOLS	_____	287	1	LOT OF (2) CENTERS, JACOBS CHUCK	_____
253	1	LOT OF MILLING TOOLS	_____	288	1	SKF 3X300 STANDARD JAW PULLER; 11.8" Grip Width; 9.4" Arm Length; 11,200 Max. Withdrawal Froce	_____
254	1	LOT OF MILLING TOOLS	_____	289	1	HERMANN SHMIDT NARROW WHEEL DRESSER	_____
255	1	LOT OF MILLING TOOLS	_____	290	1	HERMANN SHMIDT NARROW WHEEL DRESSER	_____
256	1	LOT OF MILL SET UP TOOLS	_____	291	1	HERMANN SHMIDT CLEARVIEW RADI-ANGLE FORM WHEEL DRESSER	_____
257	1	TOOLING CABINET WITH LARGE QUANTITY OF END MILLS, TOOL BITS, AND FITTINGS	_____	292	1	ZEP 5100 INDUSTRIAL PARTS WASHER	_____
258	1	TOOLING CABINET WITH LARGE QUANTITY OF TAPS, DRILLS, AND REAMERS	_____	293	1	4' x 9' WELDING TABLE	_____
259	1	TOOLING CABINETS WITH QUANTITY OF END MILLS	_____	294	1	4' x 8' WELDING TABLE	_____
260	1	SUBURBAN TOOL COLLET MASTER SPIN INDEX	_____	295	1	4' x 8' WELDING TABLE	_____
261	1	LOT OF ASSORTED COLLETS	_____	296	1	4' x 8' WELDING TABLE	_____
262	1	LOT OF ASSORTED COLLETS	_____	297	1	4' x 67" WELDING TABLE	_____
263	1	LOT OF ASSORTED COLLETS	_____	298	1	3' x 6' WELDING TABLE	_____
264	1	LOT OF ASSORTED COLLETS	_____	299	1	4' x 4' WELDING TABLE	_____
265	1	TSD EXTENDED RANGE COLLET SET	_____	300	1	MICRO VU S-14 14" OPTICAL	_____
266	1	LOT OF (4) ANGLE PLATES	_____				
267	1	LOT WITH LARGE QUANTITY OF FIXTURES, BLOCKS, AND PIPE	_____				
268	1	LOT OF (2) BOXES OF MISC. SINE PLATES AND FIXTURES	_____				
269	1	LOT OF (2) BOXES OF MISC. SINE PLATES AND FIXTURES	_____				
270	1	LOT OF (2) BOXES OF MISC. SINE PLATES AND FIXTURES	_____				

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

301	1	COMPARATOR, S/N 5354 MICRO VU S-14 14" OPTICAL COMPARATOR, S/N 5354	318	1	.751-1.000 (MINUS GAGES) MEYER PIN GAGES, M-1 (MINUS) SET; FROM .061-.250
302	1	ZEISS ECLIPSE COORDINATE MEASURING MACHINE, S/N 200207281581, (2002); SYS; EC, 4040 DCC TS C99/II, 53" x 52" Granite Table, Zeiss Probehead w/ Renishaw TP20 Touch Probe, DCC Joystick Control Pendant, Wilkerson WRCM10-1 Air Dryer	319	1	MEYER PIN GAGES, M-2 (MINUS) SET; FROM .251-.500
303	1	ROI Model QUI/ROI 8" x 12" Non- Contact Vision Metrology System, S/N QUA01063, (2002); PC; Monitor; and Associated Support Equipment	320	1	MEYER PIN GAGES, M-3 (MINUS) SET; FROM .501-.625
304	1	BYK-Gardner 24"W x 12" x 12" Color Viewing Booth	321	1	MEYER PIN GAGES, M-4 (MINUS) SET; FROM .626-.750
305	1	FLOATER LEAK TEST STATION; Dual Palm Buttons; Nitroset Control	322	1	CHANGDA PIN GAGES, M-2 (MINUS) SET; FROM .251-.500
306	1	36" x 48" x 8" STARRETT PINK GRANITE SURFACE PLATE; on Steel Stand	323	1	CHANGDA PIN GAGES, M-3 (MINUS) SET; FROM .501-.625
307	1	26" x 26" x 4" BLACK GRANITE SURFACE PLATE	324	1	CHANGDA PIN GAGES, M-4 (MINUS) SET; FROM .626-.750
308	1	18" x 20" x 3" BLACK GRANITE SURFACE PLATE	325	1	CHANGDA PIN GAGES, M-5 (MINUS) SET; FROM .751-.832
309	1	18" x 24" x 6" STARRETT PINK GRANITE SURFACE PLATE	326	1	ECONOGAGE A PIN GAGE SET FROM .028-.502
310	1	18" x 12" x 4" RAHN BLACK GRANITE SURFACE PLATE	327	1	CHANGDA PIN GAGES, M-7 (MINUS) SET; FROM .917-1.000
311	1	18" x 24" x 4" METROPLATE DOUBLE LEDGE BLACK GRANITE SURFACE PLATE	328	1	ECONOGAGE A PIN GAGE SET FROM .028-.502
312	1	18" x 24" x 4" DOUBLE LEDGE BLACK GRANITE SURFACE PLATE	329	1	PIN GAGE SET FROM .0110-.625
313	1	18" x 24" x 3" DOUBLE LEDGE BLACK GRANITE SURFACE PLATE	330	1	MEYER PIN GAGES, M-1 (PLUS), FROM .061-.250
314	1	FOWLER 57-230-000 BENCH TEST CENTER	331	1	MEYER PIN GAGES, M-1 (PLUS), FROM .061-.250
315	1	RIKEN RBC NO.1 BENCH TEST CENTER, S/N. 4849	332	1	MEYER PIN GAGES, M-2 (PLUS), FROM .251-.500
316	1	MEYER PIN GAGE SET INCLUDING M-0, M-1, M-2, M-3, AND M-4, FROM -.011-.750 (MINUS GAGES)	333	1	PIN GAGES, M-1 (MINUS), FROM .061-.251
317	1	MEYER PIN GAGE SET INCLUDING M-5, M-6, M-7, FROM	334	1	VERMONT PIN GAGES, C SERIES (MINUS), FROM .215-.500
			335	1	BOX OF VERMONT PIN GAGES, FROM .5041-.5059
			336	1	MITUTOYO GAGE BLOCK SET; FROM .050-4.000
			337	1	MITUTOYO GAGE BLOCK SET; FROM .050-4.000
			338	1	STARRETT GAGE BLOCK SET; FROM .1001-4.000
			339	1	MITUTOYO GAGE BLOCK SET; FROM .1002-2.000
			340	1	GAGE BLOCK SET FROM .1002- 4.000
			341	1	MITUTOYO 40" CALIPER
			342	1	26" CALIPER
			343	1	SCHERR TUMICO 24" DIGITAL CALIPER

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

344	1	PALMONE 24" DIGITAL CALIPER	_____	380	1	PROCHECK 0-1" DEEP THROAT	_____
345	1	MITUTOYO 18" DIGITAL	_____			MICROMETER	_____
		CALIPER	_____	381	1	MITUTOYO 0-25MM OUTSIDE	_____
346	1	MITUTOYO 18" DIGITAL	_____			MICROMETER	_____
		CALIPER	_____	382	1	MITUTOYO 0-1" OUTSIDE	_____
347	1	14" CALIPER	_____			MICROMETER	_____
348	1	MITUTOYO 12" DIGITAL	_____	383	1	VIC 0-1" THREAD MICROMETER	_____
		CALIPER	_____	384	1	0-1" OUTSIDE MICROMETER	_____
349	1	MITUTOYO 12" DIAL CALIPER	_____	385	1	STARRETT 0-1" OUTSIDE	_____
350	1	MITUTOYO 12" CALIPER	_____			MICROMETER	_____
351	1	12" CALIPER	_____	386	1	STARRETT 0-1" OUTSIDE	_____
352	1	HELIOS 11" CALIPER	_____			MICROMETER	_____
353	1	MITUTOYO 8" DIGITAL CALIPER	_____	387	1	STARRETT 1-2" DIGTIAL	_____
354	1	AEROSPACE 8" DIAL CALIPER	_____			OUTSIDE MIC	_____
355	1	8" DIAL CALIPER	_____	388	1	MITUTOYO 25-50mm INSIDE	_____
356	1	MITUTOYO 6" DIGITAL CALIPER	_____			MICROMETER	_____
357	1	MITUTOYO 6" DIGITAL CALIPER	_____	389	1	STARRETT MISC. INSIDE MIC	_____
358	1	MITUTOYO 6" DIGITAL CALIPER	_____			SET FROM 1-8"	_____
359	1	MITUTOYO 6" DIGITAL CALIPER	_____	390	1	MITUTOYO HTD-1ST	_____
360	1	MITUTOYO 6" DIGITAL CALIPER	_____			MICROMETER TRI-BORE GAGE	_____
361	1	CENTECH 6" DIGITAL CALIPER	_____			SET; 3 POINT BORE DIAMETER	_____
362	1	CENTECH 6" DIGITAL CALIPER	_____			MEASURING	_____
363	1	CENTECH 6" DIGITAL CALIPER	_____	391	1	MITUTOYO HTD-5ST	_____
364	1	MITUTOYO 6" DIAL CALIPER	_____			MICROMETER TRI-BORE GAGE	_____
365	1	MITUTOYO 6" DIAL CALIPER	_____			SET; 3 POINT BORE DIAMETER	_____
366	1	STARRETT 6" DIAL CALIPER	_____			MEASURING	_____
367	1	6" DIGITAL CALIPER	_____	392	1	MITUTOYO NO.526 DIAL BORE	_____
368	1	6" DIGITAL CALIPER	_____			GAGE; FROM .4-.7	_____
369	1	PRECISE 6" DIAL CALIPER	_____	393	1	MITUTOYO NO.526 DIAL BORE	_____
370	1	PRECISE 6" DIAL CALIPER	_____			GAGE; FROM .4-.8	_____
371	1	6" DIAL CALIPER	_____	394	1	MITUTOYO .00005" DEPTH GAGE	_____
372	1	MITUTOYO 24" DIGITAL HEIGHT	_____			SET	_____
		GAGE	_____	395	1	BAKER .5" DEPTH GAGE SET	_____
373	1	MITUTOYO 12" DIGITAL HEIGHT	_____	396	1	(2) TELESCOPING GAGE SETS,	_____
		GAGE	_____			(10) PIECES, UP TO 6"	_____
374	1	MG 12" HEIGHT GAGE	_____	397	1	FULL BALL TYPE SMALL HOLE	_____
375	1	MITUTOYO 12" HEIGHT GAGE	_____			GAGE SET, (4) PIECES, .125-.5"	_____
376	1	12" DIAL HEIGHT GAGE	_____	398	1	(2) STARRETT TAPER GAGE	_____
377	1	BROWN & SHARPE 12" HEIGHT	_____			SETS, FROM .100-.500"	_____
		GAGE	_____	399	1	(2) TAPER GAGE SETS, FROM	_____
377A	1	KROEPLIN ELECTRONICS	_____			.100-.500"	_____
		ELOTEST ELECTRONICE	_____	400	1	SPI (8) PIECE RADIUS GAGE SET;	_____
		CALIPER GAGE	_____			FROM 9/16-15/16"	_____
378	1	MITUTOYO (4) PIECE DIGITAL	_____	401	1	STARRETT NO.S167MC RADIUS	_____
		OUTSIDE MICROMETER SET,	_____			GAGE SET; FROM 1-14MM	_____
		FROM 0-1" - 3-4"	_____	402	1	MITUTOYO 186-901 RADIUS	_____
379	1	MITUTOYO 0-6" DIGTIAL	_____			GAGE SET; 3/64-1/2"	_____
		OUTSIDE MICROMETER	_____	403	1	ACCUPRO RADIUS GAGE SET; 1-	_____
379A	1	LOT OF (4) OUTSIDE	_____			64-1/2"	_____
		MICROMETERS, FROM 1-4"	_____	404	1	HPSA DUROMETER; S/N. 5222	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

405	1	FEDERAL MAXUM .005" DIGITAL INDICATOR	427	1	GRENNLEE 93-172 DIGITAL LIGHT METER
406	1	FEDERAL MAXUM .005" DIGITAL INDICATOR	428	1	IMS COT1-ETH DIGITAL THERMOMETER
407	1	FEDERAL MAXUM .005" DIGITAL INDICATOR	429	1	PLASTIC PROCESS EQUIPMENT 840A CALIBRATOR DIGITAL THERMOMETER
408	1	FEDERAL MAXUM .005" DIGITAL INDICATOR	430	1	PLASTIC PROCESS EQUIPMENT 39658-J THERMOCOUPLE DIGITAL THERMOMETER
409	1	LOT OF (3) MITUTOYO DIGITAL INDICATORS	431	1	PLASTIC PROCESS EQUIPMENT 39658-J THERMOCOUPLE DIGITAL THERMOMETER
410	1	LOT OF (3) MITUTOYO DIGITAL INDICATORS	432	1	PLASTIC PROCESS EQUIPMENT 313K DIGITAL THERMOMETER
411	1	LOT OF (3) MITUTOYO AND STARRETT DIGITAL INDICATORS	433	1	BARNANT 90 DIGITAL THERMOMETER
412	1	LOT OF (5) MITUTOYO, ENCO AND PHASE II DIAL INDICATORS	434	1	HA-TC TEMPERATURE ADJUSTMENT SET 11113857 FOR HALOGEN MOISTURE ANALYZERS
413	1	LOT OF (4) FEDERAL, MITUTOYO, AND BROWN & SHARPE DIAL INDICATORS	435	1	EXAIR 7905 STATIC METER
414	1	LOT OF (3) INTERAPID AND TESA DIAL INDICATORS	436	1	HIOS HP-100 DIGITAL TORQUE METER
415	1	OBJECTIVE INDUSTRIES PRE-CISE DEVICE WITH MITUTOYO DIAL INDICATOR AND FIXTURE	437	1	SNAP ON TORQUE METER
416	1	MITUTOYO DIAL INDICATOR WITH FIXTURE	438	1	MARK 10 BGI DIGITAL FORCE/TORQUE GAGE
417	1	MHC INDUSTRIAL DIAL INDICATOR	439	1	OMEGA PUSH/PULL 100 LB SCALE
418	1	(2) JOHNSON GAGE DIAL INDICATORS WITH FIXTURES	440	1	OMEGA PUSH/PULL 100 LB SCALE
419	1	MITUTOYO DIGITAL INDICATOR WITH GRANITE CHECK INDICATOR STAND; 6" x 6" x 2"	441	1	COLOREYE XTH COLOR HAND HELD SPECTOPHOTOMETER
420	1	TECLOCK DIAL INDICATOR WITH GRANITE CHECK INDICATOR STAND; 6" x 6" x 2"	442	1	MITUTOYO 315-311 HEIGHT MASTER; 0-13"
421	1	DIAL INDICATOR WITH GRANITE CHECK INDICATOR STAND; 6" x 6" x 2"	443	1	MITUTOYO 515-355 HEIGHT MASTER; 0-12"
422	1	FINN GRANITE CHECK INDICATOR STAND; 8" x 6" x 2"	444	1	STARRETT 258 HEIGHT MASTER; 0-12"
423	1	GRANITE CHECK INDICATOR STAND; 6" x 6" x 2"	445	1	VIS 12" PRECISION LEVEL
424	1	GRANITE CHECK INDICATOR STAND; 6" x 6" x 2"	446	1	BYK GARDNER PF1120 IMPACT TESTER
425	1	GRANITE CHECK INDICATOR STAND; 6" x 6" x 2"	447	1	SPI MOLD FINISH COMPARISON KIT
426	1	SPER SCIENTIFIC 840029 DIGITAL SOUND METER	448	1	BOWERS HOLE GAGE SET, 2-3" and 3-4"
			449	1	WESTOVER RBH-32 HAND HELD BRIX REFRACTOMETER
			450	1	SCHERR TUMICO 1.4"-2.5" BORE GAGE

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

451	1	(3) STARRETT 5190 JACK SCREW SETS	_____				
452	1	LOT OF MISC. SET UP BLOCKS	_____				
453	1	LOT OF MISC. SINE PLATE SET UP ACCESSORIES	_____				
454	1	HERMANN SCHMIDT CHECK MASTER WITH DIAL INDICATOR	_____				
455	1	UNITRON TMS-1620 MICROSCOPE; Up to 40x Magnification	_____	459A	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____
456	1	FOWLER MISCROCOPE; Up to 12x Magnification; with 458MICROSCOPE with set of 10x and 20x Optics	_____	459B	1	CONAIR VACUUM FEEDER	_____
		<u>ELECTRIC INJECTION MOLDERS LOTS 457 - 464</u>		459C	1	MARK 2 AUTOMATION 400ELC2 3-AXIS ROBOT, S/N. 21227; Eagle EMC2001 Hand-Held Remote Pendant	_____
457	1	2004 NISSEI NEX 7000 400-TON x 32.9-Oz. ELECTRIC PLASTIC INJECTION MOLDING MACHINE, S/N H36Y314, Electric Clamp, Platen Size 41.5" x 41.5", Tie Bar Spacing 28.9" x 28.9", Maximum Daylight 52.8", Mold Height Range 13.78" Min. - 27.2" Max., 5.9" Ejector	_____	460	1	2004 NIIGATA MD200SIV 200-TON x 14.14-Oz. ELECTRIC PLASTIC INJECTION MOLDING MACHINE, S/N 27042D, Toggle Clamp, Platen Size 30.31" x 30.30", Tie Bar Spacing 20.87" x 20.87", Maximum Daylight 37.40", Mold Height Range 7.87" Min. - 19.7" Max., 4.3" Ejecto	_____
457A	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	460A	1	CONAIR DL8 VACUUM FEEDER	_____
457B	1	CONAIR VACUUM FEEDER	_____	461	1	1996 CINCINNATI MILACRON ACT A07B-1503 150-TON X 9-OZ. ELECTRIC PLASTIC INJECTION MOLDING MACHINE, S/N A932F0390, (1996); Servo Toggle Clamp, Platen Size 27" x 27", Tie Bar Spacing 17.5" x 17.5", Maximum Daylight 36.61", Mold Height Range 7.9" Min. - 21"	_____
457C	1	MARK 2 AUTOMATION 400EL3S 3-AXIS PC SERVO ROBOT, S/N.21214; Elwood EPC3000 Hand-Held Remote Pendant	_____	461A	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____
458	1	2001 NISSEI ES5000-50E ELJECT 250-TON x 16.9-Oz. ELECTRIC PLASTIC INJECTION MOLDING MACHINE, S/N H22V018, Electric Clamp, Platen Size 33.46" x 33.46", Tie Bar Spacing 23.22" x 23.22", Maximim Daylight 42.52", Mold Height Range 11.02" Min. - 21.65" Max.,	_____	461B	1	CONAIR VACUUM FEEDER	_____
458A	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	462	1	1999 NISSEI ES200 ELJECT 120-TON x 6.1-Oz. ELECTRC PLASTIC INJECTION MOLDING MACHINE, S/N H11T014, Platen Size 25" x 25", Tie Bar Spacing 17" x 17", Maximum Daylight 29.5", Mold Height Range 7.9" Min. - 15.7" Max., 3" Ejector Stroke, Nissei Microprocess	_____
458B	1	CONAIR VACUUM FEEDER	_____	462A	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____
458C	1	MARK 2 AUTOMATION 400ELC2 3-AXIS ROBOT, S/N. 21080; Eagle EMC2001 Hand-Held Remote Pendant	_____	462B	1	CONAIR VACUUM FEEDER	_____
459	1	2001 NISSEI ES5000-50E ELJECT	_____	462C	1	STARR AUTOMATION LS-	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		800FMIII.3 3-AXIS ROBOT, S/N T60G-0504; Dual Arm, STEC-460 Console Control w/ Hand-Held Remote Pendant; # B-12			21 3-AXIS SERVO ROBOT, S/N A122643-V; E-Touch Compact II Hand-Held Remote Pendant; # A-10
463	1	1998 JSW J60ELII 60-TON x 2-Oz. ELECTRIC PLASTIC INJECTION MOLDING MACHINE, S/N 297762404, Electric Servo Clamp, Platen Size 18.5" x 18.5", Tie Bar Spacing 12.2" x 12.2", Maximum Daylight 27.1", Mold Height Range 6.3" Min. - 11.8" Max., 3.15" Ejector St	468	1	YUSHIN NETLINER YAII-800SL-18 3-AXIS SERVO ROBOT, S/N A122641-V; E-Touch Compact II Hand-Held Remote Pendant
463A	1	AUTOLOAD VACCUM FEEDER	468A	1	YUSHIN NETLINER YAII - 600 3-AXIS SERVO ROBOT, S/N. N/A; E-Touch Compact Hand Held Remote Pendant
463B	1	MARK 2 AUTOMATION 250EC2 SPRUE PICKER ROBOT, S/N NA; No Control; # D-02	469	1	2001 MITSUBISHI 950MMJW 950-TON x 153-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MMG816W49, Hydraulic Clamp, Platen Size 70.9" x 66.9", Tie Bar Spacing 55.75" x 59.75", Mold Height Range 19" Min. - 43" Max., Hydraulic Core Pull, Mitsubishi Microprocessor
464	1	1997 JSW J60ELII 60-TON x 2-Oz. PLASTIC ELECTRIC INJECTION MOLDING MACHINE, S/N 296760208, Electric Servo Clamp, Platen Size 18.5" x 18.5", Tie Bar Spacing 12.2" x 12.2", Maximum Daylight 27.1", Mold Height Range 6.3" Min. - 11.8" Max., 3.15" Ejector St	470	1	CONAIR 310522.02 HOPPER FEEDER, S/N. 93505; 8" GT; 2" OD
464A	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	471	1	YUSHIN NETLINER YAII - 600 3-AXIS SERVO ROBOT, S/N. A102310V; E-Touch Compact Hand Held Remote Pendant; #E-7
464B	1	CONAIR VACUUM FEEDER	472	1	2001 NISSEI FV9100-310L 720-TON x 134-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N S91U023, Hydraulic Clamp, Platen Size 60.63" x 60.63", Tie Bar Spacing 43" x 43", Maximum Daylight 75.2", Mold Height Range 17.72" Min. - 34.28" Max., 7.87" Ejector Stroke,
464C	1	STARR AUTOMATION T.350FMIII-3 3-AXIS ROBOT, S/N 1X35N-0001.3; STEC-460 Console Control w/ Hand-Held Remote Pendant; # B-04	473	1	AUXILLARY 5-PLUG POWER UNIT; with Square D 5 kva Transformer
		<u>INJECTION MOLDERS LOTS 465 - 643</u>	474	1	CON AIR/UNA-DYN 26241705 VACCUM FEEDER; S/N. N9926241705; 3" OD
465	1	2012 HAITIAN JU14000j 8400j 1573-TON PLASTIC I INJECTION MOLDING MACHINE, S/N 201105140035188, Hydraulic Clamp, Tie Bar Spacing 57.4" x 53.5", Maximum Daylight 116", Mold Height Range 26.3" Min. - 53.1" Max., Ejector Stroke 15.7", Jupiter Series KEBA 40	475	1	YUSHIN NETLINER YAII-600SL-15.5 3-AXIS SERVO ROBOT, S/N A122676-V; E-Touch Compact II Hand-Held Remote Pendant; # A-14
466	1	CONAIR 292681.01 HOPPER FEEDER, S/N. N9922681.01; 4" GT Chamber; 2" OD	476	1	NISSEI FV9100-310L 720-TON x 134-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N S91U003, (1999); Hydraulic Clamp, Platen Size 60.63" x 60.63", Tie Bar Spacing 43" x 43", Maximum Daylight 75.2", Mold Height Range
467	1	YUSHIN NETLINER YAII-1300SL-			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

	17.72" Min. - 34.28" Max., 7.87"				Pathfinder 4
	Ejector Strok	488	1	CONAIR 310522.02 VACUUM	
477	1 AUXILLARY 5-PLUG POWER			FEEDER, S/N. 93505; 8" GT; 2" OD	
	UNIT; with Siemens 5 kva	489	1	WITTMANN W633 3-AXIS SERVO	
	Transformer			ROBOT, S/N. 5305 (2003); Hand-	
478	1 CON AIR/UNA-DYN 26241705			Held Remote Pendant	
	VACUUM FEEDER; S/N.	490	1	2005 MITSUBISHI 610MMJ-80 610-	
	N9926241705; 3" OD			TON x 101.9-Oz. PLASTIC	
479	1 MARK 2 AUTOMATION 480EL2 3-			INJECTION MOLDING MACHINE,	
	AXIS ROBOT, S/N. 20486; Eagle			S/N MMG508222, Hydraulic Clamp,	
	EMC2001 Hand-Held Remote #A-17			Platen Size 49.2" x 49.2", Tie Bar	
480	1 VAN DORN 700-HP-6800 700-TON			Spacing 33.8" x 33.9", Maximum	
	x 139-Oz. PLASTIC INJECTION			Daylight 63", Mold Height Range	
	MOLDING MACHINE, S/N 911,			15.7" Min. - 31.5" Max., 14.3" Ejector	
	(1999); Hydraulic Clamp, Platen Size			Str	
	53.5" x 53.5", Tie Bar Spacing 36.5" x	491	1	CON AIR/UNA-DYN 26241705	
	36.5", Maximum Daylight 60", Mold			HOPPER FEEDER; S/N.	
	Height Range 16" Min. - 46" Max., 6"			N9926241705; 3" OD	
	Ejector Stroke, Hydraul	492	1	YUSHIN WEBLINER RAI – 400 3-	
481	1 CONAIR 310522.02 VACUUM			AXIS SERVO ROBOT, S/N	
	FEEDER, S/N. 93505; 8" GT; 2" OD			33688103, (2005); Portable Control	
482	1 CONAIR SEPRO PIP-3041-BZ 3-			Stand w/ Removable Hand-Held	
	AXIS SERVO ROBOT, S/N 96-			Remote Pendant	
	12/3501, (1996); Sepro S-900-II	493	1	2005 MITSUBISHI 610MMJ-80 610-	
	Hand-Held Remote Pendant; # A-16			TON x 101.9-Oz. PLASTIC	
483	1 VAN DORN 700-HP-6800 700-TON			INJECTION MOLDING MACHINE,	
	x 139-Oz. PLASTIC INJECTION			S/N MMG508225, (2005); Hydraulic	
	MOLDING MACHINE, S/N 860,			Clamp, Platen Size 49.2" x 49.2", Tie	
	(1998); Hydraulic Clamp, Platen Size			Bar Spacing 33.8" x 33.9", Maximum	
	53.5" x 53.5", Tie Bar Spacing 36.5" x			Daylight 63", Mold Height Range	
	36.5", Maximum Daylight 60", Mold			15.7" Min. - 31.5" Max., 14.3" Ejec	
	Height Range 16" Min. - 46" Max., 6"	494	1	CONAIR 310522.02 VACUUM	
	Ejector Stroke, Hydraul			FEEDER, S/N. 93505; 8" GT; 2" OD	
484	1 AUXILLARY 5-PLUG POWER	495	1	YUSHIN WEBLINER RAI – 400 3-	
	SOURCE; with Acme 5 kva			AXIS SERVO ROBOT, S/N	
	Transformer			33688104, (2005); Portable Control	
485	1 CONAIR 310522.02 VACUUM			Stand w/ Removable Hand-Held	
	FEEDER, S/N. 93505; 8" GT; 2" OD			Remote Pendant	
486	1 HUSKY MTE-7 3-AXIS SERVO	496	1	2005 MITSUBISHI 610MMJ-80 610-	
	ROBOT, S/N 2450466, (2002); Power			TON x 101.9-Oz. PLASTIC	
	Console, Fanuc Hand-Held Remote			INJECTION MOLDING MACHINE,	
	Pendant; # A-15			S/N MMG508250, (2005); Hydraulic	
487	1 VAN DORN 700-HP-125-LP 700-			Clamp, Platen Size 49.2" x 49.2", Tie	
	TON x 125-Oz. PLASTIC			Bar Spacing 33.8" x 33.9", Maximum	
	INJECTION MOLDING MACHINE,			Daylight 63", Mold Height Range	
	S/N 713, (1995); Hydraulic Clamp,			15.7" Min. - 31.5" Max., 14.3" Ejec	
	Platen Size 62.125"W x 53"H, Tie Bar	497	1	CONAIR 310522.02 VACUUM	
	Spacing 46"W x 36.5"H, Maximum			FEEDER, S/N. 93505; 8" GT; 2" OD	
	Daylight 55.5", Minimum Mold	498	1	YUSHIN WEBLINER RAI – 400 3-	
	Height 14.5", Hydraulic Core Pull,			AXIS SERVO ROBOT, S/N	

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		33688504, (2005); Portable Control Stand w/ Removable Hand-Held Remote Pendant	508	1	2004 MITSUBISHI 500MSJ-60 500-TON x 52.2-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MSG406424, Hydraulic Clamp, Platen Size 45.28" x 45.28", Tie Bar Spacing 31.89" x 31.89", Maximum Daylight 55.12", Mold Height Range 13.78" Min. - 41.34" Max., 5.9" Eject
499	1	2005 MITSUBISHI 610MMJ-80 610-TON x 101.9-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MMG508246, Hydraulic Clamp, Platen Size 49.2" x 49.2", Tie Bar Spacing 33.8" x 33.9", Maximum Daylight 63", Mold Height Range 15.7" Min. - 31.5" Max., 14.3" Ejector Stro			
500	1	CONAIR 310522.02 VACUUM FEEDER, S/N. 93505; 8" GT; 2" OD	509	1	CONAIR VACUUM FEEDER; 8" GT; 2" OD
501	1	YUSHIN WEBLINER RAI1 – 400 3-AXIS SERVO ROBOT, S/N 33688505, (2005); Portable Control Stand w/ Removable Hand-Held Remote Pendant	510	1	YUSHIN WEBLINER RAI1 – 400 3-AXIS SERVO ROBOT, S/N 33688501, (2006); Portable Control Stand w/ Removable Hand-Held Remote Pendant
502	1	2004 MITSUBISHI 500MSJ-60 500-TON x 52.2-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MSG406425, Hydraulic Clamp, Platen Size 45.28" x 45.28", Tie Bar Spacing 31.89" x 31.89", Maximum Daylight 55.12", Mold Height Range 13.78" Min. - 41.34" Max., 5.9" Ejec	511	1	2004 MITSUBISHI 500MSJ-60 500-TON x 52.2-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MSG406456, Hydraulic Clamp, Platen Size 45.28" x 45.28", Tie Bar Spacing 31.89" x 31.89", Maximum Daylight 55.12", Mold Height Range 13.78" Min. - 41.34" Max., 5.9" Ejec
503	1	CONAIR 310522.02 VACUUM FEEDER, S/N. 93505; 8" GT; 2" OD	512	1	CONAIR VACUUM FEEDER, 4" GT; 2" OD
504	1	YUSHIN WEBLINER RAI1 – 400 3-AXIS SERVO ROBOT, S/N 33688101, (2005); Portable Control Stand w/ Removable Hand-Held Remote Pendant	513	1	YUSHIN WEBLINER RAI1 – 400 3-AXIS SERVO ROBOT, S/N 33688502, (2006); Portable Control Stand w/ Removable Hand-Held Remote Pendant
505	1	2005 MITSUBISHI 500MSJ-60 500-TON x 52.2-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MSG406457, Hydraulic Clamp, Platen Size 45.28" x 45.28", Tie Bar Spacing 31.89" x 31.89", Maximum Daylight 55.12", Mold Height Range 13.78" Min. - 41.34" Max., 5.9" Eject	514	1	2001 NISSEI FN8000-160A 500-TON x 43-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N S46V008, (2001); Hydraulic Clamp, Platen Size 46.8" x 46.8", Tie Bar Spacing 32" x 32", Maximum Daylight 55", Mold Height Range 11" Min. - 39" Max., 6" Ejector Stroke, Hydr
506	1	CON AIR/UNA-DYN 26241705 VACUUM FEEDER; S/N. N9926241705; 3" OD	515	1	AUXILLARY POWER SOURCE; with GE 5 kva Transformer
507	1	YUSHIN WEBLINER RAI1 – 400 3-AXIS SERVO ROBOT, S/N 33688103, (2005); Portable Control Stand w/ Removable Hand-Held Remote Pendant	516	1	CONAIR VACUUM FEEDER; GTC-8 Glass Tube
			517	1	YUSHIN NETLINER YAI1 400SLL 13 3-AXIS SERVO ROBOT, S/N. 3306885007; Hand-Held Remote Pendant
			518	1	VAN DORN 500-HP-60 500-TON x 60-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 854,

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

	(1998); Hydraulic Clamp, Platen Size 47.8" x 47.8", Tie Bar Spacing 32.5" x 32.5", Maximum Daylight 40", Mold Height Range 12" Min. - 38" Max., 6" Ejector Stroke, Hydraulic C	530	1	Height Range 13.78" Min. - 27" Max., 5.9" Ejector Stroke, Hydra
519	1 AUXILLARY POWER SOURCE; With Siemens 5 kva Transformer	531	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
520	1 CONAIR VACUUM FEEDER	532	1	CONAIR VACUUM FEEDER; 4" GT/F
521	1 YUSHIN NETLINER VNII-550SL-16 3-AXIS SERVO ROBOT, S/N 963664-01; Portable Control Stand w/ Removable Hand-Held Remote Pendant; # E-05	533	1	CONAIR SEPRO PIP-3031-B2 3-AXIS SERVO ROBOT, S/N 2000-01/6541, (2000); Sepro S-900-II Hand-Held Remote Pendant; # C-01
522	1 VAN DORN 500-HP-60 500-TON x 60-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 768, (1995); Hydraulic Clamp, Platen Size 47.8" x 47.8", Tie Bar Spacing 32.5" x 32.5", Maximum Daylight 40", Mold Height Range 12" Min. - 38" Max., 6" Ejector Stroke, Hydraulic C	534	1	VAN DORN 400-HT-48 400-TON x 48-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 532, (1996); Toggle Clamp, Platen Size 42" x 42", Tie Bar Spacing 28" x 28", Maximum Daylight 54", Mold Height Range 8" Min. - 27" Max., 5" Ejector Stroke, Hydraulic Core Pull, Pa
523	1 AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	535	1	AUXILLARY 5-PLUG POWER SOURCE, with Siemens 5 kva Transformer
524	1 CONAIR HOPPER/FEEDER	536	1	CONAIR VACUUM FEEDER
525	1 MARK 2 AUTOMATION 480EL2 3-AXIS ROBOT; S/N. 21037; Eagle EMC2001 Hand-Held Remote Pendant	537	1	MARK 2 AUTOMATION 400EL3S 3-AXIS PC SERVO ROBOT, S/N. 21216; Elwood EPC3000 Hand-Held Remote Pendant
526	1 CINCINNATI MILACRON VH500-54 500-TON x 54-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N H05A0294033, (1994); Hydraulic Clamp, Platen Size 48" x 48", Tie Bar Spacing 34.3" x 34.3", Maximum Daylight 55.1", Mold Height Range 15" Min. - 55.1" Max., Hydraulic Co	538	1	VAN DORN 400-HT-48 400-TON x 48-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 498, (1995); Toggle Clamp, Platen Size 42" x 42", Tie Bar Spacing 28" x 28", Maximum Daylight 54", Mold Height Range 8" Min. - 27" Max., 5" Ejector Stroke, Hydraulic Core Pull, Pa
527	1 CON AIR/UNA-DYN BA2101 VACUUM FEEDER; with Conair GB Series Gavimetric Batch Blender DRO Control	539	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
528	1 YUSHIN NETLINER YAI-400SL-13 3-AXIS SERVO ROBOT, S/N. A08023; Hand-Held Remote Pendant	540	1	CONAIR VACUUM FEEDER
529	1 NISSEI FN7000 400-TON x 32-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N S36U041, (1999); Hydraulic Clamp, Platen Size 41.5" x 41.5", Tie Bar Spacing 28.9" x 28.9", Maximum Daylight 52.8", Mold	541	1	YUSHIN AIRLINER AN-250S 3-AXIS SERVO ROBOT, S/N 976659-01, (1998); w/ AN-3500 Servo Portable Control Console; # B-24
				VAN DORN 400-HT-48 400-TON x 48-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 497, (1995); Toggle Clamp, Platen Size 42" x 42", Tie Bar Spacing 28" x 28", Maximum Daylight 54", Mold Height Range 8" Min. - 27" Max., 5" Ejector

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

542	1	Stroke, Pathfinder 4500 Micropr AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____						MOLDING MACHINE, S/N 521309, (1995); Hydraulic Clamp, Platen Size 40.1" x 40.1", Tie Bar Clearance 28.7" x 28.7", Maximum Daylight 49.2", Mold Height Range 11.81" Min. - 37.4" Max., 4.5" Ejector S
543	1	CONAIR VACUUM FEEDER	_____						
544	1	VAN DORN 400-RS-48-HT 400- TON x 48-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 370, (1994); Toggle Clamp, Platen Size 42" x 42", Tie Bar Spacing 28" x 28", Maximum Daylight 52.8", Mold Height Range 8" Min. - 26" Max., 5" Ejector Stroke, Hydraulic Core Pul	_____	555	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____		
545	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	556	1	CONAIR VACUUM FEEDER	_____		
546	1	CONAIR HOPPER/FEEDER; GTC- 4; 2.0 LS; 24 VDC	_____	557	1	YUSHIN NETLINER YAIH-400SLL- 13 3-AXIS SERVO ROBOT, S/N. A102305-V; Hand-Held Remote Pendant	_____		
547	1	MARK 2 AUTOMATION 360EL3S 3-AXIS PC SERVO ROBOT, S/N 21212; Elwood EPC3000 Hand-Held Remote Pendant; # C-06	_____	558	1	SUMITOMO SH350A/C2500 350- TON x 38-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MOBN0184, (1998); Hydraulic Clamp, Platen Size 40.5" x 40.5", Tie Bar Spacing 28" x 28", Maximum Daylight 49.61", Mold Height Range 12.6" Min. - 25.59" Max., 6.89" Ejector Stro	_____		
548	1	VAN DORN 400-RS-48F-HT 400- TON x 48-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 285, (1992); Toggle Clamp, Platen Size 42" x 42", Tie Bar Spacing 28" x 28", Maximum Daylight 52.8", Mold Height Range 8" Min. - 26" Max., 5" Ejector Stroke, Hydraulic Core Pu	_____	559	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____		
549	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	560	1	CONAIR VACUUM FEEDER	_____		
550	1	CONAIR VACUUM FEEDER	_____	561	1	YUSHIN NETLINER YAIH - 400SLL 3-AXIS SERVO ROBOT, S/N. A092198; Hand-Held Remote Pendant; #C-09	_____		
551	1	YUSHIN WEBLINER RAIH - 400SL 3-AXIS SERVO ROBOT, S/N 330688500; Portable Control Stand w/ Removable Hand-Held Remote Pendant	_____	562	1	SUMITOMO SH350A/C2500 350- TON x 38-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N MOBN0170, (1997); Hydraulic Clamp, Platen Size 40.5" x 40.5", Tie Bar Spacing 28" x 28", Maximum Daylight 49.61", Mold Height Range 12.6" Min. - 25.59" Max., 6.89" Ejector Stro	_____		
552	1	TOSHIBA ISGS390V10-19 390-TON x 62-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 089103, (2000); Hydraulic Clamp, Platen Size 40.1" x 40.1", Tie Bar Clearance 28.7" x 28.7", Maximum Daylight 49.2", Mold Height Range 11.81" Min. - 37.4" Max., 4.5" Ejector St	_____	563	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____		
553	1	CONAIR VACUUM FEEDER	_____	564	1	CONAIR VACCUM FEEDERER	_____		
554	1	TOSHIBA ISGS390V10-19B 390- TON x 62-Oz. PLASTIC INJECTION	_____	565	1	MARK 2 AUTOMATION 400EL2 3- AXIS ROBOT, S/N 20716; Eagle EMC2001 Hand-Held Remote Pendant; # C-08	_____		
				566	1	mitsubishi 320MJII-30 320-TON x 30-Oz. PLASTIC INJECTION	_____		

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		MOLDING MACHINE, S/N 3S29E068, (1995); Hydraulic Clamp, Platen Size 37.4" x 37.4", Tie Bar Spacing 25.98" x 25.98", Maximum Daylight 41.73", Mold Height Range 11.81" Min. - 25.59" Max., 4.92" Eject				14.7-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 842, (1995); Toggle Clamp, Platen Size 32.25" x 32.25", Tie Bar Spacing 22.06" x 22.06", Maximum Daylight 42", Mold Height Range 7" Min. - 22" Max., 4.5" Ejector Stroke, Hydraul
567	1	AUXILLARY 5-PLUG POWER SOURCE; with Square D 5 kva Transformer		579	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
568	1	CONAIR VACCUM FEEDERER	_____	580	1	CONAIR VACUUM FEEDER
569	1	WITTMANN W633 3-AXIS SERVO ROBOT,S/N. 3339 (2003); Hand- Held Remote Pendant	_____	581	1	ELWOOD SINBASE SPRUE PICKER ROBOT, S/N NA; Machine Mounted Control Box; # B-26
570	1	VAN DORN 300-HT-30 300-TON x 30-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 2703, (1995); Toggle Clamp, Platen Size 37" x 37", Tie Bar Spacing 25" x 25", Maximum Daylight 49", Mold Height Range 8" Min. - 25" Max., 6" Ejector Stroke, Hydraulic Core Pull, P	_____	582	1	VAN DORN 230-HT-20 230-TON x 20-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 775, (1995); Toggle Clamp, Platen Size 32.25" x 32.25", Tie Bar Spacing 22.06" x 22.06", Maximum Daylight 42", Mold Height Range 7" Min. - 22" Max., 4.5" Ejector Stroke, Hydraulic
571	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	583	1	AUXILLARY 5-PLUG POWER SOURCE; with Acme 5 kva Transformer
572	1	CONAIR VACUUM FEEDER	_____	584	1	CONAIR VACUUM FEEDER
572A	1	MARK 2 AUTOMATION 400EL 3- AXIS SERVO FEED	_____	585	1	MARK 2 AUTOMATION 400ELC2 3-AXIS ROBOT; Eagle EMC2001 Hand-Held Remote Pendant
573	1	VAN DORN 230-HT-720 230-TON x 14.7-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 1164, (1998); Toggle Clamp, Platen Size 32.25" x 32.25", Tie Bar Spacing 22.06" x 22.06", Maximum Daylight 42", Mold Height Range 7" Min. - 22" Max., 4.5" Ejector Stroke, Hydra	_____	586	1	VAN DORN 230-RS-20F-HT 230- TON x 20-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 617, (1994); Toggle Clamp, Platen Size 32.25" x 32.25", Tie Bar Spacing 22.06" x 22.06", Maximum Daylight 42", Mold Height Range 7" Min. - 22" Max., 4.5" Ejector Stroke, Hydra
574	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	587	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
575	1	CONAIR VACUUM FEEDER	_____	588	1	CONAIR VACUUM FEEDER
576	1	VAN DORN 230-HT-720 230-TON x 14.7-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 980, (1997); Toggle Clamp, Platen Size 32.25" x 32.25", Tie Bar Spacing 22.06" x 22.06", Maximum Daylight 42", Mold Height Range 7" Min. - 22" Max., 4.5" Ejector Stroke, Hydraul	_____	589	1	MITSUBISHI 210MJII-17 210-TON x 17-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 3S19D069, (1996); Hydraulic Clamp, Platen Size 32.28" x 32.28", Tie Bar Spacing 22.44" x 22.44", Maximum Daylight 35.43", Mold Height Range 10.63" Min. - 24.8" Max., 3.93" Ejec
577	1	CONAIR VACUUM FEEDER	_____	590	1	AUXILLARY 5-PLUG POWER
578	1	VAN DORN 230-HT-20 230-TON x	_____			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		SOURCE; with Siemens 5 kva Transformer				Maximum Daylight 35", Mold Height Range 6" Min. - 18" Max., 4" Ejector Stroke, Hydraulic Core Pull,
591	1	CONAIR VACUUM FEEDER	_____			
592	1	MITSUBISHI 210MJ-17 210-TON x 17-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 01915042, (1993); Hydraulic Clamp, Platen Size 32.28" x 32.28" Tie Bar Spacing 22.44" x 22.44", Maximum Daylight 35.43", Mold Height Range 10.63" Min. - 24.8" Max., 3.93" Ejector	_____	603	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
593	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	604	1	NOVATEC VACUUM FEEDER
594	1	CONAIR VACUUM FEEDER	_____	605	1	VAN DORN 170HT-14F 170-TON x 14-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 1103, (1998); Toggle Clamp, Platen Size 29" x 29", Tie Bar Spacing 20" x 20", Maximum Daylight 35", Mold Height Range 6" Min. - 18" Max., 4" Ejector Stroke, Pathfinder 5000 Microp
595	1	YUSHIN HOPII-G-550 SPRUE PICKER ROBOT, S/N 32802819, (2005); HOP Series G Hand-Held Remote Pendant; # B-15	_____	606	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
596	1	MITSUBISHI 210MJ-17 210-TON x 17-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 01915037, (1993); Hydraulic Clamp, Platen Size 32.28" x 32.28" Tie Bar Spacing 22.44" x 22.44", Maximum Daylight 35.43", Mold Height Range 10.63" Min. - 24.8" Max., 3.93" Ejector	_____	607	1	CONAIR VACUUM FEEDER
597	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	608	1	VAN DORN 170HT-14F 170-TON x 14-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 1101, (1998); Toggle Clamp, Platen Size 29" x 29", Tie Bar Spacing 20" x 20", Maximum Daylight 35", Mold Height Range 6" Min. - 18" Max., 4" Ejector Stroke, Pathfinder 5000 Microp
598	1	CONAIR VACUUM FEEDER	_____	609	1	CONAIR VACUUM FEEDER
599	1	2012 HAITIAN MA 1600 180-TON x 25.3-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 201107016034539, Toggle Clamp, Platen Size 27.76" x 27.76", Tie Bar Spacing 18.5" x 18.5, Maximum Daylight 37.40", Mold Height Range 7.09" Min. - 20.47" Max., 5.51" Ejector St	_____	610	1	VAN DORN 170HT-14F 170-TON x 14.7-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 851, (1995); Toggle Clamp, Platen Size 29" x 29", Tie Bar Spacing 20" x 20", Maximum Daylight 35", Mold Height Range 6" Min. - 18" Max., 4" Ejector Stroke, Hydraulic Core Pull,
600	1	AUXILLARY POWER SOURCE; With Siemens 5 kva Transformer	_____	611	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
601	1	GRAVITY FED FEEDER	_____	612	1	NOVATEC VACUUM FEEDER
602	1	VAN DORN 170HT-720 170-TON x 14.7-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 1225, (1999); Toggle Clamp, Platen Size 29" x 29", Tie Bar Spacing 20" x 20",	_____	613	1	VAN DORN 170-RS-14F-VV-HT 170-TON x 14-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 180, (1989); Toggle Clamp, Platen Size 30.75" x 30.75", Tie Bar Spacing 20" x 20", Maximum Daylight 35", Mold Height Range 6" Min. - 18" Max., 4" Ejector Stroke, Hydraulic
				614	1	AUXILLARY 5-PLUG POWER

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		SOURCE; with Siemens 5 kva Transformer				Min. - 13.78" Max., 3.15" Ejecto
615	1	CONAIR VACUUM FEEDER	_____	627	1	CONAIR VACUUM FEEDER
616	1	MARK 2 AUTOMATION 400ELC2 3-AXIS ROBOT, S/N. 21274; Eagle EMC2001 Hand-Held Remote Pendant	_____	628	1	MARK 2 AUTOMATION 250ELC2 3-Axis ROBOT, S/N 20485; No Control; # B-06
617	1	VAN DORN 120-HT-6F 120-TON x 6-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 720, (1996); Toggle Clamp, Platen Size 25" x 25", Tie Bar Spacing 17" x 17", Maximum Daylight 30", Mold Height Range 6" Min. - 16" Max., 3" Ejector Stroke, Hydraulic Core Pull, Pat	_____	629	1	CINCINNATI MILACRON VS85-7.6 85-TON x 7.6-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N S85A0499019, (1999); Toggle Clamp, Platen Size 20.9" x 20.9", Tie Bar Spacing 14.1" x 14.1", Maximum Daylight 25.59", Mold Height Range 7.09" Min. - 13.78" Max., 3.15" E
618	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	630	1	CONAIR VACUUM FEEDER
619	1	CONAIR VACUUM FEEDER	_____	631	1	VAN DORN 85-HT-5 85-TON x 5-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 877, (1998); Toggle Clamp, Platen Size 22.8" x 20.4", Tie Bar Spacing 16" x 13.5", 28" Maximum Daylight, Mold Height Range 4" Min. - 16" Max., 3" Ejector Stroke, Hydraulic Core Pull,
620	1	VAN DORN 120-HT-8 120-TON x 8-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 644, (1995); Toggle Clamp, Platen Size 25" x 25", Tie Bar Spacing 17" x 17", Maximum Daylight 30", Mold Height Range 6" Min. - 16" Max., 3" Ejector Stroke, Hydraulic Core Pull, Path	_____	632	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer
621	1	AUXILLARY 5-PLUG POWER SOURCE; with Acme 5 kva Transformer	_____	633	1	CONAIR VACUUM FEEDER
622	1	CONAIR VACUUM FEEDER	_____	634	1	VAN DORN 85-HT-5 85-TON x 5-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 745, (1996); Toggle Clamp, Platen Size 22.8" x 20.4", Tie Bar Spacing 16" x 13.5", 28" Maximum Daylight, Mold Height Range 4" Min. - 16" Max., 3" Ejector Stroke, Hydraulic Core Pull,
623	1	VAN DORN 120-HT-8 120-TON x 8-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 622, (1995); Toggle Clamp, Platen Size 25" x 25", Tie Bar Spacing 17" x 17", Maximum Daylight 30", Mold Height Range 6" Min. - 16" Max., 3" Ejector Stroke, Hydraulic Core Pull, Path	_____	635	1	CONAIR VACUUM FEEDER
624	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	636	1	MARK 2 AUTOMATION 320ES SPRUE PICKER ROBOT, S/N 20156; Eagle EMC2000 Hand-Held Remote Pendant; # B-01
625	1	CONAIR VACUUM FEEDER	_____	637	1	VAN DORN 85-HT-5 85-TON x 5-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 664, (1995); Toggle Clamp, Platen Size 22.8" x 20.4", Tie Bar Spacing 16" x 13.5", 28" Maximum Daylight, Mold Height Range 4" Min. - 16" Max., 3" Ejector Stroke, Hydraulic Core Pull,
626	1	JSW J85EII 85-TON x 4.8-Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 297704105, (1997); Electric Servo Toggle Clamp, Platen Size 20.9" x 20.9", Tie Bar Spacing 14.1" x 14.1", Maximum Daylight 25.59", Mold Height Range 7.09"	_____	638	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

639	1	CONAIR VACUUM FEEDER	_____	653	1	IMCS MATERIAL STORAGE SILO; Galvanized Steel, Bolted, 12' Diameter x Est. 26' High, Each w/ (2) Electronic Level Monitors	_____
640	1	VAN DORN 85-HT-5 85-TON x 5- Oz. PLASTIC INJECTION MOLDING MACHINE, S/N 639, (1995); Toggle Clamp, Platen Size 22.8" x 20.4", Tie Bar Spacing 16" x 13.5", 28" Maximum Daylight, Mold Height Range 4" Min. - 16" Max., 3" Ejector Stroke, Hydraulic Core Pull,	_____	654	1	UNA-DYN Model HD-30 Hot Air Dryer, S/N. 262415-01-01-1005	_____
641	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	655	1	UNA-DYN Model HD-11 Hot Air Dryer, S/N. 262416.01-02-1005	_____
642	1	CONAIR VACUUM FEEDER	_____	656	1	UNA-DYN Model HD-11 Hot Air Dryer, 262416.01-01-1005	_____
643	1	robot	_____	657	1	UNA-DYN G84262415.03 3000# Solid Cone Drying Hopper, with Vacuum Receiver and Stationary Stand	_____
		<u>PLASTICS SUPPORT EQUIP.</u>		658	1	UNA-DYN G87262416.03-02 1100# Solid Cone Drying Hopper, S/N 262416 with Vacuum Receiver and Stationary Stand	_____
		<u>LOTS 644 - 872</u>		659	1	UNA-DYN #2 10-HP Vacuum Pump, w/ Roots Model 45-U-RAI-DSL Rotary Lobe Blower	_____
644	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	660	1	UNA-DYN #1 5-HP Vacuum Pump, w/ Roots Model 33-U-RAI Universal Blower	_____
645	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	661	1	UNA-DYN 5-HP Vacuum Pump, w/ Roots RAI Universal Blower, 15" Floor Filter, Drum Load-Out Receiver Stand	_____
646	1	AUXILLARY 5-PLUG POWER SOURCE; with Siemens 5 kva Transformer	_____	662	1	(2) In-Line Filter Housings; Dustmaster STD 3" 24VDC P/N DMADA34, Dustmaster Std 2" Cartridge P/N DMABD11,	_____
647	1	UNA-DYN MATERIAL DRYING & DISTRIBUTION SYSTEM; Including lots 648-671 will be offered as a bulk bid followed by individual lots.	_____	663	1	PRO-TEC SURGE BIN; 55" x 55" x 32" High, w/ Vacuum Receiver	_____
648	1	IMCS MATERIAL STORAGE SILO; Galvanized Steel, Bolted, 12' Diameter x Est. 26' High, Each w/ (2) Electronic Level Monitors	_____	664	1	PRO-TEC SURGE BIN; 55" x 55" x 32" High, w/ Vacuum Receiver	_____
649	1	IMCS MATERIAL STORAGE SILO; Galvanized Steel, Bolted, 12' Diameter x Est. 26' High, Each w/ (2) Electronic Level Monitors	_____	665	1	PRO-TEC SURGE BIN; 55" x 55" x 32" High, w/ Vacuum Receiver	_____
650	1	IMCS MATERIAL STORAGE SILO; Galvanized Steel, Bolted, 12' Diameter x Est. 26' High, Each w/ (2) Electronic Level Monitors	_____	666	1	PRO-TEC SURGE BIN; 44" x 44" x 24" High, Each w/ Vacuum Receiver	_____
651	1	IMCS MATERIAL STORAGE SILO; Galvanized Steel, Bolted, 12' Diameter x Est. 26' High, Each w/ (2) Electronic Level Monitors	_____	667	1	PRO-TEC SURGE BIN; 44" x 44" x 24" High, Each w/ Vacuum Receiver	_____
652	1	IMCS MATERIAL STORAGE SILO; Galvanized Steel, Bolted, 12' Diameter x Est. 26' High, Each w/ (2) Electronic Level Monitors	_____	668	1	FREE STANDING MEZZANINE, Estimated 8' x 70' Long, 8-1/2' Clear Height	_____
				669	1	CONAIR SYSTEMS MATERIAL DISTRIBUTION CONTROL PANEL; 25-Zone Master Controller P/N 941518 - M/O 262418.07, 12- Zone CONAIR Annunciator PN	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

670	1	941533 - M/O 8000665 CONAIR SYSTEMS MATERIAL DISTRIBUTION CONTROL PANEL; 37-Zone Master Controller, Power Supply, P/N 941516, M/O 31522.03	679	1	Microprocessor Dryer Control, w/ Model RH400 400# S.S. Drying Hopper, Vacuum Loader, Portable DRI-AIR APD-9 PORTABLE DRYER, S/N. D18185; Advanced Microprocessor Dryer Control, w/ Model RH400 400# S.S. Drying Hopper, Vacuum Loader, Portable
671	1	LARGE QUANTITY OF ALUMINUM CONVEYING PIPING; w/ Couplers, Connectors, etc (Pipe system from Distribution system running throughout the building to each machine)	680	1	DRI-AIR APD-9 PORTABLE DRYER, S/N. D18186; Advanced Microprocessor Dryer Control, w/ Model RH400 400# S.S. Drying Hopper, Vacuum Loader, Portable
672	1	CONAIR D200 MATERIAL DRYER, S/N 165047; CS200 Carousel Dryer Microprocessor Control, w/ Model CH33-28 Drying Hopper, S/N 164419, Dust Beater Vacuum Loader, Semi-Portable Stand	681	1	DRI-AIR ARID-X-75 PORTABLE DRYER, S/N D12312; Microprocessor Control, Estimated 100-Lb Drying Hopper
673	1	CONAIR D200 MATERIAL DRYER, S/N 165740; CS200 Carousel Dryer Microprocessor Control, w/ Model CH33-28 Drying Hopper, S/N 165575, Dust Beater Vacuum Loader, Semi-Portable Stand	682	1	DRI-AIR ARID-X-50 PORTABLE DRYER, S/N. D13983; Microprocessor Control, w/ Model RH300 300# S.S. Drying Hopper
674	1	CONAIR D200 MATERIAL DRYER, S/N 165046; CS200 Carousel Dryer Microprocessor Control, w/ Model CH33-28 Drying Hopper, S/N 165574, Dust Beater Vacuum Loader, Semi-Portable Stand	683	1	DRI-AIR ARID-X-50 PORTABLE DRYER, S/N. D13984; Microprocessor Control, w/ Estimated 200-Lb Drying Hopper
675	1	CONAIR D150 MATERIAL DRYER, S/N. 16575; CS150 Carousel Dryer Microprocessor Control, w/ Model CH24-18 Drying Hopper, S/N 154124, Conair Dust Beater Vacuum Loader, Semi-Portable Stand	684	1	DRI-AIR ARID-X-50 PORTABLE DRYER, S/N. D9117; Microprocessor Control, w/ Estimated 200-Lb Drying Hopper
676	1	CONAIR D150 MATERIAL DRYER, S/N. 165162; CS150 Carousel Dryer Microprocessor Control, w/ Model CH24-18 Drying Hopper, S/N 154123, Conair Dust Beater Vacuum Loader, Semi- Portable Stand	685	1	DRI-AIR ARID-X-50 PORTABLE DRYER, S/N. D9118; Microprocessor Control, w/ Estimated 200-Lb Drying Hopper
677	1	DRI-AIR APD-9 PORTABLE DRYER, S/N. D18880; Advanced Microprocessor Dryer Control, w/ Model RH400 400# S.S. Drying Hopper, Vacuum Loader, Portable	686	1	DRI-AIR AHM-1 MINI-DRYER, S/N D13347; w/ Model Rh30 30# S.S. Drying Hopper, Cart Mounted
678	1	DRI-AIR APD-9 PORTABLE DRYER, S/N. D18882; Advanced	687	1	UNA-DYN GS-150 PORTABLE DEHUMIDIFYING DRYER, S/N. 292677; Microprocessor Control, w/ 400# S.S. Solid Cone Drying Hopper, Conair Dust Beater Vacuum Loader,
			688	1	UNA-DYN GS-150 PORTABLE DEHUMIDIFYING DRYER, 292678; Microprocessor Control, w/ 400# S.S. Solid Cone Drying Hopper, Conair Dust Beater Vacuum Loader,
			689	1	UNA-DYN GS-150 PORTABLE DEHUMIDIFYING DRYER, S/N.

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

690	1	292677; Microprocessor Control, w/ 400# S.S. Solid Cone Drying Hopper, Conair Dust Beater Vacuum Loader, UNA-DYN GS-150 PORTABLE DEHUMIDIFYING DRYER, S/N. 292679; Microprocessor Control, w/ 400# S.S. Solid Cone Drying Hopper, Conair Dust Beater Vacuum Loader, _____	700	1	Hopper, Portable UNA-DYN UDC-100 PORTABLE AUTO. MINI-DRYER; Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____
691	1	292678; Microprocessor Control, w/ 400# S.S. Solid Cone Drying Hopper, Conair Dust Beater Vacuum Loader, _____	701	1	UNA-DYN UDC-100 PORTABLE AUTO. MINI-DRYER; S/N. 138643.01.03.0995 Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____
692	1	292678; Microprocessor Control, w/ 400# S.S. Solid Cone Drying Hopper, Conair Dust Beater Vacuum Loader, _____	702	1	UNA-DYN UDC-100 PORTABLE AUTO. MINI-DRYER, S/N. 136515.02.0795 Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____
693	1	292579.01-02-0508; Microprocessor Control, w/ Model TSFBIII-02 300# S.S. Solid Cone Drying Hopper, PPE Vacuum Loader, Portable _____	703	1	UNA-DYN UDC-55 PORTABLE AUTO. MINI-DRYER; Microprocessor Control, w/ Est. 200# Modular Drying Hopper, Portable _____
694	1	UNA-DYN UDC-150 PORTABLE AUTO. MINI-DRYER, S/N. 118984; Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____	704	1	UNA-DYN UDC-55 PORTABLE AUTO. MINI-DRYER; Microprocessor Control, w/ Est. 200# Modular Drying Hopper, Portable _____
695	1	UNA-DYN UDC-150 PORTABLE AUTO. MINI-DRYER, S/N. 117817; Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____	705	1	UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, S/N 110660.01.0593; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable _____
696	1	UNA-DYN UDC-100 PORTABLE AUTO. MINI-DRYER, S/N. 13904.01.03.1095; 1Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____	706	1	UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, S/N. 110658.01.0598; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable _____
697	1	UNA-DYN UDC-100 PORTABLE AUTO. MINI-DRYER, S/N. 138643.01.04.0995; Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____	707	1	UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, S/N. 139042.01.06.1095; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable _____
698	1	UNA-DYN UDC-100 PORTABLE AUTO. MINI-DRYER, S/N. 138643.01.06.0095; Microprocessor Control, w/ 600# Modular Drying Hopper, Portable _____	708	1	UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, S/N. 139042.01.03.1095; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable _____
699	1	UNA-DYN UDC-100 PORTABLE AUTO. MINI-DRYER, S/N. 13904601.01.1095; Microprocessor Control, w/ 600# Modular Drying _____	709	1	UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, S/N. UDC3092256; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable _____
			710	1	UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, _____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

711	1	UDC3092257; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, 139042.01.02.1095; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable	723	1	Natural Vacuum Receiver, Maguire Additive Feeder, Model WSB-420 Programmable Weigh Scale Blender Contro MAGUIRE WSB-200 WEIGH SCALE BLENDER, S/N B12244039, (2012); Single Compartment Hopper w/ Una-Dyn Vacuum Receiver, Additive Feeder, WSB-220 Programmable Weigh Scale Blender Control, AC Mixer Box, Elevated Stationary Stand; Mixer # 6
712	1	UNA-DYN UDC-30 PORTABLE AUTO. MINI-DRYER, S/N. UDC3092146; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable	724	1	MAGUIRE WSB-221 WEIGH SCALE BLENDER, S/N NA; 2-Compartment Hopper w Single Pro-Tec Vacuum Receiver, Additive Feeder, Programmable Weigh Scale Blender Control, AC Mixer Box, 2-Port Discharge Box, Stationary Stand; Mixer # 5
713	1	UNA-DYN DHD-6 DEHUMIDIFYING HOPPER DRYER, S/N. 292685.01.0508; Microprocessor Control	725	1	MAGUIRE WSB-221 WEIGHT SCALE BLENDER, S/N NA; 2-Component Hopper w/ Single Una-Dyn Vacuum Receiver, Additive Feeder, Programmable Weigh Scale Blender Control, AC Mixer Box; Mixer # 4
714	1	UNA-DYN DHD-6 DEHUMIDIFYING HOPPER DRYER, S/N. 292687.01.0508; Microprocessor Control	726	1	CONAIR FRANKLIN 610011KI AUTO WEIGH GRAVIMETRIC BLENDER, S/N A41323; 2-Component Hopper, (1) IMS Vacuum Loader, Additive Feeder, Maguire WSB-221 Programmable Weigh Scale Controller, AC Mixer Box, Elevated Stationary Stand; Mixer # 1
715	1	UNA-DYN DHD-6 DEHUMIDIFYING HOPPER DRYER, S/N. 292682.01.0508; Microprocessor Control	727	1	CONAIR FRANKLIN AUTO WEIGH GRAVIMETRIC BLENDER, S/N NA; 2-Component Hopper, (2) Una-Dyn Vacuum Receivers, Additive Feeder, Maguire WSB-221 Programmable Weigh Scale Controller, AC Mixer Box; Mixer # 2
716	1	THORESON MCCOSH TD-24 DRYER, S/N. 9307364; Microprocessor Control, w/ 100# Modular Drying Hopper, Portable	728	1	CONAIR FRANKLIN AUTO WEIGH GRAVIMETRIC BATCH BLENDER, S/N NA; 2-Component Hopper, (2) Una-Dyn Vacuum Receivers, Additive Feeder, Maguire Programmable Weigh Scale Blender Control, AC Mixer Box; Mixer 3
717	1	CONAIR MATERIAL DRYER, with CS101 Carosusel Dryer Microprocessor Control and Conair 1805390300 Drying Hopper, Portable	729	1	CONAIR FRANKLIN WSB-MB2
718	1	UNA-DYN TSJCIIII 800# S.S. SOLID CONE DRYER HOPPER; Portable			
719	1	UNA-DYN TSJCIIII 800# S.S. SOLID CONE DRYER HOPPER; Portable			
720	1	CONAIR FRANKLIN 1805390400 DRYING HOPPER, S/N D52284; Portable			
721	1	CONAIR FRANKLIN 1805390300 DRYING HOPPER, S/N D30110; Portable			
722	1	MAGUIRE WSB-400 WEIGH SCALE BLENDER, S/N B122441-39, (2012); 2-Compartment Hopper, Telar Microprocessor Control Re grind Vacuum Loader, Una-Dyn Pro Tec			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfection industrialsales.com

		PORTABLE WEIGH SCALE BLENDER, S/N 106098-25; 4- Component Hopper, Maguire Programmable Weigh Scale Blender Control, Portable Stand	737	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 3551-97; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
730	1	CONAIR FRANKLIN AUTO WEIGH GRAVIMETRIC BLENDER, S/N NA; 2-Component Hopper, (1) IMS Vacuum Loader, Maguire WSB-220 Programmable Weigh Scale Blender Control, AC Mixer Box, Discharge Box, Portable Stand	738	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 5019-97; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
731	1	CUMBERLAND 1628X GRANULATOR, S/N CA083050A- 08031, (2008); 20-HP, 16" x 28" Front Load Opening, Stationary, Model 6005FD 5-HP Discharge Blower, Stand Mounted Receiver Cyclone w/ (4) Dust Collection Bags	739	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 4247-95; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
732	1	CUMBERLAND 1224X GRANULATOR, S/N CA093700- 08003, (2008); 20-HP, 12" x 24" Front Load Opening, Stationary, 2-HP Discharge Blower, Stand Mounted Receiver Cyclone w/ (3) Dust Collection Bags	740	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 4288-95; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
733	1	CUMBERLAND 1224X GRANULATOR, S/N CA093700- 08002, (2008); 20-HP, 12" x 24" Front Load Opening, Stationary, 2-HP Discharge Blower, Stand Mounted Receiver Cyclone w/ (3) Dust Collection Bags	741	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 4246-95; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
734	1	KICE REGRIND SYSTEM, w/ 6x6 Grinder w/ Top Receiver Cyclone, Gravity Discharge w/ Aspirator, Bunting Magnetics Metal Detection, 3-HP Blower	742	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 4290-95; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
735	1	KICE VJ6x6 REGRIND SYSTEM, S/N C33279; 6x6 Grinder w/ Gravity Discharge Aspirator, Cyclone Receiver Cone, 3/4-HP Dust Collector / Cyclone, 3-HP Blower, (1) Skid Misc. Parts, Stand, Note - Disassembled / Stored	743	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 4287-95; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
736	1	POLYMER SYSTEMS 1624 SIL PORTABLE GRANULATOR, S/N 3553-94; 30-HP, 16" x 24" Front Load Opening, Sound Insulated Panels	744	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 3514-94; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
			745	1	POLYMER SYSTEMS 1120 SIL PORTABLE GRANULATOR, S/N. 3551-94; 25-HP, 11" x 20" Front Load Opening, Sound Insulated Panels
			746	1	NELMOR RG1220MI PORTABLE GRANULATOR, S/N 86-07-24110; 20-HP, 12" x 20" Front Load Opening
			747	1	NELMOR G1215MI PORTABLE GRANULATOR, S/N 86-0323761; 15-HP, 12" x 15" Front Load Opening
			748	1	POLYMER SYSTEMS 912 SPL PORTABLE GRANULATOR, S/N 3000162; 10-HP, 9" x 12" Front Load Opening
			749	1	POLYMER SYSTEMS 912 SPL PORTABLE GRANULATOR, S/N. 5018-97; 7.5-HP, 9" x 12" Front Load Opening

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

750	1	POLYMER SYSTEMS 912 ES PORTABLE GRANULATOR, S/N. 4181-95; 7.5-HP, 9" x 12" Front Load Opening	764	1	GRANULATOR, S/N. 12140105280; 10-HP, 11" X 13.5" Top Load Opening
751	1	POLYMER SYSTEMS 912 ES PORTABLE GRANULATOR, S/N. 4182-95; 7.5-HP, 9" x 12" Front Load Opening	765	1	TEMPTEK VT-2200-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 122945, (2012)
752	1	RAPID 814 SOLO PORTABLE GRANULATOR, S/N. RA380.127.197.10.1; 7.5-HP, 8" x 14" Top Load Opening	766	1	TEMPTEK VT-2200-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 122946, (2012)
753	1	RAPID 814 SOLO PORTABLE GRANULATOR, S/N. RA380.127.197.10.1; 7.5-HP, 8" x 14" Top Load Opening	767	1	TEMPTEK VT-2200-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 122947, (2012)
754	1	RAPID 814 SOLO PORTABLE GRANULATOR, S/N. RA380.127.197.20.1; 7.5-HP, 8" x 14" Top Load Opening	768	1	TEMPTEK VT-2200-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 122948, (2012)
755	1	TEMPTEK 1216EM PORTABLE GRANULATOR, S/N 4136-95; 15- HP, 12" x 16" Front / Top Load Opening	769	1	TEMPTEK VT-2200-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 122949, (2012)
756	1	TEMPTEK 1010-EM PORTABLE GRANULATOR, S/N. 536699; 7.5- HP, 10" x 10" Front / Top Load Opening	770	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 122950, (2012)
757	1	TEMPTEK 1010-EM PORTABLE GRANULATOR, S/N. 331793; 7.5- HP, 10" x 10" Front / Top Load Opening	771	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 125735, (2012)
758	1	TEMPTEK 1010-EM PORTABLE GRANULATOR, S/N. 524599; 7.5- HP, 10" x 10" Front / Top Load Opening	772	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 125484, (2012)
759	1	TEMPTEK 88EM PORTABLE GRANULATOR, S/N. 505998 3-HP, 8" x 8" Front / Top Load Opening	773	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 125485, (2012)
760	1	TEMPTEK 88EM PORTABLE GRANULATOR, S/N.534999 3-HP, 8" x 8" Front / Top Load Opening	774	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 124936, (2012)
761	1	RAPID 614SR PORTABLE GRANULATOR, S/N 310.425; 2.2- KW, 6" x 14" Top Load Opening	775	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 125736, (2012)
762	1	BALL & JEWEL MD-810 PORTABLE GRANULATOR, S/N 4906-71759; 7.5-HP, 8" x 10" Front Load Opening			
763	1	ROTOGRAN PH-1214 PORTABLE			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

776	1	S/N. 122942, (2012) TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 122941, (2012)	789	1	LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114905, (2010) TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114898, (2010)
777	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114906, (2010)	790	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114907, (2010)
778	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114910, (2010)	791	1	TEMPTEK VT-2101 TEMPERATURE CONTROLLER, S/N. 73461-74343, (2000); Water Media, Temperature 30-250; 1 HP; 10kw/Zone
779	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114903, (2010)	792	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 75844-7179, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone
780	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114907, (2010)	793	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 77532-72040, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone
781	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114896, (2010)	794	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 777302-71969, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone
782	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114900, (2010)	795	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 77300-71969, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone
783	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114904, (2010)	796	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 71462-74344, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone
784	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114908, (2010)	797	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 71187-72781, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone
785	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114897, (2010)	798	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 74892-71537, (2001); Water Media, Temperature 30-250; 1 HP;
786	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114902, (2010)			
787	1	TEMPTEK VT-275-LS VETERAN LS SERIES PORTABLE TEMPERATURE CONTROLLER, S/N. 114901, (2010)			
788	1	TEMPTEK VT-275-LS VETERAN			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfection industrialsales.com

799	1	10kw/Zone TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 74895-71540, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone	810	1	CONAIR THERMOLATOR TC1-D1 WATER TEMPERATURE CONTROLLER, S/N. 92K071; MicroTrac 3 Microprocessor Control; 3/4 HP; 9 kw/Heater; 12CS Pump
800	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 77291-71866, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone	811	1	CONAIR THERMOLATOR TC1-D1 WATER TEMPERATURE CONTROLLER, S/N. 90J064; MicroTrac 3 Microprocessor Control; 2 HP; 9 kw/Heater; 12CS Pump
801	1	TEMPTEK VT-2100 TEMPERATURE CONTROLLER, S/N. 71169-72783, (2001); Water Media, Temperature 30-250; 1 HP; 10kw/Zone	812	1	CONAIR THERMOLATOR MX2- D1 (SET OF 2)WATER TEMPERATURE CONTROLLER, S/N. 44393; TW-1 Microprocessor Control;
802	1	CONAIR THERMOLATOR TEMPERATURE CONTROLLER, S/N. 186818; TW Plus Control	813	1	BUDZAR NEGATIVE PRESSURE THERMAL FLUID TEMPERATURE CONTROLLER
803	1	CONAIR THERMOLATOR TEMPERATURE CONTROLLER, S/N. 186914; TW Plus Control	814	1	EMI EPWTC-9043 TEMPERATURE CONTROLLER, S/N. T-1074; 3/4 HP; 9 kw Heater;
804	1	CONAIR THERMOLATOR TEMPERATURE CONTROLLER, S/N. 193363; TW Plus Control	814A	1	NESLAB HX-500 PORTABLE CHILLER, S/N 10111072; TU-9 PUMP
805	1	CONAIR THERMOLATOR TEMPERATURE CONTROLLER, S/N. 193361; TW Plus Control	815	1	NESLAB HX-200 PORTABLE CHILLER, S/N 197276031; TU-5 PUMP; 150-333 PSI
806	1	CONAIR THERMOLATOR TEMPERATURE CONTROLLER, S/N. 193362; TW Plus Control	815A	1	TEMPTEK CF-10A AIR COOLED CHILLER, S/N. 9973463, (2003); R- 22 Refrigerant
807	1	CONAIR THERMOLATOR TEMPERATURE CONTROLLER, S/N. 186819; TW Plus Control	816	1	ADVANTAGE SC-5WY-41HFX PORTABLE CHILLER, S/N 21859; 3 HP; 48-70 Temp.
808	1	CONAIR THERMOLATOR TEMPERATURE CONTROLLER, S/N. 186815; TW Plus Control	817	1	COOLING TECHNOLOGY PORTABLE CHILLER
808A	1	CONAIR TEMPRO TC2-500 (SET OF 2) TEMPERATURE CONTROLLER, S/N. 95J019; MicroTrac 3 Microprocessor Control, 2 HP (each); 70-500 Degrees Operating Temp. Range	818	1	INTERNATIONAL TEMPERATURE CONTROL VCS- 32-24-70 VISIONS 3000 PROGRAMMABLE HOT RUNNER TEMPERATURE CONTROLLER, S/N. 201006-70; 15 Amp / Zone Max., (28) PCB Zone Boards, Portable Cart w/ Square D Cat No. EE30T15IHCT 30 KVA Transformer
809	1	CONAIR THERMOLATOR TC2-D1 (SET OF 2) WATER TEMPERATURE CONTROLLERS, 95L0063; MicroTrac 3 Microprocessor Control, Common Frame; 1 HP; 9 kw/Heater, 12 CS Pump	819	1	INTERNATIONAL TEMPERATURE CONTROL VCS- 32-24-70 VISIONS 3000 PROGRAMMABLE HOT RUNNER TEMPERATURE CONTROLLER, S/N. 201110-21; 15 Amp / Zone

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

820	1	Max., (28) PCB Zone Boards, Portable Cart w/ Square D Cat No. EE30T151HCT 30 KVA Transformer INTERNATIONAL TEMPERATURE CONTROL VCS- 32-24-70 VISIONS 3000 PROGRAMMABLE HOT RUNNER TEMPERATURE CONTROLLER, S/N. 201007-20; 15 Amp / Zone	825	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2062; 12 Zone; with Dongan Cat. No. 72-0206-SH 9 KVA Transformer
821	1	Max., (28) PCB Zone Boards, Portable Cart w/ Square D Cat No. EE30T151HCT 30 KVA Transformer INTERNATIONAL TEMPERATURE CONTROL VCS- 32-24-70 VISIONS 3000 PROGRAMMABLE HOT RUNNER TEMPERATURE CONTROLLER, S/N. 200809-17; 15 Amp / Zone	826	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2067; 12 Zone; with Dongan Cat. No. 72-0206-SH 9 KVA Transformer
822	1	Max., (28) PCB Zone Boards, Portable Cart w/ Square D Cat No. EE30T151HCT 30 KVA Transformer INTERNATIONAL TEMPERATURE CONTROL VCS- 32-24-70 VISIONS 3000 PROGRAMMABLE HOT RUNNER TEMPERATURE CONTROLLER, S/N. 201007-28; 15 Amp / Zone	827	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2076; 12 Zone; with Jefferson Cat No. 413-1147-000 9 KVA Transformer
823	1	Max., (28) PCB Zone Boards, Portable Cart w/ Square D Cat No. EE30T151HCT 30 KVA Transformer INTERNATIONAL TEMPERATURE CONTROL VCS- 32-24-70 VISIONS 3000 PROGRAMMABLE HOT RUNNER TEMPERATURE CONTROLLER, S/N. 201110-22; 15 Amp / Zone	828	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2061; 12 Zone; with Jefferson Cat No. 413-1147-000 9 KVA Transformer
823A	1	AMERICAN MSI V24 HOT RUNNER TEMPERATURE CONTROLLER, S/N. 200892; Dual 12 (24) Zone Boards, Portable Cart, 35 KVA	829	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2071; 12 Zone; with Jefferson Cat No. 413-1147-000 9 KVA Transformer
824	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER S/N. 2077; 12 Zone; with Jefferson Cat No. 413-1147-000 9 KVA Transformer	830	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2061; 12 Zone; with Jefferson Cat No. 413-1147-000 9 KVA Transformer
			831	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2066; 12 Zone; with Jefferson Cat No. 413-1147-000 9 KVA Transformer
			832	1	PLASTICS PROCESS EQUIPMENT MFP-12M HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2065; 12 Zone; with Jefferson Cat No. 413-1147-000 9 KVA Transformer
			833	1	INTERNATIONAL TEMPERATURE CONTROL HOT RUNNER TEMPERATURE CONTROLLER, S/N. 7061; 12 Zone,

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

834	1	15 KVA INTERNATIONAL TEMPERATURE CONTROL HOT RUNNER TEMPERATURE CONTROLLER, S/N. 7972; 12 Zone, 15 KVA Acme Transformer	846	1	IMS 104259HOUSTNG HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2054; 8 Zone, with Dongan Cat No. 76-0209SH 6 KVA Transformer
835	1	YUDA HOT RUNNER TEMPERATURE CONTROLLER; 12 Zone, Acme Cat No. T3-53341-1S 15 KVA Transformer	847	1	IMS 104259HOUSTNG HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2945; 8 Zone, with Jefferson Electric 6 KVA Transformer
836	1	YUDA HOT RUNNER TEMPERATURE CONTROLLER; 12 Zone, Acme Cat No. T3-53341-1S 15 KVA Transformer	848	1	IMS 104259HOUSTNG HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2076; 8 Zone, with Jefferson Electric 6 KVA Transformer
837	1	YUDA HOT RUNNER TEMPERATURE CONTROLLER; 12 Zone, Acme Cat No. T3-53341-1S 15 KVA Transformer	849	1	YUDA HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Acme Approx. 6 KVA Transformer
838	1	YUDA HOT RUNNER TEMPERATURE CONTROLLER; 12 Zone, Acme Cat No. T3-53341-1S 15 KVA Transformer	850	1	ITC HOT RUNNER TEMPERATURE CONTROLLER, S/N. 282; 8 Zone, with Dongan Cat No. 76-0206SH 6 KVA Transformer
839	1	DEM MFR8G HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Acme T-2A-53329-1S 6 KVA Transformer	851	1	ITC HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Dongan Cat No. 76- 0206SH 6 KVA Transformer
840	1	DEM MFR8G HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Acme T-2A-53329-1S 6 KVA Transformer	852	1	DME MFP7G HOT RUNNER TEMPERATURE CONTROLLER, S/N. 17182; 7 Zone, with Jefferson Electric Cat No. 213-127 6 KVA Transformer
841	1	DEM MFR8G HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Acme T-2A-53329-1S 6 KVA Transformer	853	1	DME MFP5G HOT RUNNER TEMPERATURE CONTROLLER; 5 Zone, with Acme Approx. 6 KVA Transformer
842	1	DEM MFR8G HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Acme T-2A-53340-1S 10 KVA Transformer	854	1	FAST HEAT CONDUCTOR SERIES HOT RUNNER TEMPERATURE CONTROLLER; 5 Zone, with Acme Cat No. T-2A-53329-1S 6 KVA Transformer
843	1	DEM MFR8G HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Acme Approx. 10 KVA Transformer	855	1	FAST HEAT CONDUCTOR SERIES HOT RUNNER TEMPERATURE CONTROLLER; 5 Zone, with Dongan Cat No. 76-0206SH 6 KVA
844	1	DEM MFR8G HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with Acme Approx. 10 KVA Transformer	856	1	IMS 104280HOUSTNG HOT RUNNER TEMPERATURE CONTROLLER, S/N. 2110; 5 Zone, with Jefferson Electric Cat. No 413- 1127-000 6 KVA Transformer
845	1	DEM MFR8G HOT RUNNER TEMPERATURE CONTROLLER; 8 Zone, with GS Cat No. 55H15 15 KVA Transformer			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

857	1	CINCINNATI MILACRON 3 HP BLOWER UNIT, S/N. 3934A01-88-107;	872	1	ROLLER TYPE CONVEYOR; 10' x 22"; 1.5" Rollers; 3" Roll Spacing
858	1	UNA-DYN 3 HP BLOWER UNIT	872A	1	CRIZAF STNP/LK SEP HEATER SEPERATOR CONVEYOR
859	1	UNA-DYN 15" FLOOR FILTER, S/N. 134915.04-0695			<u>CHILLERS, COMPRESSORS, CRANES, FORKLIFTS, TRUCK</u>
860	1	UNA-DYN 15" FLOOR FILTER, S/N. 111429.09-0693			<u>LOTS 873 - 920</u>
861	1	EMI RH-24-22-20 BELT TYPE CONVEYOR, S/N. 05-05180; BM24A-22-A-00-1 Belt Type; 22' x 24"	873	1	ADVANTAGE ENGINEERING TIP50W-42HR TITAN SERIES 50-TON CENTRAL WATER CHILLER, S/N 75110, (2001); Glycol Water Media, 100 PSI, Temperature Range 20-60, (4) Copeland Tandem Mounted Compressors, 7.5/3.0 HP, Microprocessor Control Panel, Skid Base w/ (2) 7.5
862	1	EMI RM-30-22-20 BELT TYPE CONVEYOR, S/N. 05-05178; BM30A-22-A-00-1 Belt Type; 12' x 22"	874	1	ADVANTAGE ENGINEERING TTK-1600-3P-FF WATER COOLING TOWER PUMP TANK STATION, S/N 75113, (2001); w/ (2) 25-HP, (1) 15-HP Recirculation Pumps, Microprocessor Control Panel, Tough Tank 72" D x 96" H Poly Holding Tank, w/ Model PS-170 PTS Recirculating Pump C
863	1	EMI DDK-18-45-65-20 ADJUSTABLE INCLINE BELT TYPE CONVEYOR, S/N. 10-05102; BK18A-13-F-18-1 Belt Type; 13' x 17"	875	1	ADVANTAGE ENGINEERING PUMP TANK STATION; w/ Microprocessor Control Panel, 48"x48"x60" H Holding Tank, (2) 7.5-HP & (1) 5-HP Recirculation Pumps, Skid Base
864	1	EMI DDK-18-45-65-20 ADJUSTABLE INCLINE BELT TYPE CONVEYOR, S/N. 10-05102; BK18A-13-F-18-1 Belt Type; 13' x 17"	876	1	ADVANTAGE ENGINEERING CC-80APT-RC-450F 80-TON CHILLER, S/N 98963, (2006); Dual Zone, Microprocessor Control Panel
865	1	EMI DDK-18-4.5-8.5-20 ADJUSTABLE INCLINE BELT TYPE CONVEYOR, S/N. 04-05175; BKD18A-13-F-18 Belt Type; 13' x 17"	877	1	CINCINNATI MILACRON PTS1250-3P-71299 PUMP TANK STATION, S/N 3941A01-00-09, (2000); w/ Microprocessor Control Panel, (2) 25-HP & (1) 15-HP Recirculation Pumps, 60"x72"x72" High 1250-Gallon Holding Tank, Skid Base
866	1	PLASTIC PROCESS EQUIPMENT FT-2410VS BELT TYPE CONVEYOR, S/N. FT2410VBVS2251005; 10' x 2'	878	1	KEEPRITE KVC096C-T4D-23-0131 AIR COOLED CONDENSER, S/N 062206753; (6) Zone Cooling Fans, Outside
867	1	CRIZAT LR20" X 4'-10' BELT TYPR CONVEYOR; S/N. OE-3674	879	1	ADVANTAGE ENGINEERING POWER TOWER SERIES WATER COOLING TOWERS; w/ Stand
868	1	PLASTICS PROCESS EQUIPMENT TCB-1806 BELT TYPE CONVEYOR, S/N. 1806472; 6' x 18"			
869	1	PLASTICS PROCESS EQUIPMENT VIC-1234 BELT TYPE CONVEYOR, S/N. VTC1235VB10090612; 7' x 12"			
870	1	EMI PF-12-09-40 BELT TYPE CONVEYOR, S/N. 06-03184; VL-266-1-12-9 Belt Type; 9' x 12"			
871	1	EMI PC-18-6-20 BELT TYPE CONVEYOR, S/N. 11-05114; VL-266-2-18-6 Belt Type, 6' x 18"			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

880	1	Estimated 170 Ton ADVANTAGE ENGINEERING POWER TOWER SERIES WATER COOLING TOWERS; w/ Stand, Estimated 135 Ton	892	1	TANK, 200 PSI @ 450°F, (Skidded) MAZZELLA 10-TON CAPACITY TOP RIDING SINGLE GIRDER BRIDGE CRANE; Street 10-Ton Bottom Running Cable Hoist, Est. 48' Span, Remote Radio Control, w / Approx. 350 ft of Runway
881	1	ADVANTAGE ENGINEERING POWER TOWER SERIES WATER COOLING TOWERS; w/ Stands, Estimated 40 Ton,	893	1	MAZZELLA 10-TON CAPACITY TOP RIDING SINGLE GIRDER BRIDGE CRANE; Robins & Myers SpaceMaster SX 10-Ton Bottom Running Cable Hoist, Est. 48' Span, Remote Radio Control, w / Approx. 200 ft of Runway
882	1	KAESER DSD100S 100-HP ROTARY SCREW AIR COMPRESSOR, SN 1011, (2002); 476 CFM, 125 PSIG, Air Cooled, Sigma Control Basic Microprocessor Control	894	1	MAZZELLA 5-TON CAPACITY TOP RIDING SINGLE GIRDER BRIDGE CRANE; Street 5-Ton Bottom Running Cable Hoist, Est. 48' Span, Pendant Control, w / Approx. 200 ft of Runway
883	1	KAESER BS61 50-HP ROTARY SCREW AIR COMPRESSOR, S/N 1105, (2001); 225 CFM, 125 PSIG, Air Cooled, Sigma Control Basic Microprocessor Control	895	1	P & H HAN-TEK 5-TON FREE STANDING BRIDGE CRANE, BOTTOM RUNNING DOUBLE GIRDER; 5-Ton Cable Hoist, 6-Way Pendant Control, Estimated 20' Span, w/ 6-Post Free Standing Support Structure, Estimated 45' Length
884	1	KAESER BS61 50-HP ROTARY SCREW AIR COMPRESSOR, S/N 1104, (2001); 225 CFM, 125 PSIG, Air Cooled, Sigma Control Basic Microprocessor Control, Enclosure Panels	896	1	CATERPILLAR GC70K 13,450-LB CAPACITY FORKLIFT, S/N AT8900904; LPG, Solid Tires, 188" Lift, 3-Stage Mast, 98" Mast Height, Side Shift, 72" Forks
885	1	KAESER AS-25 25-HP ROTARY SCREW AIR COMPRESSOR, S/N 1321, (2007); 111 CFM, 125 PSIG, Air Cooled, Sigma Control Basic Microprocessor Control	897	1	CATERPILLAR GC30K 6,000-LB CAPACITY FORKLIFT, S/N. AT83E00411; LPG, Solid Tires, 3- Stage Mast, 82" Mast Height, Side Shift, 42" Forks
886	1	QUINCY QMT15ACA31SF 15-HP HORIZONTAL TANK MOUNTED ROTARY SCREW AIR COMPRESSOR, S/N 85310	898	1	CATERPILLAR GC25KI 5,000-LB CAPACITY FORKLIFT, S/N. AT82D0398; LPG, Solid Tires, 3- Stage Mast, 82" Mast Height, Side Shift, 42" Forks
887	1	KAESER TH371E KRD SERIES REFRIGERATED COMPRESSED AIR DRYER, S/N K1250B4600210032; 1250 SCFM @ 100 PSIG @ 100°F	899	1	mitsubishi FGC18N 4,000-LB CAPACITY FORKLIFT, S/N. AF81F30421; LPG, Solid Tires, 3- Stage Mast, 82" Mast Height, Side Shift, 42" Forks
888	1	ZEKS 250HSGA400 REFRIGERATED COMPRESSED AIR DRYER, S/N 235607	900	1	mitsubishi FGC18N 4,000-LB CAPACITY FORKLIFT, S/N. AF81F30420; LPG, Solid Tires, 3-
889	1	KAESER CMS-520 COMPRESSED AIR OIL / WATER SEPARATOR			
890	1	1060 VERTICAL COMPRESSED AIR RECEIVER TANK, 165 PSI @ 450°F			
891	1	KAESER 240 GALLON COMPRESSED AIR RECEIVER			

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		Stage Mast, 82" Mast Height, Side Shift, 42" Forks			WJ98864
901	1	CATERPILLAR NR4000P 4,000-LB CAPACITY STAND-UP RIDER NARROW AISLE ELECTRIC FORKLIFT, S/N 6NR3538710; 4000 Lb @ 240" Lift, Reach Type Forks, 42" Forks		911	1 GENERAL BATTERY MX3-18-680 36-VOLT BATTERY CHARGER, S/N CF100070
902	1	CATERPILLAR NRR40 4,000-LB CAPACITY STAND-UP RIDER NARROW AISLE ELECTRIC FORKLIFT, S/N 2GL07571; 4000 Lb @ 238" Lift, 3500 Lb @ 250" Lift, Reach Type Forks, Side Shift, 42" Forks		912	1 CD TECHNOLOGIES VFR18CEM750 FERRO 1500 SERIES 36-VOLT BATTERY CHARGER, S/N Z04509
903	1	RAYMOND EASI R3OTT 3,000-LN CAPACITY STANND-UP RIDER NARROW AISLE ELECTRIC FORKLIFT, S/N. EZ-D-01-10696, 2,300 Lb @ 252", 2,500 Lb @ 244", 3,000 Lb @ 224", Reach Type Forks, Side Shift, 42" Forks		913	1 REACO M551 36-VOLT INDUSTRIAL BATTERY
904	1	RAYMOND EASI R3OTT 3,000-LN CAPACITY STAND-UP RIDER NARROW AISLE ELECTRIC FORKLIFT, S/N. EZ-D-06-36303;, 2,300 Lb @ 252", 2,500 Lb @ 244", 3,000 Lb @ 224", Reach Type Forks, Side Shift, 42" Forks		914	1 REACO M551 36-VOLT INDUSTRIAL BATTERY
905	1	SKY JACK SJIII-3220 LECTRIC SCISSORS LIFT, S/N 607775; 20' Maximum Platform Height, 800-Lb Capacity		915	1 BHS INDUSTRIAL BATTERY RACK HOLDING STAND
906	1	MTC WALK-BEHIND ELECTRIC BATTERY HANDLER TRUCK, Model & S/N NA		916	1 INDUSTRIAL BATTERY RACK HOLDING STAND
907	1	CROWN WP2335-45 4500-LB CAPACITY ELECTRIC PALLET TRUCK, S/N. 5A363936; 4,500 Lb. Capacity; 45" Forks, 13" Load Center		917	1 INDUSTRIAL BATTERY RACK HOLDING STAND
908	1	CROWN WP2335-45 4500-LB CAPACITY ELECTRIC PALLET TRUCK, S/N. N/A; 4,500 Lb. Capacity; 45" Forks, 13" Load Center		918	1 INDUSTRIAL BATTERY RACK HOLDING STAND
909	1	CROWN WP2335-45 4500-LB CAPACITY ELECTRIC PALLET TRUCK, S/N. 5A364609; 4,500 Lb. Capacity; 45" Forks, 13" Load Center		919	1 4' x 16" ROLLER CONVEYOR STAND
910	1	YUASA GENERAL TGN-18-775 36-VOLT BATTERY CHARGER, S/N		920	1 2004 FORD F150 PICKUP TRUCK, VIN: IFTRF12W44NC1144, 104.564 Miles, Leather, A/C, CD, <u>PLANT SUPPORT, ELECTRICAL, RACKING LOTS 921 - 1193</u>
				921	1 SELCO V5-R VERTICAL HYDRAULIC BALER, S/N 059765437; Chamber Size 60" x 30", Top Hydraulics, Floor Standing
				922	1 HI-TECH SYSTEMS INDUSTRIAL COMPACTOR
				923	1 A-ROW BUSS DUCT; Including Estimated 300' w/ Disconnect Boxes
				924	1 B-ROW BUSS DUCT; Including Estimated 300' w/ Disconnect Boxes
				925	1 C-ROW BUSS DUCT; Including Estimated 300' w/ Disconnect Boxes
				926	1 E-ROW BUSS DUCT; Including Estimated 300' x (4) Conduit Runs x (4) Strands 500 MCM Copper Wire Each, 480V, 4000/3000A, w/ Disconnect Boxes
				927	1 TOOL ROOM BUSS DUCT (NEAR WALL); Including Estimated 50' w/ Disconnect Boxes
				928	1 TOOL ROOM BUSS DUCT (FAR WALL); Including Estimated 40' w/

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

		Disconnect Boxes						Couplings	
929	1	D-ROW DUSS DUCT; Including Estimated 30' w/ Disconnect Boxes	_____	942	1	KENNEDY 7-DRAWER CONTENTS, Including Misc. Heater Bands, Switches, and Couplings	_____		
930	1	COMPRESSOR ROOM BUSS DUCT; Including Estimated 20' w/ Disconnect Boxes	_____	943	1	FASTENAL TOOLING CABINET WITH CONTENTS; Including Large Assortment of Hex Head Screws	_____		
931	1	FREE STANDING MEZZANINE; Estimated 12' x 45', 8' Clearance Height, Metal Framework w/ Open Grating Floor, (2) Access Ladderways, Floor Load Limit 125 PSF	_____	944	1	FASTENAL TOOLING CABINET WITH CONTENTS; Including Large Assortment of Hex Head Screws	_____		
932	97	ADJUSTABLE PALLET RACKING; Upright Size 48" Deep x Est. 24' High, Tear-Drop Style, 96" Wide Cross Beams, 3/4 Tier, w/ Wire Mesh Shelf Decks	_____	945	1	18-DRAWER TOOL CABINET WITH CONTENTS; Including Misc. Electrical Supplies, Heating Supplies	_____		
933	21	ADJUSTABLE PALLET RACKING; Upright Size 26" Deep x 12' High, Tear-Drop Style, 108" Wide Cross Beams, 3/4 Tier	_____	946	1	BRETFORD TOOL CABINET WITH CONTENTS; Including Large Quantity of Midwest Grinding Knives	_____		
934	6	ADJUSTABLE PALLET RACKING; Upright Size 26" Deep x 12' High, Tear-Drop Style, 84" Wide Cross Beams, 3/4 Tier	_____	947	1	BRETFORD TOOL CABINET WITH CONTENTS; Including Misc. Heat Guards	_____		
934A	1	DISMANTLED PALLET RACKING; (24) 12' Uprights, (126) 9' Crossbeams	_____	948	1	RACK WITH CONTENTS; Including Misc. Wire, Lugs, Nobs, Couplers, and Controllers	_____		
935	1	RACK ENGINEERING 11- DRAWER CABINET WITH CONTENTS; Including Large Quantity of Fuses, Electrical Supplies, and Misc. Parts	_____	949	1	RACK WITH CONTENTS, Including misc. Couplers, Casters, and Electrical Supplies	_____		
936	1	STANLEY VIDMAR 10-DRAWER CABINET WITH CONTENTS; Including Misc. Fittings and Tools	_____	950	1	RACK WITH CONTENTS; Including Assorted Electric Motors	_____		
937	1	STANLEY VIDMAR 8-DRAWER WITH CONTENTS; Including Misc. Copper and Brass Fittings	_____	951	1	RACK WITH CONTENTS; Including Assorted Bands	_____		
938	1	STANLEY VIDMAR 9-DRAWER WITH CONTENTS; Including Misc. Nozzle, Plugs, Thermocouples	_____	952	1	RACK WITH CONTENTS; Including Assorted Bands	_____		
939	1	STANLEY VIDMAR 9-DRAWERET WITH CONTENTS; Including Misc. Gages, Tools, and Springs	_____	953	1	(3) DURHAM TOOLING CABINET WITH CONTENTS; Including Assorted Pipe & Tube Accessories	_____		
940	1	STANLEY VIDMAR 16-DRAWER CABINET WITH CONTENTS; Including Misc. Nozzles and Screws	_____	954	1	WALL OF ASSORTED GATES AND DAYTON V-BELTS	_____		
941	1	KENNEDY 13-DRAWER ET WITH CONTENTS; Including Misc	_____	955	1	RACK WITH CONTENTS INCLUDING ASSORTED FUSES	_____		
				956	1	RACK WITH CONTENTS INCLUDING MISC. ELECTRICAL SUPPLIES	_____		
				957	1	RACK WITH CONTENTS INCLUDING MISC. ELECTRICAL SUPPLIES	_____		
				958	1	RACK WITH CONTENTS INCLUDING MISC. ELECTRICAL SUPPLIES	_____		
				959	1	TOOLING RACKS WITH CONTENTS INCLUDING MISC. PIPE FITTINGS	_____		

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

960	1	TOOLING RACK WITH CONTENTS INCLUDING MISC. PIPE FITTINGS	_____	989	1	PANELS, BOARDS, AND READOUTS LOT OF MISC. CONTROL PANELS, BOARDS, AND READOUTS	_____
961	1	TOOLING RACKS WITH TOTES OF MISC. HEX HEAD SCREWS	_____	990	1	MOLD MASTERS MMP-10-2T1-2WS20-242 TANK; (2012)	_____
962	1	TOOLING RACKS WITH TOTES OF MISC. HEX HEAD AND CAP SCREWS	_____	991	1	LOT OF MISC. MOTORS AND BLOWERS	_____
963	1	CABINET WITH CONTENTS INCLUDING MISC. FILTERS	_____	992	1	TRU-TEMP TNY-4 TEMP CONTROLLER, S/N. 98G5688	_____
964	1	RACK OF MISC. FILTER	_____	993	1	PALLET OF MISC. CONTROL AND DRIVERS	_____
965	1	SHELF OF MISC. EJECTOR BARS AND BOLTS	_____	994	1	PALLET OF MISC. HOSE AND DRIVERS	_____
966	1	LOT OF MISC. EJECTOR BARS AND CLAMPS	_____	995	1	PALLET OF MISC. HOPPERS AND VALVES	_____
967	1	LOT OF MISC. EYE BOLTS AND CLAMPS	_____	996	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
968	1	LOTS OF MISC. CONTROLLERS	_____	997	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
969	1	LOT OF PLASTIC PROCESS EQUIPMENT POWER CABLES	_____	998	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
970	1	LOT OF PLASTIC PROCESS EQUIPMENT POWER CABLES	_____	999	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
971	1	LOT OF AIR HOSE LINES	_____	1000	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
972	1	LOT OF HYDRAULIC/OIL HOSE LINES	_____	1001	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
973	1	LOT OF HYDRAULIC/OIL HOSE LINES	_____	1002	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
974	1	LOT OF HYDRAULIC/OIL HOSE LINES	_____	1003	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
975	1	LOT OF HYDRAULIC/OIL HOSE LINES	_____	1004	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
976	1	LOT OF HYDRAULIC/OIL HOSE LINES	_____	1005	1	(4) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
977	1	RACK OF MISC. WIRE CABLES	_____	1006	1	(3) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____
978	1	RACK OF MISC. WIRE CABLES	_____				
979	1	RACK OF MISC. VALVES	_____				
980	1	CABINET OF MISC. VALVES	_____				
981	1	PALLET OF MISC. VALVES	_____				
982	1	ELWOOD M442-KYNO-050Y-3C PERMANENT MAGNET AC SERVO MOTOR, S/N. 4853-04; 1.47 HP	_____				
983	1	WEG GENERAL PURPOSE MOTOR; Approx. 5 HP	_____				
984	1	PALLET OF MANIFOLDS	_____				
985	6	KEB S4 DRIVE (NEW)	_____				
986	1	DEMAG PATHFINDER CONTROL	_____				
987	1	SIEMENS SIMODRIVE LT-MODUL INT.2X25A	_____				
988	1	LOT OF MISC. CONTROL	_____				

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

1007	1	(3) PLASTIC PROCESS EQUIPMENT HOPPERS, 24" x 22" x 36"H	_____			EQUIPMENT; Including Large Assortment of Tubing and Roller Track	
1008	1	(6) PLASTIC PROCESS EQUIPMENT HOPPERS, 20" x 24" x 24"H	_____	1022	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING EQUIPMENT; Including Large Assortment of Tubing and Roller Track	
1009	1	(6) PLASTIC PROCESS EQUIPMENT HOPPERS, 20" x 24" x 24"H	_____	1023	1	LOT OF 4-WHEEL TUBULAR DOLLEYS	_____
1010	1	(6) PLASTIC PROCESS EQUIPMENT HOPPERS, 20" x 24" x 24"H	_____	1024	1	(3) 4-WHEEL STEEL DOLLEYS, 48" X 48"	_____
1011	1	(5) PLASTIC PROCESS EQUIPMENT HOPPERS, 20" x 24" x 24"H	_____	1025	1	BOX TIPPERS, 22" X 17"	_____
1012	1	(5) PLASTIC PROCESS EQUIPMENT HOPPERS, 20" x 24" x 24"H	_____	1026	1	LOT OF STEEL PLATES, 31" X 31"	_____
1013	1	(5) PLASTIC PROCESS EQUIPMENT HOPPERS, 20" x 24" x 24"H	_____	1027	1	LOT OF STEEL BASKETS	_____
1014	1	(4) MOLD AUTOMATION CONCEPTS HOPPERS, 26" Dia. x 30"H	_____	1028	1	LOT OF STEEL BASKETS	_____
1015	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING EQUIPMENT; Including Carts, Conveyor, Benches	_____	1029	1	(6) ADJUSTBLE RACKS	_____
1016	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING EQUIPMENT; Including Carts, Conveyor, Benches	_____	1030	1	(6) ADJUSTBLE RACKS	_____
1017	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING EQUIPMENT; Including Carts, Conveyor, Benches	_____	1031	1	(6) ADJUSTBLE RACKS	_____
1018	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING EQUIPMENT; Including Carts, Conveyor, Benches	_____	1032	1	(6) ADJUSTBLE RACKS	_____
1019	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING EQUIPMENT; Including Carts, Conveyor, Benches	_____	1033	1	(5) ADJUSTBLE RACKS	_____
1020	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING EQUIPMENT; Including Misc. Conveyors Roller Track	_____	1034	1	TOOLING CABINETS WITH CONTENTS, Including Misc. Bolts	_____
1021	1	LOT OF ADJUSTABLE TUBULAR MATERIAL HANDLING	_____	1035	1	TOOLING CABINETS WITH CONTENTS, Including Misc. Bolts	_____
				1036	1	TOOLING CABINETS WITH CONTENTS, Including Misc. Bolts	_____
				1037	1	WORK BENCH	_____
				1038	1	WORK BENCH	_____
				1039	1	WORK BENCH	_____
				1040	1	WORK BENCH	_____
				1041	1	WORK BENCH	_____
				1042	1	WORK BENCH	_____
				1043	1	WORK BENCH	_____
				1044	1	WORK BENCH	_____
				1045	1	WORK BENCH	_____
				1046	1	WORK BENCH	_____
				1047	40	VESTIL AND T & S EQUIPMENT FLOOR BOLTED SAFETY GUARD RAILS, 48" X 43" H,	_____
				1048	1	SAMUEL SLP175-NB/N-EZ PALLET STRETCH WRAP MACHINE, S/N 175PB-0727041549; Semi-Automatic, 57" Diameter Power Table, 84" Vertical	_____
				1049	1	METTLER TOLEDO VLF ELECTRONIC PLATFORM SCALE, S/N. 100399-1LBL 2,000-Lb Capacity, 48" x 48", GME Programmable Readout	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

1050	1	FIRST WEIGH MH15-4402 ELECTRONIC PLATFORM SCALE, S/N 8949; 2,000-Lb Capacity, 48" x 48", Wall Mounted Programmable Readout	1075	1	PALLET OF CLEAR ROLL 6.7" x 1000' PERF. POLY WRAP
1051	1	PROPANE TANK HOLDING RACK	1076	1	(2) COLLAPSABLE CONTAINERS WITH MISC. POLY BAGS
1052	1	LOT OF MISC. PROPANE TANKS	1077	1	PALLET OF LARGE QUANTITY OF SHIPPING TAPE
1053	1	LYON FLAMMABLE LIQUIDS CABINET; 45 Gallon Capacity	1078	1	PALLET WITH MISC. POLY BAGS AND (2) BOXES OF STRETCH FILM WRAP
1054	1	FLAMMABLE LIQUIDS CABINET; Approx. 35 Gallon Capacity	1079	1	PALLET OF MELTSMART ICE MELTER
1055	1	JUST RITE FLAMMABLE LIQUIDS CABINET; 12 Gallon Capacity	1080	1	(3) BOXES OF MISC. CASTERS
1056	1	EAGLE FLAMMABLE LIQUIDS CABINET; 12 Gallon Capacity	1081	1	OIL RESEVOIR, 48" x 48"
1057	1	INTERMAC EASY CODER 4420 BAR CODE LABELER; Including Print Head and Cumputer	1082	1	PALLET OF COMPUTER KIOSKS
1058	1	INTERMAC EASY CODER 4420 BAR CODE LABELER; Including Print Head and Cumputer	1083	1	PALLET OF MISC. TOTES
1059	1	BAR CODE SCANNERS	1084	1	PALLET OF MISC. TOTES
1060	1	LONG RANGE SYSTEMS COMPANY WIDE ASSET MAINTENANCE PAGER SYSTEM; with (60) TX-1751 Alert Transmitters and (10) Pagers	1085	1	PALLET OF MISC. TOTES
1061	1	LOT OF SCOTT FOAM PACKING FOAM ROLLS	1086	1	PALLET OF MISC. TOTES
1062	1	LOT OF PLASTIC PACKAGE WRAPPING	1087	1	RACK OF MISC. TOTES
1063	1	LOT OF PLASTIC PACKAGE WRAPPING	1088	1	PALLET OF TECHNICAL DATE STORAGE BINS
1064	1	PALLET OF SMART TECH POLYBAGS	1089	1	PALLET OF MISC. HARDWARE
1065	1	PALLET OF SMART TECH POLYBAGS	1090	1	PALLET OF MISC. HARDWARE
1066	1	PALLET OF PACKRITE POLYBAGS	1091	1	CART OF MISC. HARDWARE
1067	1	PALLET OF MARFRED POLYBAGS	1092	1	(2) A-FRAME FIXTURES
1068	1	PALLET OF POLYBAGS	1093	1	PALLET OF MATS <u>OFFICE, COMPUTERS LOST</u> <u>1194 - 1337</u>
1069	1	PALLET OF POLYBAGS	1094	1	ROW OF WORK TABLES
1070	1	PALLET OF POLYBAGS	1095	1	FLOOR STANDING SHOP FAN
1071	1	PALLET OF POLYBAGS	1096	1	PORTABLE COOLER 3021 SHOP FAN
1072	1	PALLET OF POLYBAGS	1097	1	PORTABLE COOLER 3021 SHOP FAN
1073	1	PALLET OF CLEAR ROLL 6.7" x 1000' PERF. POLY WRAP	1098	1	DAYTON SHOP FAN
1074	1	PALLET OF CLEAR ROLL 6.7" x 1000' PERF. POLY WRAP	1099	1	DAYTON SHOP FAN
			1100	1	TPI SHOP FAN
			1101	1	FRIGID SHOP FAN
			1102	1	AIR MASTER SHOP FAN
			1103	1	CAREX SHOP FAN
			1104	1	MAYTAG SHOP FAN
			1105	1	MAYTAG SHOP FAN
			1106	1	MAYTAG SHOP FAN
			1107	1	MAYTAG SHOP FAN
			1108	1	MAYTAG SHOP FAN
			1109	1	MAYTAG SHOP FAN
			1110	1	MAYTAG SHOP FAN
			1111	1	MAYTAG SHOP FAN
			1112	1	MAYTAG SHOP FAN
			1113	1	MAYTAG SHOP FAN

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

1114	1	MAYTAG SHOP FAN	_____			LADDER	
1115	1	MAYTAG SHOP FAN	_____	1152	1	MATCO 4-STEP SAFETY LADDER	_____
1116	1	LASKO FLOOR STANDING FAN	_____	1153	1	COTTERMAN 3-STEP SAFETY LADDER	_____
1117	1	LASKO FLOOR STANDING FAN	_____				
1118	1	LASKO FLOOR STANDING FAN	_____	1154	1	COTTERMAN 3-STEP SAFETY LADDER	_____
1119	1	LASKO FLOOR STANDING FAN	_____				
1120	1	LASKO FLOOR STANDING FAN	_____	1155	1	GILLIS 3-STEP SAFETY LADDER	_____
1121	1	LASKO FLOOR STANDING FAN	_____	1156	1	GILLIS 3-STEP SAFETY LADDER	_____
1122	1	LASKO FLOOR STANDING FAN	_____	1157	1	WERNER D-6224-2 24' FIBERGLASS EXTENSION LADDER; 300-Lb Max	_____
1123	1	WORK BENCH w/ LIGHT	_____	1158	1	WERNER 10' FIBERGLASS LADDER	_____
1124	1	WORK BENCH w/ LIGHT	_____				
1125	1	WORK BENCH w/ LIGHT	_____	1159	1	WERNER 5' FIBERGLASS LADDER	_____
1126	1	WORK BENCH w/ LIGHT	_____				
1127	1	WORK BENCH w/ LIGHT	_____	1160	1	CENTRAL MACHINERY 5 CUBIC FOOT CEMENT MIXER; 15 1/2" Opening, 31 RPM	_____
1128	1	WORK BENCH w/ LIGHT	_____				
1129	1	WORK BENCH w/ LIGHT	_____	1161	1	SPEEDAIRE 5Z363A STAIONARY AIR TANK, S/N. 04-00005; 30 Gallon, 200 PSI	_____
1130	1	WORK BENCH w/ LIGHT	_____				
1131	1	WORK BENCH w/ LIGHT	_____	1162	1	HUSKY QUIET SERIES Q26 AIR TANK; 28 Gallon, 155 PSI	_____
1132	1	GAI FORKLIFT MAN BASKET, 1,000 Lb Capacity	_____	1163	1	SPEEDAIRE PROFESSIONAL AIR TANK; Approx. 20 Gallon, 144 PSI	_____
1133	1	PAIR OF 66" FORK EXTENSIONS	_____	1164	1	SPEEDAIRE PROFESSIONAL AIR TANK; Approx. 20 Gallon, 144 PSI	_____
1134	1	PAIR OF 42" FORKS	_____				
1135	1	ECONOMY MV-54 DIE LIFT CART, S/N. 23469; 450-Lb Capacity	_____	1165	1	MANCHESTER AIR TANK; 18.7 Gallon, 200 PSI	_____
1136	1	DIE LIFT CART; Approx. 750-Lb Capacity	_____	1166	1	MANCHESTER AIR TANK; 9.8 Gallon, 200 PSI	_____
1137	1	REGAL RL-48 LIFT CART; 2,000-Lb Capacity	_____	1167	1	SIGNODE 1/2" BANDING SET; with Tensioner and Crimper	_____
1138	1	LEE PL-48 LIFT CART; 2,000-Lb Capacity	_____	1168	1	1/2" BANDING SET; with Tensioner and Crimper	_____
1139	1	SUNEX 3-TON LONG RAM LIFT CART	_____	1168	1	A (2) ROLLS OF 1/2 BANDING	_____
1140	1	LIFT-RITE 5,500-Lb PALLET JACK	_____	1169	1	SHOP VAC 5.5 HP SHOP VAC; 14 Gallon	_____
1141	1	LIFT-RITE 5,500-Lb PALLET JACK	_____				
1142	1	TITAN 5,000-Lb PALLET JACK	_____	1170	1	SHOP VAC 5.5 HP SHOP VAC; 14 Gallon	_____
1143	1	BT LIFTER 5,000-Lb PALLET JACK	_____				
1144	1	GS 4,400-Lb. PALLET JACK	_____	1171	1	RIDGID 6 HP SHOP VAC; 14 Gallon	_____
1145	1	COTTERMAN 12' SAFETY LADDER	_____	1172	1	RIDGID 6 HP SHOP VAC; 14 Gallon	_____
1146	1	COTTERMAN 10' SAFETY LADDER	_____	1173	1	RIDGID 6 HP SHOP VAC; 14 Gallon	_____
1147	1	LAPEYRE STAIR 8' ALTERNATING STAIR LADDER	_____	1174	1	RIDGID 6 HP SHOP VAC; 14 Gallon	_____
1148	1	BALLYMORE 5-STEP SAFETY LADDER	_____	1175	1	RIDGID 6 GALLON SHOP VAC	_____
1149	1	BALLYMORE 5-STEP SAFETY LADDER	_____	1176	1	RIDGID 3 GALLON SHOP VAC; 3.5 HP	_____
1150	1	5-STEP SAFETY LDDER	_____				
1151	1	COTTERMAN 4-STEP SAFETY	_____	1177	1	AMERICAN LINCOLN 91 WS FLOOR SWEEPER	_____

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

	and Dell 16" Flatscreen Monitor	1245	1	HP LASERJET 3800N PRINTER	_____
1220	1 DELL PRECISION 340 DESKTOP	1246	1	HP LASERJET 4050 PRINTER	_____
A	COMPUTER; with Mouse, Keyboard,	1247	1	HP LASERJET 4100 PRINTER	_____
	and Dell 16" Flatscreen Monitor	1248	1	HP LASERJET 2300L PRINTER	_____
1221	1 DELL OPTIPLEX GX270 DESKTOP	1249	1	HP LASERJET 1000 PRINTER	_____
	COMPUTER; with Mouse, Keyboard,	1250	1	CANON LASERCLASS 2050P	_____
	and Dell 16" Flatscreen Montior			PRINTER	_____
1222	1 HP COMPAQ DC7700 DESKTOP	1251	1	CANON LASERCLASS 1060P	_____
	COMPUTER; with Mousse,			PRINTER	_____
	Keyboard, and Flatscreen Monitor	1252	1	BROTHER INTELLIFAX 4100E	_____
1223	1 HP COMPAQ DC7700 DESKTOP	1253	1	PITNEY BOWES DDG1 POSTAGE	_____
	COMPUTER; with Mousse,			BY PHONE MACHINE	_____
	Keyboard, and Flatscreen Monitor	1254	1	ROYAL SOVERIEGN	_____
1224	1 (3) GATEWAY DESKTOP			LAMINATOR	_____
	COMPUTER TOWERS	1255	1	GE PROFILE PFE29PSDAA	_____
1225	1 (2) DIGITAL ONE DESKTOP			REFRIDGERATOR	_____
	COMPUTER TOWERS	1256	1	GE PROFILE REFRIDGERATOR	_____
1226	1 LOT OF CRT TYPE DELL			FRAME	_____
	MONITORS	1257	1	(6) WORKSPACE CUBICLES	_____
1227	1 LOT OF MISC. KEYBOARDS	1258	1	CONFERENCE ROOM TABLES	_____
1228	1 COMPLETE COMPANY WIDE			AND CHAIRS	_____
	NORTEL SYSTEMS PHONE	1259	1	CONFERENCE ROOM TABLES	_____
	SYSTEM; 35 Phones, 2 Conference			AND CHAIRS	_____
	Speakers	1260	1	CONTENTS OF OFFICE	_____
1229	1 DELL POWEREDGE 2900 SERVER	1261	1	CONTENTS OF OFFICE	_____
1230	1 DELL POWEREDGE 2900 SERVER	1262	1	CONTENTS OF OFFICE	_____
1231	1 DELL POWEREDGE 2600 SERVER	1263	1	CONTENTS OF OFFICE	_____
1232	1 DELL POWEREDGE 2600 SERVER	1264	1	CONTENTS OF OFFICE	_____
1233	1 APC SMART-UPS 2200-XL	1265	1	CONTENTS OF OFFICE	_____
	BATTERY BACK UP SYSTEM	1266	1	CONTENTS OF OFFICE	_____
1234	1 APC SMART-UPS 2200 BATTERY	1267	1	CONTENTS OF OFFICE	_____
	BACK UP SYSTEM	1268	1	CONTENTS OF OFFICE	_____
1235	1 BALANCE OF SERVER ROOM	1269	1	CONTENTS OF OFFICE	_____
	INCLUDING (8) DESKTOP	1270	1	CONTENTS OF OFFICE	_____
	COMPUTERS	1271	1	CONTENTS OF OFFICE	_____
1236	1 INFOCUS X2 DLP PROJECTOR;	1272	1	CONTENTS OF OFFICE	_____
	with Travel Case	1273	1	CONTENTS OF OFFICE	_____
1237	1 INFOCUS X2 DLP PROJECTOR;	1274	1	CONTENTS OF OFFICE	_____
	with Travel Case	1275	1	CONTENTS OF OFFICE	_____
1238	1 INFOCUS X2 DLP PROJECTOR	1276	1	CONTENTS OF RECEPTION AREA	_____
1239	1 CANON IMAGERUNNER 3235	1277	1	CONTENTS OF WAITING ROOM	_____
	COPIER	1278	1	CONTENTS BALANCE OF MAIL	_____
1240	1 CANON IMAGERUNNER 3235			ROOM	_____
	COPIER	1279	1	CONTENTS OF STORAGE ROOM	_____
1241	1 HP DESIGNJET 450C LARGE	1280	1	BALANCE OF CONFERENCE	_____
	FORMAT INKJET PRINTER			ROOM, INCLUDING TABLE,	_____
1242	1 LARGE FORMAT INKJET			DESK, RACKS & BOOK SHELF	_____
	PRINTER	1281	1	GLOBAL 4-DR. LATERAL FILING	_____
1243	1 HP LASERJET 5500N PRINTER			CABINET	_____
1244	1 HP LASERJET 4240N PRINTER	1282	1	GLOBAL 4-DR. LATERAL FILING	_____

Auctioneers • Appraisers • Financiers...and a lot more!

PERFECTION INDUSTRIAL SALES

2550 Arthur Ave.

Elk Grove Village, IL 60007

Tel: 847-427-3333 Fax: 847-427-8884

E-mail: sales@perfectionindustrial.com Web: www.perfectionindustrialsales.com

CABINET		NETWORKING ACCESSORIES	
1283	1 GLOBAL 4-DR. LATERAL FILING CABINET	1316	1 LOT CONTENTS OF ROOM, DESKS, RACKS & CHAIRS
1284	1 GLOBAL 4-DR. LATERAL FILING CABINET	1317	10 6 LOCKER BLOCKS
1285	1 GLOBAL 4-DR. LATERAL FILING CABINET	1318	10 6 LOCKER BLOCKS
1286	1 GLOBAL 4-DR. LATERAL FILING CABINET	1319	8 6 LOCKER BLOCKS
1287	1 GLOBAL 4-DR. LATERAL FILING CABINET	1320	1 LUNCH ROOM FOLDING TABLE
1288	1 GLOBAL 4-DR. LATERAL FILING CABINET	1321	1 LUNCH ROOM FOLDING TABLE
1289	1 GLOBAL 4-DR. LATERAL FILING CABINET	1322	1 LUNCH ROOM FOLDING TABLE
1290	1 GLOBAL 4-DR. LATERAL FILING CABINET	1323	1 LUNCH ROOM FOLDING TABLE
1291	1 GLOBAL 4-DR. LATERAL FILING CABINET	1324	1 LUNCH ROOM FOLDING TABLE
1292	1 HON 4 DR. LATEAL FILING CABINET	1325	1 LUNCH ROOM FOLDING TABLE
1293	1 HON 4 DR. LATEAL FILING CABINET	1326	1 IGLOO 142L COOLER
1294	1 HON 4 DR. LATEAL FILING CABINET	1327	1 LOT 3 RUBBERMAID ROLLING COOLERS
1295	1 HON 4 DR. LATEAL FILING CABINET	1328	1 LOT 3 COLEMAN & IGLOO COOLERS
1296	1 4 DR. FILING CABINET	1329	1 LOT 2 GATORADE & IGLOO COOLERS
1297	1 4 DR. FILING CABINET	1330	1 SHARP MICROWAVE
1298	1 4 DR. FILING CABINET	1331	1 SYLVANIA 20" TELEVISION W/BUILT IN DVD & VHS
1299	1 4 DR. FILING CABINET	1332	1 CLEAN FORCE 1400 PSI POWER WASHER
1300	1 4 DR. FILING CABINET	1333	1 TORNADO CV-30/1 VACUU,
1301	1 4 DR. FILING CABINET	1334	1 LOT TABLE W/MISC. ARTWORK
1302	1 4 DR. FILING CABINET	1335	1 LOT 2 CHAIRS W/END TABLE
1303	1 4 DR. FILING CABINET	1336	1 LOT MISC. OFFICE CHAIRS
1304	1 4 DR. FILING CABINET	1337	1 LOT SHOP LIGHTS
1305	1 4 DR. FILING CABINET		
1306	1 3 DR. FILING CABINET		
1307	1 2 DR. FILING CABINET		
1308	1 2 DR. FILING CABINET		
1309	1 2 DR. FILING CABINET		
1310	1 2 DR. FILING CABINET		
1311	1 2 DR. FILING CABINET		
1312	4 BLACKBERRY CURVE CELL PHONES		
1313	1 RACK MISC. BLACKBERRY CELL PHONE & ACCESSORIES		
1314	1 CANON POWERSHOT A560 DIGITAL CAMERA		
1315	1 RACK OF MISC. COMPUTER &		