

PUBLIC AUCTION

Surplus To The Ongoing Operations Of:

DIETER'S Metal Fabricating Custom Fabrication Facility

656 Colby Drive, Waterloo, Ontario, Canada



BYSTRONIC 5'X10' CNC LASER, MODEL BYSTAR 3015



BYSTRONIC 4'X10' CNC LASER, MODEL BYSPRINT 2512



AMADA MODEL M2545 MECHANICAL SHEAR



ALLSTEEL/YANGLI 110 TON X 10' CNC HYDRAULIC PRESS BRAKE, MODEL MB8-100/3200

AUCTION: Tuesday March 13, 11:30 AM

Inspection: Monday March 12, 9am – 4pm

**Bid Live Onsite &
Online Via
Bidspotter.com**



INFINITY
Asset Solutions
infassets.com

AUCTIONS • LIQUIDATIONS

FINANCING • APPRAISALS

905.669.8893

 Like us at: facebook.com/
Infinity-Asset-Solutions-Inc

 Follow us at: twitter.com/
InfinityAssets

2 BYSTRONIC CNC LASERS

*Both Bystronic Lasers Share Dust Exhaust System,
Each Laser Has A 12'x15' Gantry Crane System, 500 lb Capacity*



1997



TUBE CUTTING ATTACHMENT



1997 **BYSTRONIC** 5'x10' CNC Laser, Model Bystar 3015, 2800 Watt, BTL 2800 Turbo Resonator, Tube Cutting Attachment Option, 5" & 7.5" Heads, Travels: X- 118.1", Y-59.1", Z-8.7", Table Size 128" x 66", Standard Chuck 3.9" – 13.4", Locking Length 102.4", Max Cutting Speed 1,968 IPM, Max. Positioning Speed 5,551 IPM, Material Thickness Capacities: Structural Steel .78", Stainless Steel .47", Aluminum .39", Max. Table Load 1,653 lbs, Koolant Koolers Chiller, sn K960103



1998



Visit infassets.com to view videos of lasers in operation!

1998 **BYSTRONIC** 4'x10' CNC Laser, Model Bysprint 2512, 1800 Watts, BTL 1800 Turbo Resonator – Rebuilt in 2008, Turbo Blower – Rebuilt in 2008, 4.5" Head, Travels: X-98.4", Y-49.2", Z-8.7", Standard Chuck 3.9" – 13.4", Locking Length 82.7", Max Cutting Speed 1,968 IPM, Max. Positioning Speed 5,551 IPM, Material Thickness Capacities: Structural Steel .59", Stainless Steel .196", Aluminum .157", Max. Table Load 750 lbs, Koolant Koolers Chiller, sn 983061



2006

4 Axis

ALLSTEEL/YANGLI 110 TON X 10' CNC HYDRAULIC PRESS BRAKE, MODEL MB8-100/3200

PRESS BRAKES

2006 **ALLSTEEL / YANGLI** 110 Ton x 10' CNC Hydraulic Press Brake, Model MB8-100/3200, 126" Between Frames, 19" Open Height, 8" Stroke, 10Hp, 4 Axis Delem DA-65W CNC Control, 3 Axis CNC Back Gauge + Crowning, Command Stamp Monitoring System, Level 4 Safety Lights, sn 06201021

2005 **FABMASTER** 44 Ton X 8' CNC Hydraulic Press Brake, Model PPT 44-8, 6' 6" Between Frames, 4" Stroke, Automec 150 - 2 Axis CNC Back Gauge, Light Curtains, Full Guarding, sn 5280

AMADA 88 Ton x 6'10", CNC Hydraulic Press Brake, Model RG80S, NC9-EX II 3 Axis CNC Back Gauge, Open Height 14.57", Throat 15.7", sn 807712

PEARSON 110 Ton x 10', Press Brake Model 10010, Overall Length 10'3", Between Frames 8'6", Stroke 3"-8", Open Height 14-7/8", Throat 12", CompUBend Back Gauge, Palm Button Control, Foot Pedal, 10 HP, sn 663606/1

SHEARS

CINCINNATI Model 1012 Mechanical Shear, 12' x 10 Gauge, Front Operated Power Back Gauge, Squaring Arm, Support Arms, Foot Pedal, sn 38135

AMADA 8' x 3/16" Mechanical Shear, Model M2545, 60 SPM, Programmable Front Operated Back Gauge, Pneumatic Sheet Support System, 8' Squaring Arm, 2 X 4' Front Support Arms, sn 2502479

EDWARDS 4' X 14 Gauge Mechanical Shear

EDWARDS 4' X 16 Gauge Air Shear, Pneumatic Foot Pedal

IRONWORKERS

PIRANHA 50 Ton Hydraulic Ironworker, 8" Throat, 5" X 5" X 3/8" Angle, 13/16" Dia Hole Thru 3/4" Thick Steel, 14" X 5/8" Plate Shear, 4 Way Bending Attachment & Assorted Dies, sn P3-2313

OMERA 30 Ton Mechanical Ironworker, 3" X 3" X 5/16",

NOTCHER

2006 **YSD** Hydraulic Notcher, Model VN 2006, 1/4" Capacity, Blade Length 7.87", Max Speed 45 SPM at 1.97", 30 SPM at 7.87", Work Table 35.4" x 36.6", Thickness, Variable Angle Adjustment, 575 V, sn 081012

SAWS

MEP 12" Fully Automatic Cold Saw, Model Tiger 300AX, 30/60 RPM, Tiger AX PLC Control, Coolant System, Feed Vise, Programmable Feed, 2.5 hp, 575V

SOCO Cold Saw Model MC 350 FBP, 10" Blade, sn X6MSC3506256

JET Model HVBS-712 Horizontal Bandsaw, Capacity 7" x 12", 1 HP, sn 401A932978

ER MAIER Roll In Bandsaw Model KM1012, sn 44192

DOALL Vertical Bandsaw, Model 2013-V, 20" Throat Welder / Grinder Attachment, 26" X 26" Table, sn 457-922324

GROB Vertical Bandsaw, Model NS 18, 18" Throat, 24" X 24" Table, Welder Attachment, sn 10637

KBC Vertical Bandsaw, Model 450, 18" Throat, 20" X 22" Table, Welder / Grinder Attachment, sn 9445606

DUREX 10" Table Saw



AMADA 88 TON X 6'10", CNC HYDRAULIC PRESS BRAKE, MODEL RG80S



PEARSON 110 TON X 10', PRESS BRAKE MODEL 10010



2005

PPT44-8

FABMASTER 44 TON X 8' CNC HYDRAULIC PRESS BRAKE, MODEL PPT 44-8



3' **SAMPSON** MODEL SR 914 SLIP ROLL



6' PLATE ROLL INITIAL PINCH



7' PYRAMID ROLLS



1 of 3 Shears 8' x 3/16"

AMADA MODEL M2545 MECHANICAL SHEAR



PIRANHA 50 TON HYDRAULIC IRONWORKER



YSD HYDRAULIC NOTCHER, MODEL VN 2006



OMERA 30 TON MECHANICAL IRONWORKER



EDWARDS 4' X 14 GAUGE MECHANICAL SHEAR



EDWARDS 4' X 14 GAUGE AIR SHEAR

PROXY BIDDING
 We will be happy to bid on your behalf if you are unable to attend our auction. Please call our office at 905-669-8893, or visit our website www.infassets.com to submit a proxy bid.



CINCINNATI MODEL 1012 MECHANICAL SHEAR

MILLS / DRILLS

- 2008 **KING** Variable Speed Mill, 9"x42" Table, R8 Collet, Power Feed, 3 HP, sn 1827
- KONDIA** Vertical Mill, Model FV1, 12" X 42" Table, 60 -4000 RPM, Variable Speed Head, R8 Taper, Mitutoyo 2 Axis DRO, 575V, sn Z-36
- ACER** Vertical Mill, Model 3V, 10" X 50" Table, 3 HP , R8 Taper, 60 - 4200 RPM Variable Speed Head, Sony 2 Axis DRO, sn 9388111
- ADCOCK SHIPLEY** Model 2E Mill, 10"x40" Table, Rotating Table, 30-1200 RPM, Arbor Support, 575V
- GIDDINGS & LEWIS** Model Winslow HC, ExactaMatic Drill Pointer, sn 940-00086-75
- ERLO** Gear Head Drill Press, Model TCA -30 , 1 3/16" Drill Capacity, 1-1/2HP, 112- 1704 RPM, 3 MT Spindle, Power Quill Feed, sn 323
- IMA** Gear Head Drill Press, Model IG30-8,70 – 3,240 RPM , 13" X 20" Table, sn I4369
- ELHA** Drill Press, 16" x 17" Table, 3 HP, Auto Quill Feed, 550 V, sn 3/3382

CAN'T ATTEND AUCTION? ALSO BID ONLINE VIA INFASSETS.COM



1 of 2

MEP 12" FULLY AUTOMATIC COLD SAW, MODEL TIGER 300 AX



ER MAIER ROLL IN BANDSAW, MODEL KM1012



1 of 3 Vertical Bandsaws

DOALL VERTICAL BANDSAW, MODEL 2013-V



2 of 3 Mills

KONDIA & ACER VERTICAL MILLS



1 of 2 Presses

ROUSSELLE MODEL 8, 85 TON OBI PUNCH PRESS



GIDDINGS & LEWIS MODEL WINSLOW HC, EXACTAMATIC DRILL POINTER



1 of 3

ERLO GEAR HEAD DRILL PRESS, MODEL TCA -30



2002

16" x 60"

KING MODEL KC-1660GH ENGINE LATHE



CHEVALIER II SURFACE GRINDER, MODEL FSG 618



JONES SHIPMAN MODEL 310 TOOL CUTTER GRINDER



TSC ID OD GRINDER

LATHE

2002 **KING** Model KC-1660GH Engine Lathe, 16" x 60", 3&4 Jaw Chucks, Steady Rest, Tail Stock, Aloris Tool Post, 7.5 HP, sn 20030423

GRINDERS

2007 **JET** 6"x12" Surface Grinder, Manual, 3/4 HP, Single Phase

CHEVALIER II Surface Grinder, Model FSG 618, 6"x18" T Slot Table, sn 02-3300

JONES SHIPMAN Model 310 Tool Cutter Grinder, 8"x16" Capacity, sn 71434

TSC ID OD Grinder, 22" Center to Center, 42" Table, Steady Rest, sn 2313

TRADEMASTER 6" x 22" Belt Sander

ALLEN MACHINE Dual Head Pedestal Grinder

ROLLS

7' Pyramid Rolls, 4" Rolls, Power, Dual Foot Pedal Control,

6' Plate Roll Initial Pinch, 5" Rolls, 1/4" Capacity, 5 HP 3' **SAMPSON** Model SR 914, Initial Pinch, 2" Rolls, sn 239154

WELDERS

WELDOMATIC 50 KVA Spot Welder, Model AF-2B, 32" Throat, Model TE-90 Mark II Control, sn 2865

HYPER THERM Max 100 Plasma Cutter

2 **MILLER** Syncrowave 250

MILLER Pulsar 450

MILLER 250 AC/DC Arc

HOBART Mega Flex 650 RVS

HOBART Rc-300 RVS

HOBART Mega Arc 300

CANOX C-SW 259

CANOX Redmaster 300

BENDER

LUBOW Model WBR-1 Pneumatic Wire Bender, Up To 180 Degree Bend Rotation, 100 PSI, Rated For 8 Pieces Of 1/4", 5 Of 5/16", 2 Of 3/8" Mild Steel

FINISHING

ROTO FINISH 42" Diameter Model Gemini Extended Range Series Vibratory Roto Finisher, sn 5203

1997 **SCHMIDT** Pressure Pot, Model W, 6.5 cu ft, sn 10731

FIRE SUPPRESSION

CHEMTRON Automatic Dry Chemical Fire Extinguisher Systems: 2 Model IND-30C, 1 Model GS-PK-30C

AIR COMPRESSORS

DEVAIR 15 HP Piston Type, sn 6320

DEVAIR 7.5 HP Upright Piston Type, sn 36971 LF

INTERNATIONAL Model 35, 7.5 HP, sn 3510607

MATERIAL HANDLING

2 **SIMON** Falcon Series Articulating Scissor Lifts Model 2034, Working Height 25'6", Platform Height 19'6", Stowed Platform Height 35.5", Max Capacity 750 lbs, Platform Dimensions 31" x 96" x 39", Overall Dimensions 96" x 34" x 66", Turning Radius Range 46" - 104", sn's EDB012947, EDB01649

GENIE Personnel Lift Model PLC 24, Max Capacity 300 lb, Platform Height 24', 4 Outriggers, sn 148713594

GENIE Personnel Lift Model PLC 24, Max Capacity 300 lb, Platform Height 24', 4 Outriggers, sn 148713594



1 of 2

SIMON FALCON SERIES ARTICULATING SCISSOR LIFTS MODEL 2034 (STOCK PHOTO)



ROTO FINISH 42" DIAMETER VIBRATORY ROTO FINISHER



4' X 12 GAUGE FINGER BRAKE

Infinity Auction Calendar

Thursday March 15:
Deb Corp – Large Capacity Machine Shop – Trussville, Alabama

Wednesday March 21:
Williams Gold Refining – Complete Gold Production Facility – Fort Erie, Ontario

Wednesday March 28:
Ducana Windows & Doors – Window & Door Manufacturer – Tilbury, Ontario

MISC. FABRICATION

4' x 12 Gauge Finger Brake
ROUSSELLE Model 8, 85 Ton OBI Punch Press, Shut Height 12.5", Stroke 3", 100 SPM, Bed Area 36" x 24", Palm Button Control, Air Counter Balance, Foot Pedal, sn 24439
BROWN BOGGS C Frame Press, Approx. 50 Ton, 22"x28" Bed
WA WHITNEY Manual Punch, 24" Throat, Assorted Dies, Jet Arbor Press

MISC.

ADVANCE Model Minitrigger Floor Sweeper
3 DEVILBLISS Paint Pot Systems Model QS 5001
 Assorted Transformers From 6 – 30 KVA
 Assorted Pipe Scrap Material



ADCOCK SHIPLEY MODEL 2E MILL



HYPERTHERM MAX 100 PLASMA CUTTER



WELDOMATIC 50 KVA SPOT WELDER, MODEL AF-2B



VIEW OF 10 ASSORTED **MILLER, HOBART & CANOX** WELDERS



DEVAIR 15 HP AIR COMPRESSOR



LUBOW MODEL WBR-1 PNEUMATIC WIRE BENDER



GENIE PERSONNEL LIFT MODEL PLC 24

TERMS OF SALE



Payment: All payments must be in Cash, Certified Funds, Visa, MasterCard or Interac, Wire Transfers or Company Checks must be accompanied with a bank letter guaranteeing irrevocable payment to Infinity Asset Solutions Inc. A 2% surcharge will apply on all payments made by credit card. All online bidders must register on Bidspotter by 5pm Monday March 12. A 13.5% buyers premium will be added to all onsite purchases (16.5% Online). A \$500 refundable security deposit is required upon onsite registration (\$2,000 Online). A 25% deposit is required at time of purchase, balance due by 4 pm, Wednesday March 14, 2012. **NO EXCEPTIONS.** All goods are sold "As Is, Where Is", **ALL SALES ARE FINAL.** All subject to prior sale. All Sales in Canadian Funds. Complete terms and conditions including removal procedures, are available on our website, will be posted at the auction and will be provided at the time of registration.

REMOVAL TIMES

All Items By Tuesday March 20, 2012. **Hours:** Monday – Friday between 8 am – 4 pm. No items may be removed during auction. **NO EXCEPTIONS.**

DIRECTIONS: From Toronto Airport To: 656 Colby Drive, Waterloo, Ontario, N2V1A2. 97 km, Approx. 1 Hr
 Exit Airport, follow signs to 401 W, follow for 72 km, Take exit 278 to merge onto 8 W toward Kitchener/Waterloo, Take the 7 E, Continue onto Conestoga Pkwy, Continue onto 85 N, Take the Northfield Drive exit, Turn left onto Northfield Dr W, Take the 1st left onto Colby Dr, Destination will be on the right

HOTELS NEAR AUCTION SITE:

Best Western Plus St. Jacobs	50 Benjamin Road, Waterloo	519-884-9295
Comfort Inn	190 Weber Street North, Waterloo	519-747-2134
Waterloo Inn	475 King Street North, Waterloo	519-884-0220

This brochure is meant merely as a guide. Infinity Assets makes no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods before-hand to satisfy themselves.



INFINITY
Asset Solutions
 AUCTIONS • LIQUIDATIONS
 FINANCING • APPRAISALS

Like us at: facebook.com/Infinity-Asset-Solutions-Inc
 Follow us at: twitter.com/InfinityAssets

63 Maplecrete Road, Concord, Ontario L4K 1A5 Canada
infassets.com • Tel: (905) 669-8893 • Fax: (905) 669-7512