

# LAKSI CARTS INC.

## **WELCOME TO OUR AUCTION!**

CLOSES: THURSDAY OCT. 13 11:00 AM

1290 SPEERS RD. #14, OAKVILLE, ONTARIO

# IMPORTANT REMOVAL INFORMATION

All lot removals to be coordinated with Site Supervisor or An Approved Machinery Mover. We will do our upmost to ensure all Customers are as safe as possible during the inspection & removal processes. We encourage you to practice social distancing while on site.. If you are experiencing any symptoms of illness or have travelled out of county in the last few weeks, please DO NOT attend the auction site

#### **AUCTION DETAILS**

FINAL PAYMENT:	IN FULL BY 4:00 PM MONDAY OCTOBER 17, 2022
REMOVAL:	ALL GOODS MUST BE REMOVED BY: FRIDAY OCT 21 <sup>ST</sup> , 2022 HOURS: WEEKDAYS FROM 10:00 AM TO 4:00 PM
BUYER'S PREMIUM	A 18% BUYER'S PREMIUM WILL APPLY ON ALL PURCHASES
ACCOUNTING	VICTORIA WHITMAN 905-669-8893 EMAIL: <a href="mailto:vwhitman@infinityassets.com">vwhitman@infinityassets.com</a>
SITE SUPERVISOR	LAKSI CARTS 905-465-7025

# WIRE TRANSFER INSTRUCTIONS

Royal Bank of Canada 3300 Highway #7 Concord, Ontario

Bank#: 003 • Transit #: 00192 • Account #: 1007137

TO REGISTER AND BID PLEASE VISIT BIDSPOTTER.COM

BidSpotter

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

LOT	QTY	
1	1	CAT 50 - END MILL HOLDER,
		0.750" DIAMETER, 4.500" LENGTH
		FROM RIB
2	1	Assorted Taps ( Metric and
		Imperial )
3	1	BT 40 – CNC tool Holders with
		Cutters, 8 Holders with shown
		cutters and pull studs
4	1	CAT 50 - END MILL HOLDER,
		0.500" DIAMETER, 3.250" LENGTH
		FROM RIB
5	1	CAT 50 - END MILL HOLDER,
		1.000" DIAMETER, 3.250" LENGTH
		FROM RIB
6	1	CAT 50 - END MILL HOLDER,
		0.6250" DIAMETER, 2.250"
		LENGTH FROM RIB
7	1	CAT 50 - END MILL HOLDER,
		0.625" DIAMETER, 2.350" LENGTH
		FROM RIB
8	1	CAT 50 - END MILL HOLDER,
		0.500" DIAMETER, 3.250" LENGTH
		FROM RIB
9	1	CAT 50 - END MILL HOLDER,
		0.750" DIAMETER, 2.250" LENGTH
		FROM RIB
10	1	CAT 50 - END MILL HOLDER,
		0.375" DIAMETER,
11	1	CAT 50 - Drill Chuck, Able to
		clamp from 0.125" to 0.750" Dia
12	1	CAT 50 , ER – 32 Collet and a Mill
		star Solid carbide Ball nose
		indexable cutter,
		Comes with Mill star High speed ,
		Solid Carbide Ball nose inserts
		holder, 3/8" Dia, Insert Grade :
		MB-0375 , Brand : Millstar
13	1	CAT 50 , ER - 32 Collet Holder
14	1	CAT 50 , 12mm Screw type cutter
		Holder,
		25mm diameter, 2 inserts pocket
		cutter installed
		Walter inserts, 10mm dia inserts ,

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

		4.0" Long Reach
15	1	CAT 50 , Shell Mill Holder, Shank
		4.000" Length, "Dia :0.750"
		from Rib
16	1	CAT 50 , Shank dia 0.750",
		Installed 32mm Diameter cutter,
		12mm diameter walter inserts, 4
		Inserts pockets, 4.000" Reach.
17	1	CAT 50 - Tap Holder
18	1	CAT 50 - TG 100 Collet Holder
19	1	CAT 50 - TG 100 Collet Holder
20	1	CAT 50 , M16 thread Screw cutter
		holder,
21	1	Counter bore Tools, ( Metric and
		Imperial )
22	1	Counter bore Tools, ( Metric and
		Imperial )
23	1	CNC Tool Holder Drivers - Assorted
24	1	Endmills - ( Metric and Imperial )
25	1	Endmills ,Ball nose cutters and
		boring bar (Imperial and Metric)
26	1	Reamers , (Imperial and Metric)
27	1	Collets , Er 32 and Assorted ,
		Metric and Imperial
28	1	ER -20 , Collet Rack
29	1	Electronic Height setter, 2.0"
		Height
30	1	Kolroy, 25mm dia Long reach
		cutter & 1.0" dia Ball Nose cutter.
		Long reach, ¼" dia cutter
		holder,Inserts and Drivers as per
		picture
31	1	High Feed Cutter, Diameter
		1.25,Kyocera
		Inserts and drivers, as per
		picture.7 pockets,
32	1	Radius Gauges ( OD and ID ) , Slip
		Gauges
33	1	Readmers , ( Carbide Reamers and
		HSS ) ( Metric and Imperial )
34	1	Reamers , ( Imperial and Metric )
35	1	Reamers , ( Imperial and Metric )
36	1	15mm, Seco cutter, 2 Inserts body
33	1	Radius Gauges (OD and ID), Slip Gauges Readmers, (Carbide Reamers and HSS) (Metric and Imperial) Reamers, (Imperial and Metric)
36	Т.	pomm, Seco cutter, 2 inserts body

, 8 mm dia inserts 1/2" Counterbore tool, Kennametal 25mm Seco cutter with long reach extend adapter, 10 mm diameter cutters, 2 Inserts body Diameter 17mm Drill with indexable inserts 5/16" Solid carbide, High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers ( Assorted ), ( 0 – 6.0" )  48 1 Pin Gauges – Included  48 1 Pin Gauges – Included			
Kennametal 25mm Seco cutter with long reach extend adapter, 10 mm diameter cutters, 2 Inserts body Diameter 17mm Drill with indexable inserts 5/16" Solid carbide, High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body, Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			, 8 mm dia inserts
25mm Seco cutter with long reach extend adapter, 10 mm diameter cutters, 2 Inserts body Diameter 17mm Drill with indexable inserts 5/16" Solid carbide , High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial ) 45 1 Fowler brand - Inspection precision balls 46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers ( Assorted ), ( 0 – 6.0" )			1/2" Counterbore tool,
extend adapter, 10 mm diameter cutters, 2 Inserts body Diameter 17mm Drill with indexable inserts 5/16" Solid carbide , High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers ( Assorted ), ( 0 – 6.0" )  48 1 Pin Gauges , 0.250" to 0.500"			Kennametal
cutters, 2 Inserts body Diameter 17mm Drill with indexable inserts 5/16" Solid carbide , High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			_
Diameter 17mm Drill with indexable inserts 5/16" Solid carbide , High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			extend adapter, 10 mm diameter
indexable inserts 5/16" Solid carbide , High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			cutters, 2 Inserts body
5/16" Solid carbide , High speed, 3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand : Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			Diameter 17mm Drill with
3d cutter body 3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			indexable inserts
3/8" solid carbide, High speed, 3d cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body, Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			5/16" Solid carbide , High speed,
cutter body 5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			3d cutter body
5/8" Kyocera, Fly cutter, standard length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1   37   1   Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2   1/2" Dia cutter body , Qty1   38   1   Assorted Taps ( Metric and Imperial )   39   1   Taps & Dies , Assorted Brand :Mastercraft   40   1   CNC Tool Holder Inserts , Keys and Screws   41   1   Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide   42   1   Digital Depth Vernier. 0 to 12.0"   Inch   43   1   Groove Mic ( 0" to 2.0" )   44   1   Endmills - ( Metric and Imperial )   45   1   Fowler brand - Inspection precision balls   46   1   Micrometers ( Assorted ), ( 0 – 6.0" )   47   1   Micrometers , 6.000" to 12.000", Setup Gauges – Included   48   1   Pin Gauges , 0.250" to 0.500"			3/8" solid carbide, High speed, 3d
length, 2pcs 3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body, Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			cutter body
3/4" Kyocera, Fly cutter, standard length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			5/8" Kyocera, Fly cutter, standard
length, Qty 1  37 1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			length, 2pcs
1 Solid carbide Cutters, Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38 1 Assorted Taps ( Metric and Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm – Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic ( 0" to 2.0" )  44 1 Endmills - ( Metric and Imperial )  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers ( Assorted ), ( 0 – 6.0" )  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			3/4" Kyocera, Fly cutter, standard
Indexable Inserts, Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38			length, Qty 1
Mill star Brand 3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38	37	1	Solid carbide Cutters,
3/8" Dia cutter – Qty 2 1/2" Dia cutter body , Qty1  38			Indexable Inserts,
1/2" Dia cutter body , Qty1  38			Mill star Brand
38			3/8" Dia cutter – Qty 2
Imperial )  39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm — Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 — 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges — Included  48 1 Pin Gauges , 0.250" to 0.500"			1/2" Dia cutter body , Qty1
39 1 Taps & Dies , Assorted Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm — Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 — 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges — Included  48 1 Pin Gauges , 0.250" to 0.500"	38	1	Assorted Taps ( Metric and
Brand :Mastercraft  40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm — Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 — 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges — Included  48 1 Pin Gauges , 0.250" to 0.500"			Imperial )
40 1 CNC Tool Holder Inserts , Keys and Screws  41 1 Wire Edm — Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 — 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges — Included  48 1 Pin Gauges , 0.250" to 0.500"	39	1	Taps & Dies , Assorted
Screws  41 1 Wire Edm — Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 — 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges — Included  48 1 Pin Gauges , 0.250" to 0.500"			Brand :Mastercraft
41 1 Wire Edm — Setup Fixture, Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 — 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges — Included  48 1 Pin Gauges , 0.250" to 0.500"	40	1	CNC Tool Holder Inserts , Keys and
Stainless steel, Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 – 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			Screws
Able to Clamp from 0.05" to 3.75" wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 – 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"	41	1	Wire Edm – Setup Fixture,
wide  42 1 Digital Depth Vernier. 0 to 12.0" Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 – 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			Stainless steel,
42 1 Digital Depth Vernier. 0 to 12.0" Inch 43 1 Groove Mic (0" to 2.0") 44 1 Endmills - (Metric and Imperial) 45 1 Fowler brand - Inspection precision balls 46 1 Micrometers (Assorted), (0 – 6.0") 47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included 48 1 Pin Gauges , 0.250" to 0.500"			Able to Clamp from 0.05" to 3.75"
Inch  43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 – 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"			wide
43 1 Groove Mic (0" to 2.0")  44 1 Endmills - (Metric and Imperial)  45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 – 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"	42	1	Digital Depth Vernier. 0 to 12.0"
44 1 Endmills - (Metric and Imperial) 45 1 Fowler brand - Inspection precision balls 46 1 Micrometers (Assorted), (0 – 6.0") 47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included 48 1 Pin Gauges , 0.250" to 0.500"			Inch
45 1 Fowler brand - Inspection precision balls  46 1 Micrometers (Assorted), (0 – 6.0")  47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included  48 1 Pin Gauges , 0.250" to 0.500"	43	1	Groove Mic (0" to 2.0")
precision balls  46	44	1	Endmills - ( Metric and Imperial )
46	45	1	Fowler brand - Inspection
6.0")  47			precision balls
47 1 Micrometers , 6.000" to 12.000", Setup Gauges – Included 48 1 Pin Gauges , 0.250" to 0.500"	46	1	Micrometers ( Assorted ), ( 0 –
Setup Gauges – Included 48 1 Pin Gauges , 0.250" to 0.500"			6.0")
48 1 Pin Gauges , 0.250" to 0.500"	47	1	
49   1   Slip Gauges	48	1	Pin Gauges, 0.250" to 0.500"
	49	1	Slip Gauges

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

50	1	CAT 40 – BT 40 "Tool holder rack,
F.4	_	7 holders capacity
51	1	CAT 40 - BT 40, Tool Rack, 7 Holders capacity
F2	1	• •
52	1	CAT 40 - BT 40, Tool Rack, 7
53	1	Holders capacity
55	1	CAT 40 - BT 40, CNC Tool cart with wheels, 28 Holders capacity
54	1	CAT 50 - BT 50, CNC Tool cart with
34		wheels, 48 Holders capacity
55	1	
33	1	CAT 50 - BT 50, Tool Rack, 6
F.C.	4	Holders capacity
56	1	CAT 50 - BT 50, Tool Rack, 6
F-7	4	Holders capacity
57	1	CAT 50 - BT 50, CNC Tool cart with
		wheels, 24 Holders capacity,
		Middle and bottom row are for
F.0	4	consumables
58	1	CAT 50 - BT 50, CNC Tool cart with
F.0	_	wheels, 48 Holders capacity
59	1	CAT 50 , Collet Holder
60	1	CAT 50 , M12 – Screw cutter
		Holder. 25 mm Diameter, Iscar
		Tools, High speed cutter, 3 inserts
	_	pockets.
61	1	CNC Tool cart – CAT 50 – BT 50,
		12 Holders on Top and 24 Holders
		on the Middle Shelve
		1/8" Thick Peg board
		1200 lbs capacity, 2 swivel with
		brake and 2 rigid
		16 gauge steel,
62	1	Parallels set
63	1	CAT 50 - BT 50, CNC Tool cart with
_		wheels, 48 Holders capacity
64	1	CAT 50 - BT 50, CNC Tool cart with
		wheels, 30 Holders capacity, Peg
		board holes on both sides, 3
		Drawers with lockable option, Ball
		bearing slides,
65	1	Maintainence cart with wheels, 3
		drawers, Ball bearing slides -
		Brand new

66	1	Maintainence cart with wheels, 3 drawers, Ball bearing slides -
		Brand new
67	1	Mobile Tool box with Kobalt tool
		chest on the Top, 1200 lbs
		capacity, Mint condition
68	1	CAT 40 – BT 40 " Tool holder rack,
		7 holders capacity
69	1	125 Amps, Circuit breaker with
		fuses, Ideal to run 6 CNC
		Machines, Heavy duty,
		Commercial
70	1	125 Amps, Splitter box with fuses,
		Heavy duty, Commercial
71	1	Brass hammer, Grease oil
		Dispenser ,Machine shop
		accessories
72	1	Fuses, Heavy duty - Commercial
73	1	Disconnect switch, 600Volts, 60
		Amps, Heavy duty - Commercial
74	1	225 Amps, Splitter box with fuses,
		Heavy duty, Commercial
75	1	Tool and Die maker's Jack screws,
		Disconnect fuses, Align keys &
		Clamps for Milling machine
76	1	Soldering Gun - Commercial
		Grade, Heavy duty
77	1	125 Amps, Splitter box with fuses,
		Heavy duty, Commercial
78	1	Transformer, 9KVA, Primary : 600
		Volts - Secondary 480 Volts, 3
		Phase
79	1	Maintainence cart with wheels, 3
		drawers, Ball bearing slides -
		Brand new
80	1	CAT 50 - BT 50, CNC Tool cart with
		wheels, 30 Holders capacity , Peg
		board holes on both sides, 3
		Drawers with lockable option, Ball
		bearing slides,
81	1	Mini Mobile CNC Work station . (
		CAT 50 - BT 50 ) ( 24 Holders
		capacity )

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

(0.063" Thick ) Black color — Powder coated Peg board holes can be used in the back side of the cart as well. 3 Drawer with Ball bearing slides and lockable option to secure valuables, L-Angles , ( steel , 0.125" Thick , 1.250" width ) ( Black color , powder coated )  82 1 Assorted Taps ( Imperial and Metric )  83 1 Organizer with Dividers, Brand new - Never used  84 1 Fastenal Organizer, 4 Drawers, contents included as per picture.  85 1 Granite table with stand, 18.0" x 24" ( Granite table Size )  86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,  87 1 Files - Assorted  88 1 Window Air conditioner - 110 Volts ,  89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			
Powder coated Peg board holes can be used in the back side of the cart as well. 3 Drawer with Ball bearing slides and lockable option to secure valuables, L-Angles, (steel, 0.125" Thick, 1.250" width) (Black color, powder coated)  82 1 Assorted Taps (Imperial and Metric)  83 1 Organizer with Dividers, Brand new - Never used  84 1 Fastenal Organizer, 4 Drawers, contents included as per picture.  85 1 Granite table with stand, 18.0" x 24" (Granite table Size)  86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,  87 1 Files - Assorted  88 1 Window Air conditioner - 110 Volts,  89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			Trays – Cold rolled steel, 16 Gauge
Peg board holes can be used in the back side of the cart as well.  3 Drawer with Ball bearing slides and lockable option to secure valuables, L-Angles, (steel, 0.125" Thick, 1.250" width) (Black color, powder coated)  82 1 Assorted Taps (Imperial and Metric)  83 1 Organizer with Dividers, Brand new - Never used  84 1 Fastenal Organizer, 4 Drawers, contents included as per picture.  85 1 Granite table with stand, 18.0" x 24" (Granite table Size)  86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,  87 1 Files - Assorted  88 1 Window Air conditioner - 110 Volts,  89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			(0.063" Thick ) Black color –
back side of the cart as well.  3 Drawer with Ball bearing slides and lockable option to secure valuables, L-Angles, (steel, 0.125" Thick, 1.250" width) (Black color, powder coated)  82 1 Assorted Taps (Imperial and Metric)  83 1 Organizer with Dividers, Brand new - Never used  84 1 Fastenal Organizer, 4 Drawers, contents included as per picture.  85 1 Granite table with stand, 18.0" x 24" (Granite table Size)  86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,  87 1 Files - Assorted  88 1 Window Air conditioner - 110 Volts,  89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			
3 Drawer with Ball bearing slides and lockable option to secure valuables, L-Angles, (steel, 0.125" Thick, 1.250" width) (Black color, powder coated)  82 1 Assorted Taps (Imperial and Metric)  83 1 Organizer with Dividers, Brand new - Never used  84 1 Fastenal Organizer, 4 Drawers, contents included as per picture.  85 1 Granite table with stand, 18.0" x 24" (Granite table Size)  86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,  87 1 Files - Assorted  88 1 Window Air conditioner - 110 Volts,  89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			Peg board holes can be used in the
and lockable option to secure valuables, L-Angles , ( steel , 0.125" Thick , 1.250" width ) ( Black color , powder coated )  82			back side of the cart as well.
valuables, L-Angles , ( steel , 0.125" Thick , 1.250" width ) ( Black color , powder coated )  82			3 Drawer with Ball bearing slides
L-Angles , ( steel , 0.125" Thick , 1.250" width ) ( Black color , powder coated )  82			and lockable option to secure
1.250" width ) ( Black color , powder coated )  82			valuables,
powder coated )  82			L-Angles , ( steel , 0.125" Thick ,
82			1.250" width ) ( Black color ,
Metric )  83			powder coated )
83 1 Organizer with Dividers, Brand new - Never used  84 1 Fastenal Organizer, 4 Drawers, contents included as per picture.  85 1 Granite table with stand, 18.0" x 24" (Granite table Size)  86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,  87 1 Files - Assorted  88 1 Window Air conditioner - 110 Volts,  89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3	82	1	Assorted Taps (Imperial and
new - Never used  84			Metric)
<ul> <li>84 1 Fastenal Organizer, 4 Drawers, contents included as per picture.</li> <li>85 1 Granite table with stand, 18.0" x 24" (Granite table Size)</li> <li>86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,</li> <li>87 1 Files - Assorted</li> <li>88 1 Window Air conditioner - 110 Volts,</li> <li>89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>91 1 Maintainence cart with wheels, 3</li> </ul>	83	1	Organizer with Dividers, Brand
contents included as per picture.  85			new - Never used
<ul> <li>85 1 Granite table with stand, 18.0" x 24" (Granite table Size)</li> <li>86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,</li> <li>87 1 Files - Assorted</li> <li>88 1 Window Air conditioner - 110 Volts,</li> <li>89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>91 1 Maintainence cart with wheels, 3</li> </ul>	84	1	Fastenal Organizer, 4 Drawers,
24" ( Granite table Size )  86			contents included as per picture.
<ul> <li>86 1 4 Castors, 2 swivel with brake and 2 rigid, brand new,</li> <li>87 1 Files - Assorted</li> <li>88 1 Window Air conditioner - 110 Volts ,</li> <li>89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>91 1 Maintainence cart with wheels, 3</li> </ul>	85	1	Granite table with stand, 18.0" x
2 rigid, brand new,  87 1 Files - Assorted  88 1 Window Air conditioner - 110  Volts ,  89 1 Precision Angle Plate, Hardened  steel with 3/8" screws, Ideal to  grind precise jobs, 1.25" Thick,  4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened  steel with 3/8" screws, Ideal to  grind precise jobs, 1.25" Thick,  4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			24" ( Granite table Size )
<ul> <li>87 1 Files - Assorted</li> <li>88 1 Window Air conditioner - 110 Volts ,</li> <li>89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>91 1 Maintainence cart with wheels, 3</li> </ul>	86	1	4 Castors, 2 swivel with brake and
<ul> <li>Window Air conditioner - 110 Volts ,</li> <li>Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>Maintainence cart with wheels, 3</li> </ul>			2 rigid, brand new,
Volts ,  89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3	87	1	Files - Assorted
<ul> <li>89 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"</li> <li>91 1 Maintainence cart with wheels, 3</li> </ul>	88	1	Window Air conditioner - 110
steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			Volts,
grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3	89	1	Precision Angle Plate, Hardened
4.0" x 6.0" x 6.0"  90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			steel with 3/8" screws, Ideal to
90 1 Precision Angle Plate, Hardened steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			grind precise jobs, 1.25" Thick,
steel with 3/8" screws, Ideal to grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			4.0" x 6.0" x 6.0"
grind precise jobs, 1.25" Thick, 4.0" x 6.0" x 6.0" 91 1 Maintainence cart with wheels, 3	90	1	Precision Angle Plate, Hardened
4.0" x 6.0" x 6.0"  91 1 Maintainence cart with wheels, 3			steel with 3/8" screws, Ideal to
91 1 Maintainence cart with wheels, 3			grind precise jobs, 1.25" Thick,
· · · · · · · · · · · · · · · · · · ·			4.0" x 6.0" x 6.0"
drawers Rall hearing slides -	91	1	Maintainence cart with wheels, 3
unavers, ban bearing sinces -			drawers, Ball bearing slides -
Brand new			Brand new
92 1 Parallels Set, 2 pcs, Hardened	92	1	Parallels Set, 2 pcs, Hardened
steel, Precision ground, 1.500" x			steel, Precision ground, 1.500" x
2.500" x 16.0" Length			2.500" x 16.0" Length
93 1 Tool Holder Rack, CAT 40 - BT 40,	93	1	Tool Holder Rack, CAT 40 - BT 40,
14 Holders capacity			14 Holders capacity
94 1 Husky, Top Tool chest -	94	1	Husky, Top Tool chest -
Handyman's companion			Handyman's companion
95 1 Pneumatic, Heavy duty Paint Gun	0.5	1	Pneumatic, Heavy duty Paint Gun

96	1	CNC Tap Holders, Collets -
		Assorted
97	1	Shim cutter ( Hardened steel - D2 )
		, Taps, Diamond sharpening device
		for Grinding machine, 3/4" End
		Mill Holder and 1/4" End Mill
		Holder
98	1	Stamps ( Letters and Numbers , 2
		sets )
99	1	Magnetic Organizer, Can be able
		to attach in to any metal surface
		and organize tools, insert box and
		accessories.
100	1	Nibler, Heavy Duty, Able to slit
		sheet metals up to 3/16" Thick
101	1	Maintainence cart with wheels, 3
		drawers, Ball bearing slides -
		Brand new
102	1	Collet Rack, Can be used for DA
		300 type of collets, Hole diameter
		: 0.3125 diameter, 115 Collets
		capacity
103	1	Collet Rack, Can be used for DA
		200 type of collets, Hole diameter
		: 0.468 diameter, 115 Collets
		capacity
104	1	Wood Cutter, Precision cutter, 110
	_	Volts
105	1	Collet Rack, Can be used for DA
	_	300 type of collets, Hole diameter
		: 0.3125 diameter, 115 Collets
		capacity
106	1	Manual Grinder, 6.0" X 16.0"
100		Length Table, Micromaster, Motor
		needs rewinding.
107	1	
107	1	Magnetic Lifter, Heavy duty, can be able to lift up to 500 lbs Blocks
108	1	Demagnetizer, 110 Volts
109		
103	1	Wall mount rack, 2mm Thick steel,
		powder coated, CAT 40 - BT 40,
		Able to store 7 Holders, Brand
140		new
110	1	Wall mount rack, 2mm Thick steel,

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

		nowder costed CDATO C6 Able to
		powder coated, CPATO C6, Able to
111	4	store 7 Holders, Brand new
111	1	Wall mount rack, 2mm Thick steel,
		powder coated, HSK 100 , Able to
110		store 6 Holders, Brand new
112	1	Heavy duty Utility cart - 8000 lbs
		capacity, Made in Aluminium,
		32.0" x 60.0" Table, (40.0" Height )
		( 10.0" dia wheels with brakes )
113	1	Grinding Wheels - Assorted
114	1	Extra long Vise Plier, Prybar and
		Long reach chips remover
115	1	Commercial Circuit breaker
		housing Box
116	1	Work Horse - 10000lbs capacity -
		Heavy duty , commercial, 2 pcs as
		shown in picture
117	1	Heavy duty - Industrial Fan , 110
		Volts
118	1	Utility cart with wheels
119	1	GMC Pick up truck spare tire with
		Rim & Honda civic spare tire with
		Rim
120	1	BMW Car - Used tires in Good
		shape
121	1	Outdoor Storeage box, Lockable.
		Made in 0.125" Thick steel, Access
		for forklift installed. ( 60.0" x 66.0"
		x 89.0" Height )
122	1	Commercial grade Aluminium
		Ladder
123	1	Gas Can, 2 pcs
124	1	CAT 40 - BT 40, CNC Tool cart with
		wheels, 30 Holders capacity, Peg
		board holes on both sides, 3
		Drawers with lockable option, Ball
		bearing slides,
125	1	Maintainence cart with wheels, 3
	-	drawers, Ball bearing slides -
		Brand new
126	1	Milling Vise, 6.0" Jaw width, Can
	_	be able to clamp Blocks up to 8.5"
127	1	M8 screws x 25mm long - Whole
14/		INIO SCIEWS A ZSIMIII IONG - WINDLE

	_	
		lot, Black oxide coated
128	1	White color - Rack, Adjustable
		Shelves, Contents are not
		included, Rack only, ( 24.0" x 66.0"
		x 76.0" ( Height )
129	1	CAT 50 - BT 50, Bench Model , CNC
		Tool cart, 24 Holders capacity
130	1	4140 Blocks, Blanchard ground (
		2.125" x 2.03" x 16.125" long ) (
		Blanchard ground on Thickness
		2.03")
131	1	Heavy duty Metal Rack -
		Commercial grade, 4 Shelves, Each
		shelf can hold 6000 lbs, Contents
		are not included
132	1	Window Air conditioner - 110
		Volts ,
133	1	CAT 40 - BT 40, Bench Model , CNC
		Tool cart, 35 Holders capacity
134	1	Mobil, DTE 25 , Transmission -
		Gear Box oil for CNC Machines
135	1	EQC-10, Acid cleaner for Rusty
		parts, Highly concentric and water
		must be added for cleaning
136	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
137	1	AW 32, Hydraulic oil
138	1	Waylube 68
139	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
140	1	Spindle Lubricant
141	1	Acid cleaner - Able to clean rusty
		parts
142	1	Shell, Lube Oil
143	1	CAT 40 - BT 40, Tool Rack, 7
		Holders capacity
144	1	CAT 50 - BT 50, Tool Rack, 6
		Holders capacity
145	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

146	1	CAT 50 – BT 50 ", CNC Tool cart
		with wheels, 24 Holders capacity,
		Peg board holes on both sides, 3
		Drawers with lockable option, Ball
		bearing slides,
147	1	Maintainence cart with wheels, 3
		drawers, Ball bearing slides -
		Brand new
148	1	Wall mount organizer with Blue
		boxes as shown in the picture
149	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
150	1	CAT 50 - BT 50, Tool Rack, 6
		Holders capacity
151	1	Collet Rack, Can be used for
		ER/DR/RD ,32 Series type of
		collets, Hole diameter : 1.203
		diameter, 34 Collets capacity
152	1	Collet Rack, Can be used for DA
		300 type of collets, Hole diameter
		: 0.3125 diameter, 115 Collets
		capacity
153	1	Collet Rack, Can be used for
		ER/DR/RD ,32 Series type of
		collets, Hole diameter : 1.203
		diameter, 34 Collets capacity
154	1	Power Sander - 110 Volts
155	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
156	1	Collet Rack, Can be used for
		ER/DR/RD ,32 Series type of
		collets, Hole diameter : 1.203
		diameter, 34 Collets capacity
157	1	Maintainence cart with wheels, 3
		drawers, Ball bearing slides -
		Brand new
158	1	Collet Rack, Can be used for DA
	-	100 type of collets, Hole diameter
		: 0.671 diameter, 69 Collets
		capacity
159	1	Dust filtration system, Heavy duty,
		aut

		1
		commercial, Ideal to connect all
		grinding machines where it needs
		to absorb and filter dust. (
		Attachments are not available,
		Only Filtration system)
160	1	Transformers , (Green color
		Transformers only )
161	1	CAT 40 - BT 40, Tool Rack, 7
		Holders capacity
162	1	Air Hose, can be able to mount on
		wall and reach long distance
163	1	Heavy duty Slings and Chains -
		Commercial grades, Able to lift
		and turn big size dies.
164	1	Microwave oven
165	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
166	1	Maintainence cart with wheels, 3
		drawers, Ball bearing slides -
		Brand new
167	1	6 Shelf mobile cart , 20.0" x 30.0" x
		60.0 ( Height ), 1200 lbs capacity,
		Powder coated 16 gauge steel,
		Brand new
168	1	6 Shelf mobile cart , 20.0" x 30.0" x
		60.0 ( Height ), 1200 lbs capacity,
		Powder coated 16 gauge steel,
		Brand new
169	1	Heavy duty Utility cart - 2000 lbs,
		6.0" Dia wheels with brakes, (24.0"
		x 48.0" x 40.0" Height ), Welded
		construction
170	1	5 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
171	1	Jack ( Commercial grade )
172	1	Jack ( Commercial grade )
173	1	Jack ( Commercial grade )
174	1	Wire edm Fixture, (Stainless steel)
175	1	Wire edm Fixture, (Stainless steel)
176	1	Tools Organizer
177	1	CAT 50 - BT 50, Tool Rack, 6

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

Holders capacity  178			Т
Holders capacity  179			Holders capacity
179 1 CAT 40 - BT 40, Tool Rack, 7 Holders capacity  180 1 CAT 50 - BT 50, Tool Rack, 6 Holders capacity  181 1 Collet Rack, Can be used for ER/DR/RD, 32 Series type of collets, Hole diameter: 1.203 diameter, 34 Collets capacity  182 1 Tool Box  183 1 CAT 50 - BT 50, Tool Rack, 6 Holders capacity  184 1 Wall mount organizer - Can be able to arrange 8 Boxes  185 1 Utility cart with wheels - 1200 lbs capacity, Powder coated 16 gauge steel  186 1 Collet Rack, Can be used for ER/DR/RD, 11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187 1 Collet Rack, Can be used for ER/DR/RD, 11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity, 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not	178	1	CAT 40 - BT 40, Tool Rack, 7
Holders capacity  180			Holders capacity
180 1 CAT 50 - BT 50, Tool Rack, 6 Holders capacity  181 1 Collet Rack, Can be used for ER/DR/RD, 32 Series type of collets, Hole diameter: 1.203 diameter, 34 Collets capacity  182 1 Tool Box  183 1 CAT 50 - BT 50, Tool Rack, 6 Holders capacity  184 1 Wall mount organizer - Can be able to arrange 8 Boxes  185 1 Utility cart with wheels - 1200 lbs capacity, Powder coated 16 gauge steel  186 1 Collet Rack, Can be used for ER/DR/RD, 11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187 1 Collet Rack, Can be used for ER/DR/RD, 11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not	179	1	CAT 40 - BT 40, Tool Rack, 7
Holders capacity  181 1 Collet Rack, Can be used for ER/DR/RD ,32 Series type of collets, Hole diameter: 1.203 diameter, 34 Collets capacity  182 1 Tool Box  183 1 CAT 50 - BT 50, Tool Rack, 6 Holders capacity  184 1 Wall mount organizer - Can be able to arrange 8 Boxes  185 1 Utility cart with wheels - 1200 lbs capacity, Powder coated 16 gauge steel  186 1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187 1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			Holders capacity
181 1 Collet Rack, Can be used for ER/DR/RD ,32 Series type of collets, Hole diameter : 1.203 diameter, 34 Collets capacity  182 1 Tool Box  183 1 CAT 50 - BT 50, Tool Rack, 6 Holders capacity  184 1 Wall mount organizer - Can be able to arrange 8 Boxes  185 1 Utility cart with wheels - 1200 lbs capacity, Powder coated 16 gauge steel  186 1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter : 0.421 diameter, 115 Collets capacity  187 1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter : 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted , 45.0" x 103.0" x 103.0" (Height), Contents are not	180	1	CAT 50 - BT 50, Tool Rack, 6
ER/DR/RD ,32 Series type of collets, Hole diameter: 1.203 diameter, 34 Collets capacity  182			Holders capacity
collets, Hole diameter: 1.203 diameter, 34 Collets capacity  182	181	1	Collet Rack, Can be used for
diameter, 34 Collets capacity  182			ER/DR/RD ,32 Series type of
182			collets, Hole diameter : 1.203
183 1 CAT 50 - BT 50, Tool Rack, 6 Holders capacity  184 1 Wall mount organizer - Can be able to arrange 8 Boxes  185 1 Utility cart with wheels - 1200 lbs capacity, Powder coated 16 gauge steel  186 1 Collet Rack, Can be used for ER/DR/RD,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187 1 Collet Rack, Can be used for ER/DR/RD,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			diameter, 34 Collets capacity
Holders capacity  184	182	1	Tool Box
184 1 Wall mount organizer - Can be able to arrange 8 Boxes  185 1 Utility cart with wheels - 1200 lbs capacity, Powder coated 16 gauge steel  186 1 Collet Rack, Can be used for ER/DR/RD,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187 1 Collet Rack, Can be used for ER/DR/RD,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not	183	1	CAT 50 - BT 50, Tool Rack, 6
able to arrange 8 Boxes  185			Holders capacity
185	184	1	Wall mount organizer - Can be
capacity, Powder coated 16 gauge steel  186  1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter : 0.421 diameter, 115 Collets capacity  187  1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter : 0.421 diameter, 115 Collets capacity  188  1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189  1 Air Hoses - Assorted (commercial grade)  190  1 Water & Coolent Hoses  191  1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192  1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			able to arrange 8 Boxes
steel  186  1 Collet Rack, Can be used for ER/DR/RD,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187  1 Collet Rack, Can be used for ER/DR/RD,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188  1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189  1 Air Hoses - Assorted (commercial grade)  190  1 Water & Coolent Hoses  191  1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192  1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not	185	1	Utility cart with wheels - 1200 lbs
186			capacity, Powder coated 16 gauge
ER/DR/RD ,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187 1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			steel
collets, Hole diameter: 0.421 diameter, 115 Collets capacity  187	186	1	Collet Rack, Can be used for
diameter, 115 Collets capacity  187  1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188  1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189  1 Air Hoses - Assorted (commercial grade)  190  1 Water & Coolent Hoses  191  1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192  1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			ER/DR/RD ,11 Series type of
187 1 Collet Rack, Can be used for ER/DR/RD ,11 Series type of collets, Hole diameter : 0.421 diameter, 115 Collets capacity  188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			collets, Hole diameter : 0.421
ER/DR/RD ,11 Series type of collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188			diameter, 115 Collets capacity
collets, Hole diameter: 0.421 diameter, 115 Collets capacity  188	187	1	Collet Rack, Can be used for
diameter, 115 Collets capacity  188			ER/DR/RD ,11 Series type of
188 1 CAT 50 - BT 50, CNC Tool cart with wheels, 24 Holders capacity, Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			collets, Hole diameter : 0.421
wheels, 24 Holders capacity, Middle and bottom row are for consumables  189			diameter, 115 Collets capacity
Middle and bottom row are for consumables  189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not	188	1	CAT 50 - BT 50, CNC Tool cart with
consumables  189			wheels, 24 Holders capacity,
189 1 Air Hoses - Assorted (commercial grade)  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			Middle and bottom row are for
grade )  190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable ), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted , 45.0" x 103.0" x 103.0" (Height ), Contents are not			consumables
190 1 Water & Coolent Hoses  191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not	189	1	Air Hoses - Assorted (commercial
191 1 CAT 50 - BT 50 CNC Tool cart with Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings (Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" (Height), Contents are not			grade )
Peg board, 1200 lbs capacity. 24 Holders capacity  192 1 Heavy duty Industrial Shelvings ( Adjustable ), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted , 45.0" x 103.0" x 103.0" ( Height ), Contents are not	190	1	Water & Coolent Hoses
Holders capacity  192 1 Heavy duty Industrial Shelvings ( Adjustable ), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted , 45.0" x 103.0" x 103.0" ( Height ), Contents are not	191	1	CAT 50 - BT 50 CNC Tool cart with
192 1 Heavy duty Industrial Shelvings ( Adjustable ), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted , 45.0" x 103.0" x 103.0" ( Height ), Contents are not			Peg board, 1200 lbs capacity. 24
Adjustable), Each Shelve can hold 6000 lbs, Commercial Grade, Freshly painted, 45.0" x 103.0" x 103.0" ( Height), Contents are not			Holders capacity
6000 lbs, Commercial Grade, Freshly painted , 45.0" x 103.0" x 103.0" ( Height ), Contents are not	192	1	Heavy duty Industrial Shelvings (
Freshly painted , 45.0" x 103.0" x 103.0" ( Height ), Contents are not			Adjustable ), Each Shelve can hold
103.0" ( Height ), Contents are not			
Included			
			Included

193	1	Heavy duty Industrial Shelvings (
		Adjustable ), Each Shelve can hold
		6000 lbs, Commercial Grade,
		Freshly painted , 45.0" x 103.0" x
		103.0" ( Height ), Contents are not
		included
194	1	CAT 50 - BT 50, Tool Rack, 6
		Holders capacity
195	1	CAT 40 - BT 40, Tool Rack, 7
		Holders capacity
196	1	Fence mesh - Commercial grade
197	1	HSK 63, Tool Holder rack, 10
		Holders capacity, brand new
198	1	Pipe Bending Machine
199	1	Utility cart with wheels and
		Lockable drawers, 1200 lbs
		capacity
200	1	Utility cart with wheels and
		Lockable drawers, 1200 lbs
		capacity
201	1	Kobalt Tool chest
202	1	HSK 63, Tool Holder rack, 10
		Holders capacity, brand new
203	1	Welder's book, deburr tool, Rings
		and shop accessories
204	1	Vise, V-Block and Angles
205	1	Grease Gun & Air Hoses (
		Commercial )
206	1	R8 Collets
207	1	5/8" dia dowels, 2.0" long
208	1	1/2" dia dowels, 2.5" long
209	1	5/16" dia dowels, 1.500" long with
		Pull dowel screws on one end
210	1	1/4" dia dowels, 0.750" long with
		Pull dowel screws on one end &
		1/4" dia Dowels x 2.000" long
211	1	16mm dia dowels x 50 mm long
212	1	20mm dia dowels x 60 mm long
213	1	Shim cutter ( Hardened steel - D2 )
214	1	Die straightener - 24" Long
215	1	Die straightener - 36" Long
216	1	Jack screws - Tool makers hand
		made tool(Metric and Imperial)

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

	T -	h
217	1	Wire edm - Sink Edm, Clamp set, 2
		new carbides ideal for Sodick wire
		edm machine, 0.0001" Mitutoyo
		with dial stand, M8 screw set with
		wooden box, long reach magnets
		and accessories.
218	1	Wire edm / Sink Edm Clamps
219	1	Wire edm 90 Deg Alignment Block,
		Made by Sodick ( Japan )
220	1	Sodick Mark 25 - A500W ,
		Submergible wire edm manual &
		Wire ed 90 Deg Alignment Block,
		Made by Sodick, Japan
221	1	Sodick Wire edm Machine, Wire
		tubes and Sapphire diamonds.
222	1	Die button Grinding Fixture, D2 -
		Hardened Steel
223	1	Stripper bolts , ( 5/16" dia x 2.0"
		long ) ( 3/8" dia x 6.0" long )
224	1	5/8" dia Dowels x 2.500" long with
		Pull dowel screws on one end & (
		1/2" dia x 3.0" long assorted
		dowels )
225	1	5/16" dia dowels x 2.0" long with
		Pull dowel screws on one end &
		1/4" dia dowels x 2.000" long with
		Pull dowel screws on one end
226	1	5/8" dia x 2.000" long with Pull
		dowel screws on one end &
		20mm dia x 80mm long long with
		Pull dowel screws on one end (
		assorted)
227	1	3/4 Dia" dowels x 2.000" long with
	-	Pull dowel screws on one end &
		1.000" dia dowels x 3.000" long
		with Pull dowel screws on one end
228	1	Carbide wheels, Able to grind
	_	carbides
229	1	Snap rings, Dremel Kit and
	_	accessories
230	1	Voltmeter, Saw wheel, Edge
	_	finders and Angles
231	1	Align Keys , Metric and Imperial
231		might keys, wiethe and impendi

232	1	Taps and Drills, Metric and
		Imperial
233	1	Saw and Pliers, Assorted
234	1	Align Keys , Metric and Imperial
235	1	Snap ring Plier, Angle Protractor
		and wrenches
236	1	Files and Pliers
237	1	Welding Sheild, Welding Glasses
238	1	Screws - Assorted
239	1	Belt Sander - 110 Volts
240	1	Wrenches - Assorted
241	1	Turning cutters , Carbide tipped
242	1	Circuit breakers - Assorted,
		Commercial grade
243	1	M10 Nuts and Screws
244	1	Packaging tape
245	1	Paint Cans
246	1	Castors
247	1	Castors - Stainless steel plates
248	1	Castors
249	1	Screws, door knobs and
		accessories
250	1	Eyebolts (Metric and Imperial)(
		Heavy and Light duty - Commercial
		grade )
251	1	Heavy duty washers and screws -
		Assorted
252	1	Clamps and screws - Assorted
253	1	Clamps, Washers and accessories
254	1	Air hose connectors - Assorted
255	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
256	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
257	1	6 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
258	1	8 pcs Castor, Swivel with bearing
		installed, 4.0" diameter Phenolic
		Wheels, Brand new
259	1	Battery - Brand new, Never been

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

		used
260	1	CAT 40 - BT 40, Tool Rack, 7
260	1	
264	4	Holders capacity
261	1	Heavy duty Castors, 6.0" dia x 2.0"
		Thread , smooth rolling
262	1	Air hose, Power Drill & Hammer
		bars
263	1	Rubber mallets, hammers and
		chamfering tool
264	1	Tap Fluid, WD 40 and hearing
		protector
265	1	Flex Masters, Adjustable Torque
		controlled power drill, Battery
		included , ( Brand Montz)
266	1	Commercial grade Jack and
		charger cable
267	1	Grease gun , Grease and Lube oils
268	1	Studio and Machine Lamp, 110
		Volts
269	1	Vise clamps, nuts and bolts
270	1	Car Jacks
271	1	Pipes
272	1	Tap oil, Milling clamps
273	1	
2/3	1	L- Angles ( 0.125" Thick x 1.250" x
274	_	1.250 x 32.0" long ) ( 84 pcs )
274	1	L- Angles, (0.125" Thick x 1.500" x
		1.500 x 55.0" long = 4 pcs ) (
		0.125" Thick x 1.500" x 1.500 x
_		60.0" long = 12 pcs )
275	1	Slings, chains and hammer rods
276	1	Nitrogen Cylinders - Commercial,
		Assorted
277	1	Jack screws, clamps and machine
		shop accessories
278	1	Heavy duty chains
279	1	Files, wrenches, Aluminium and
		brass hammers
280	1	Collet Rack, Can be used for TG -
		75 type of collets, Hole diameter :
		1.032" diameter, 34 Collets
		capacity
281	1	Collet Rack, Can be used for
	_	ER/DR/RD ,25 Series type of
		ETY DIGITO ,20 Series type of

		·
		collets, Hole diameter : 0.953"
		diameter, 63 Collets capacity
282	1	Collet Rack,Can be used for
		ER/DR/RD ,25 Series type of
		collets, Hole diameter : 0.953"
		diameter, 63 Collets capacity
283	1	Collet Rack, Can be used for TG -
		75 type of collets, Hole diameter :
		1.032" diameter, 34 Collets
		capacity
284	1	Collet Rack, Can be used for DA
		200 type of collets, Hole diameter
		: 0.468" diameter, 115 Collets
		capacity
285	1	Collet Rack, Can be used for DA
		200 type of collets, Hole diameter
		: 0.468" diameter, 115 Collets
		capacity
286	1	Collet Rack, Can be used for DA
200	_	200 type of collets, Hole diameter
		: 0.468" diameter, 115 Collets
		capacity
287	1	Collet Rack, Can be used for TG -
207	_	150 type of collets, Hole diameter
		: 1.500" diameter,22 Collets
		capacity
288	1	Collet Rack, Can be used for TG -
200	_	150 type of collets, Hole diameter
		: 1.500" diameter,22 Collets
		capacity
289	1	Collet Rack, Can be used for TG -
203	1	150 type of collets, Hole diameter
		: 1.500" diameter,22 Collets
		· ·
290	1	capacity Collet Rack, Can be used for TG -
230	1	150 type of collets, Hole diameter
		: 1.500" diameter,22 Collets
291	1	capacity Callet Back Can be used for TG
791	1	Collet Rack, Can be used for TG -
		150 type of collets, Hole diameter
		: 1.500" diameter,22 Collets
202		capacity
292	1	Collet Rack, Can be used for TG -

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  293 1 Collet Rack, Can be used for TG-150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG-150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG-150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG-100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG-100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG-100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG-100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG-75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	: 1.500" diameter,22 Collets capacity  293 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  300 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
293 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	capacity  293 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
293 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter,34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			·
150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter: 1.032" diameter,34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	293	1	• •
: 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	: 1.500" diameter,22 Collets capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps		_	
capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	capacity  294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			,
294 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter,34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			· ·
150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter: 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter: 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	294	1	
capacity  295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	capacity  295			
295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	295 1 Collet Rack, Can be used for TG - 150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			: 1.500" diameter,22 Collets
150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	150 type of collets, Hole diameter : 1.500" diameter,22 Collets capacity  296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			capacity
: 1.500" diameter,22 Collets capacity  296	: 1.500" diameter,22 Collets capacity  296	295	1	Collet Rack, Can be used for TG -
296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	capacity  296			150 type of collets, Hole diameter
296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	296 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			: 1.500" diameter,22 Collets
100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			capacity
: 1.3125" diameter,34 Collets capacity  297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	: 1.3125" diameter,34 Collets capacity  297	296	1	Collet Rack, Can be used for TG -
297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			1
297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	297 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			: 1.3125" diameter,34 Collets
100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			<u> </u>
: 1.3125" diameter,34 Collets capacity  298	: 1.3125" diameter,34 Collets capacity  298	297	1	
capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	capacity  298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	298 1 Collet Rack, Can be used for TG - 100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			·
100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	100 type of collets, Hole diameter : 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			· · ·
: 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	: 1.3125" diameter,34 Collets capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter : 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	298	1	
capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	capacity  299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity 300 1 Heavy duty " C' clamp and machine shop accessories 301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures,	299 1 Collet Rack, Can be used for TG - 75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity 300 1 Heavy duty " C' clamp and machine shop accessories 301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps 304 1 Industrial Disconnect switch, 600 Volts - 60 Amps 305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity 300 1 Heavy duty " C' clamp and machine shop accessories 301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures,	75 type of collets, Hole diameter: 1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	200	4	<u> </u>
1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	1.032" diameter, 34 Collets capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	299	1	
capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	capacity  300 1 Heavy duty " C' clamp and machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			1
300 1 Heavy duty " C' clamp and machine shop accessories 301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures,	300 1 Heavy duty " C' clamp and machine shop accessories 301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps 304 1 Industrial Disconnect switch, 600 Volts - 60 Amps 305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,	machine shop accessories  301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	200	1	
301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures,	301 1 Heavy duty, commercial fuses, 600 Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps 304 1 Industrial Disconnect switch, 600 Volts - 60 Amps 305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	300		
Volts - 150 Amps, 3 pcs 302 1 Precision Angle Fixtures,	Volts - 150 Amps, 3 pcs  302 1 Precision Angle Fixtures,  303 1 Industrial Disconnect switch, 600 Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	301	1	-
302 1 Precision Angle Fixtures,	302 1 Precision Angle Fixtures, 303 1 Industrial Disconnect switch, 600 Volts - 40 Amps 304 1 Industrial Disconnect switch, 600 Volts - 60 Amps 305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	301	_	
	303 1 Industrial Disconnect switch, 600 Volts - 40 Amps 304 1 Industrial Disconnect switch, 600 Volts - 60 Amps 305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	302	1	
L SUS   I MUUSMANDISCONNECT SWITCH, 600	Volts - 40 Amps  304 1 Industrial Disconnect switch, 600 Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
	304 1 Industrial Disconnect switch, 600 Volts - 60 Amps 305 1 Industrial Disconnect switch, 600 Volts - 30 Amps		_	•
	Volts - 60 Amps  305 1 Industrial Disconnect switch, 600 Volts - 30 Amps	304	1	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
	305 1 Industrial Disconnect switch, 600 Volts - 30 Amps			
<del>                                     </del>	Volts - 30 Amps	305	1	•
· · · · · · · · · · · · · · · · · · ·	<del>                                     </del>			
<del>                                     </del>	1 2 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	306	1	Industrial Disconnect switch, 600

		Valta 20 Amns
207	4	Volts - 30 Amps
307	1	Industrial Disconnect switch, 600
200		Volts - 30 Amps
308	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
309	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
310	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
311	1	Industrial Disconnect switch, 600
		Volts - 100 Amps
312	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
313	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
314	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
315	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
316	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
317	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
318	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
319	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
320	1	Industrial Disconnect switch, 600
	_	Volts - 30 Amps
321	1	Industrial Disconnect switch, 600
	_	Volts - 30 Amps
322	1	Industrial Disconnect switch, 600
022	-	Volts - 30 Amps
323	1	Industrial Disconnect switch, 600
323	_	Volts - 20 Amps
324	1	Industrial Disconnect switch, 600
J27	•	Volts - 30 Amps
325	1	Industrial Disconnect switch, 600
JZJ	1	Volts - 30 Amps
326	1	Industrial Disconnect switch, 600
320	1	
227	1	Volts - 60 Amps
327	1	Circuit breaker box
328	1	Timer switch

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

329	1	On - OFF Switch ( Commercial )
330	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
331	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
332	1	On - OFF Switch ( Commercial )
333	1	Industrial Disconnect switch, 600
		Volts - 20 Amps
334	1	Industrial Disconnect switch, 600
		Volts - 30 Amps
335	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
336	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
337	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
338	1	Industrial Disconnect switch, 600
		Volts - 60 Amps
339	1	( Heavy Duty ) Industrial
		Disconnect switch, 600 Volts - 200
	_	Amps
340	1	HSK 63, Tool Holder rack, 10
244	_	Holders capacity, brand new
341	1	CAT 40 - BT 40 , CNC Tool cart with
		Peg board, Brand new , 70 Holders
		capacity , Packed in a Box,
342	1	Assembly required CAT 50 - BT 50 , CNC Tool cart with
342	1	Peg board, Brand new , 48 Holders
		capacity, Packed in a Box,
		Assembly required
343	1	HSK 100 , CNC Tool cart, Ladder
	_	model, 48 Holders capacity, Brand
		new, Assembled and ready to use
344	1	CAT 40 - BT 40 , Heavy duty CNC
		Tool cart, 8000 lbs capacity, Peg
		board on all 3 sides, 3 drawers
		with lockable slides, brand new,
		assembled and ready to use
345	1	Doosan - Fork lift, Propane, Vide
		available (NOTE: SUBJECT TO LATE
		REMOVAL, PICKUP ON FRIDAY
		OCTOBER 21ST, 2022)

245		D   D'   1 1500
346	1	Dodge Pick up truck, 1500
347	1	CAT 40 - BT 40 , Steps model, CNC
		Tool cart, 28 Holders capacity,
		brand new, Packed in a Box,
		Assembly required
348	1	CAT 50 - BT 50 , Steps model, CNC
		Tool cart, 24 Holders capacity,
		brand new, Packed in a Box,
		Assembly required
349	1	CAT 40 - BT 40 , CNC Tool Holder
		Tightener
350	1	Utility cart with Lockable drawers
		in the middle shelf, 1200 lbs
		capacity
351	1	CNC Tool Holder Cabinet, CAT 40 -
		BT 40 , 105 Holders capacity,
		Brand new , Peg board holes on
		two sides of the cabinet, Heavy
		duty, welded construction,
		Powder coated steel
352	1	CNC Tool Holder Cabinet, CAT 50 -
		BT 50 , 72 Holders capacity, Brand
		new , Peg board holes on two
		sides of the cabinet, Heavy duty,
		welded construction, Powder
		coated steel
353	1	CNC Tool cart, Twin cart, CAT 50 -
		BT 50, 1/8" Thick sheet metal,
		Powder coated steel, 8000lbs
		capacity, brand new, 66 Holders
		capacity, Assembled and Ready to
		use
354	1	Executive dry erase board , Made
		in Oak wood , Commercial Grade,
		48.0" x 48.0" , Able to mount on
		Wall
355	1	Files cabinet
356	1	Wooden Cabinet
357	1	Reception Table
358	1	Office Desk
330		OTTICE DESK

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

E-mail: info@infinityassets.com Web: www.infinityassets.com



NOTES