

PUBLIC AUCTION

METSIM INC.

High Temperature Melting & Casting Laboratory

WELCOME TO OUR AUCTION!

**Closes: Thursday May 14
11:00 AM**

630 Rue Stinson, Saint-Laurent (Montreal) QC, Canada

PRE-APPROVED RIGGERS

Summerside Transport – Steven (514) 865-9350

steven@summersidetransport.com

Ex-Trans Cargo Inc. – Martin (514) 895-5644

mbeaulieu@extrascargo.com

AUCTION DETAILS

FINAL PAYMENT:	IN FULL BY 4:00 PM FRIDAY MAY 15, 2020
REMOVAL:	ALL GOODS MUST BE REMOVED BY: THURSDAY MAY 28, 2020 HOURS: WEEKDAYS FROM 8:00 AM TO 4:00 PM
BUYER'S PREMIUM	A 18% BUYER'S PREMIUM WILL APPLY ON ALL PURCHASES
ACCOUNTING	VICTORIA WHITMAN 437-994-6586 EMAIL: VWHITMAN@INFINITYASSETS.COM
SITE SUPERVISOR	JASMIN SEGUIN 514-712-1337

WIRE TRANSFER INSTRUCTIONS

US WIRE TRANSFER INSTRUCTIONS.

CREDIT:

JP MORGAN, NEW YORK ABA # 021000021

FOR FURTHER CREDIT TO:

ROYAL BANK OF CANADA

3300 HIGHWAY #7

CONCORD, ONTARIO

CLIENT: INFINITY ASSET SOLUTIONS INC.

ACCOUNT #: 4010286

TRANSIT #: 00192

BANK #: 003

SWIFT # ROYCCAT2

**TO REGISTER AND BID PLEASE VISIT
BIDSPOTTER.COM**

BidSpotter.com

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

LOT	QTY.	DESCRIPTION
1	1	INDUCTOTHERM 150-30R , 150KW/460V/3200HZ VIP, POWER-TRAK 150 VARIABLE INDUCTION POWER FURNACE, 175 KVA, 3 PHASE, OUTPUT: 150 KVA, 605 VOLTS, 1333 AMPS, WATER REQUIREMENT: FLOWRATE - 19 GPM, PRESSURE - 40 PSI, MAX INLET TEMP - 90 DEGREES FAHRENHEIT, MINIMUM INLET TEMP - 75 DEGREES FAHRENHEIT, MAXIMUM CONDUCTIVITY - 800 MICOR- MHOS, MAXIMUM DISSOLVED & UNDISSOLVED SOLIDS - PPM. DIMENSIONS: H=181 CMS, W=282 CMS, T= 77 CMS, S/N: 37K-82908-246-11. PAID \$116,000
2	1	INDUCTOTHERM DURA-LINE 500 INDUCTION MELTING FURNACE, CAPACITY: 330-440 Lbs, CRUCIBLE DIMENSIONS (CM): INS. DIAM -33, OUT. DIAM - 37, HEIGHT -61, FURNACE SHELL (CM): HEIGHT - 98, WIDTH - 83, THICK - 15. STANDARD FEATURES CAST ALUMINUM FURNACE BODY W/STEEL REINFORCEMENT HOIST TILTING, "FREE BREATHING" COIL DESIGN (USES HEAVY SECTION COPPER TUBE FOR MAX. EFFICIENCY), HYDAULIC TILTING, PUSH- OUT LINING SYSTEM, FUME HOOD, POWER HOSES, DOUBLE TRUNNION (HOIST & HYDRAULIC TILT), 250 KG OF STEEL MELTING CAPACITY, S/N 01L14804233511. PAID \$49,000
3	1	INDUCTOTHERM INDUCTION FURNACE , CAPACITY: 100-200 LBS, CRUCIBLE DIMENSIONS (CM) INS. DIAM. - 26, OUT. DIAM. - 28, HEIGHT - 48, FURNACE SHELL (CM): HEIGHT - 53, WIDTH - 54, LENGTH - 49. TWO DIRECT-POURING STYLES: TWO- MAN SHANK & TRUNNION TILT, DIRECT LEAD CONNECTION, COOLING WATER HOSE: 4 CM EXTERNAL DIAM., NUMBER OF COILS (ROUNDS): 12, CRITICAL COMPONENTS: REMOVAL FRONT & BACK INSPECTION, POWER CLAMP TABLE, LIFTING & TILTING SHANKS, CAST CERAMIC TOPS & BOTTOMS, 50 KG OF STEEL MELTING CAPACITY. PAID \$35,000
4	1	INDUCTOTHERM MINI-MELTING INDUCTION FURNACE, CAPACITY: 2.5-25 LBS, CRUCIBLE DIMENSIONS (CM) INS. DIAM. - 18, OUT. DIAM. - 19, HEIGHT - 26, FURNACE SHELL (CM): HEIGHT - 41,

INFINITY ASSET SOLUTIONS INC.

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

E-mail: info@infinityassets.com Web: www.infinityassets.com

		WIDTH - 36, LENGTH - 36.5. TWO DIRECT-POURING STYLES: TWO-MAN SHANK & TRUNNION TILT, DIRECT LEAD CONNECTION, COOLING WATER HOSE: 2 CM EXTERNAL DIAM., NUMBER OF COILS (ROUNDS): 16, CRITICAL COMPONENTS: REMOVAL FRONT & BACK INSPECTION, POWER CLAMP TABLE, LIFTING & TILTING SHANKS, CAST CERAMIC TOPS & BOTTOMS, 25 KG OF STEEL MELTING CAPACITY. PAID \$22,000
5	1	DELTEC VACUUM INDUCTION FURNACE CHAMBER (STAINLESS STEEL LINED), WITH INTERNAL CRUCIBLE, INDUCTIVELY HEATED FOR MELTING 300LBS. OF STEEL, CHAMBER W x H x D (CM) = 210 x 248 x 330, FURNACE W x H x D (CM) = 50 x 56 x 50, HYDRAULIC SYSTEM. PAID \$90,000
6	1	LINDBERG /BLUE MAX. 1700 DEGREE CELCIUS, ELECTRIC FURNACE (2012) , MODEL: BF51634PCI, CHAMBER (CM): 28W x 23H x 27D, EXTERIOR: 71W x 79H X 61D, SHIPPING (CM): 94W x 114H x 94D, 5900 WATTS, VOLTS (50/60HZ): 208/240, HEAT RATE TO 1700 DEGREE CELCIUS: 95 MIN, COOL RATE 1700 TO 500 DEGREE CELCIUS: 125 MIN, WEIGHT (KG): 125 PAID \$18,000
7	1	SMT 700/NOPS HYSTERESIS GRAPH FOR ANALYSES OF SOFT MAGNETIC MATERIALS, THE SYSTEM INCLUDES A DATA ACQUISITION HARDWARE & CONTROL/SOFTWARE COMPONENT OF A COMPUTER-AUTOMATED SYSTEM, FOR TESTING THE D-C AND A-C, B VS H MAGNETIC HYSTERESIS PROPERTIES & CORE LOSSES OF SOFT MAGNETIC MATERIALS (WITH SATURATION INDUCTION 0.05 TEESLA (500 GAUSS), AND UP, AND COERCIVITIES BELOW 2KA/M (25 OERSTED) W/ ATYPICAL RESOLUTION OF ABOUT 4 A/M (0.05 OE). THE DC PORTION OF THE SYSTEM MEASURES INITIAL MAGNETIZATION CURVES, REMANENCE, COERCIVE FIELD STRENGTH (COERCIVE FORCE), PEERMEABILITY & FULL FOUR-QUADRANT HYSTERESIS LOOPS. IT PROVIDES VALUES FOR REMANENCE BR, COERCIVE FIELD HC, & MAXIMUM PERMEABILITY MAX. THE AC PORTION OF THE SYSTEM ALSO MEASURES TEH AC

		INITIAL MAGNETIZATION CURVE VS. FREQUENCY, BH CURVE AT FREQUENCY, PERMEABILITY VS. FLUX DENSITY & FREQUENCY, & POWER LOSS VS. FLUX DENSITY & FREQUENCY FROM 20 HZ TO 30KH. TECHNICAL SPECS: SMT - 700 SHUNT RESISTOR 0.5 OHM, FREQUENCY RANGE OF APPROX. 0.005 HZ TO 1 HZ, BIPOLAR POWER AMPLIFIER W/WIDE BAND FREQUENCY RESPONSE, TYPICAL PEAK OUTPUT IS 70 VOLTS AT 9 AMPERES, MODEL NO: RIEDON OR5D FHR 4-8065, FLUXOMETER, MODEL 2130 MAGNETIC INSTRUMENTATION, BOTH THE FLUXMETER & GAUSSMETER UTILIZES 16 BIT A/D CONVERTERS, CABINET (CM): 54W x 83H x 62D, SAMPLE HOLDER = 12W x 19H x 2D. PAID 35,750
8	1	SENTRO TECH STT-1700C, HIGH TEMPERATURE TUBE FURNACE UP TO 1700 DEGREE CELCIUS CAPACITY, 3" & 4" INCH O.D., 24" LENGTH OF HEATED ZONE, HAS HEATING ELEMENTS (MosI2), PID PROGRAMMABLE TEMPERATURE CONTROLLER, CHAMBER (CM): 43W x 71H x 58D. PAID \$12,000
9	1	HOIST SYSTEM plus motor, Dual Flow Control Valve, and including Steel Frame: Lalonde Electric Motor, BUDGIT H.P. ½, 1/2 TON, RPM 1710, V 115; Hz 60, Dynex Rivet Dual Flow Control Valve Max 3000 psi: PAID \$9,000
10	1	VACUUM INDUCTION FURNACE (2015) , CHAMBER (CM): 134W x 104H x 138D WITH VACUUM PUMPS AND CRUCIBLE. PAID \$15,000
11	1	ALC ABRASIVE SAND BLASTER CABINET, MAXIMUM OPERATING PRESSURE: 110 PSI, AIR CONSUMPTION: 15 CFM AT 80 PSI, 115V, 50-60 HZ, CABINET (CM): 90W x 60D, TOTAL DIMENSION (CM): 91W x 156H x 81D
12	1	2009 RK MACHINERY HYDRAULIC H-FRAME SHOP PRESS WITH 100 TON CAP., WITH PRESSURE REGULATOR & FLOW CONTROL, BASE PLATE: 12.5" x 12.5", SPEED: 60 IPM, APPROACH: 20 IPM PRESSING, HYDRAULIC POWER LIFT, 575V, 3 PHASE, 10 HP MOTOR, 1760 RPM, PUMP: 1.29 - 0.40 L/S FOR 3/4 SHAFT, DIMENSIONS (CM): 173W x 256H x 84D. PAID \$18,850

INFINITY ASSET SOLUTIONS INC.

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

E-mail: info@infinityassets.com Web: www.infinityassets.com

13	1	HAZELETT PINCH ROLL-MINI MILL (REDUCTION 20% STEEL PLATES), ROLL DIA: 12", ROLL FACE WIDTH: 15", MAX. ROLL OPENING: 6" APPROX. MAX. STRIP WIDTH: 8", MAX. ROLL FORCE: 20,000 LBS, TOP PINCH ROLL ACTUATION CYLINDER OPERATION PRESSURE: 1100 PSI MAX, PINCH PLATE DRIVE CONFIGURATION: BOTTOM ROLL DRIVE. PAID \$265,900
14	1	CLARK 15 TTF ELECTRIC WALK BEHIND TILTING FORK STACKER WITH 2450 LBS. LIFTING CAPACITY S/N: TTF 25EC175 PAID \$5,250
15	1	BEMAG Power Transformer ; 30KVA, 3 Phases, 60Hz. PAID \$1,200
16	1	HYTROL 199-CRR MOTORIZED POWER CONVEYOR , 5FT X 19" W, HEIGHT ADJUSTABLE: 28" TO 39", 575V, 3 PHASES, 60 CYCLES. PAID \$5,550
17	1	LOT - HYTROL CONVEYORS 199-CRR, (1) 10FT & (1) 25FT MOTORIZED POWER CONVEYORS, CONVEYOR BELT: 16-1/4"W, OPERATED BY 2 MOTORS, 460V, 3 PHASES, 60 CYCLES, CHAIN DRIVEN LIVE ROLLER, CONVEYOR TO HAVE 1.9"D x 9GA. ROLLERS, SPACED ON 4" C/C, MOUNTED IN A 4" H X 1-5/8"D X 4GA, FORMED POWDER PAINTED STEEL STRUCTURE, LENGTH OF 25', 16-1/4" CONVEYING SURFACE, 22" TOTAL WIDTH, ELEVATION IS ADJUSTABLE FROM 49-11/16 TO 61-11/16 TOR, ROLLERS 1.9"DIA IN 9GA STEEL SPACED ON 4" CENTERS, W/ 7/16" SPRING LOADED HEX SHAFTS, ADJUSTABLE GUARDRAIL OPPOSITE CHAIN GUARD. PAID \$17,660
18	1	HAZELETT MODEL: 29.88 HORIZONTAL SINGLE BELT CASTING SYSTEM SINGLE CARRIAGE PILOT CASTER, FOR STEEL, ALUMINUM, COPPER ALLOYS, STRIPS THICKNESS RANGE: 0.55MM TO 10MM, MAXIMUM WIDTH: 250MM, CASTING SPEED: MAX 1.4M/SEC, BELT WIDTH: 368MM, BELT THICKNESS: 1.12MM TO 1.27MM, BELT LENGTH: 7,360 MM, CASTER DRIVE MOTOR POWER: 15KW, CASTER COOLING WATER PRESSURE: MAX 120 PSI. NOTE- LOCATED IN OHIO U.S.A. PAID \$975,000, SPARE PARTS NEXT LOT LOCATED IN MONTREAL
18A	1	HAZELETT SPARE PARTS LOCATED IN

		MAIN FACILITY IN MONTREAL -1 copper belt, (5) Steel Coated Belts, INVAR Delivery System SHIELD, Nozzles for Cooling System, etc
19	1	PYRO AIR BURNER (2014) , PLUS 2 FUME HOODS, CAPACITY: 150MBH110V, 3 LEVELS OF BURNING POWER: BURNER MAXON, SPARK PLUG, MAXITROL REGULATOR, FIREYE FLAME REGULATOR, ASCO SOLENOID VALVE. PAID \$13,700
20	1	DELTA 15KVA transformer, KVA 15; 3 Phases, 60 Hz; PRI 600
21	1	2015 KING 7" X 12" METAL CUTTING BANDSAW, 1 HP MOTOR, AUTOMATIC SHUT-OFF, CAN BE USED VERTICALLY & HORIZONTALLY, ADJUSTABLE BALL BEARING GUIDES, PORTABLE DESIGN FOR EASY MOVEMENT. PAID \$1,800
22	1	STAINLESS STEEL WATER TANK, 12'L X 10"W x 20"H, 3/16" STAINLESS STEEL, HOT DIPPED GALVANIZED AFTER WEDLING. PAID \$12,000
23	1	MELT SPINNING MACHINE FOR MANUFACTURING AMORPHOUS METALLIC RIBBONS PAID \$4,500
24	1	2017 TURNER LP-500-10 STAINLESS STEEL WATER TANK, 500 GALLON CAP., 615 LBS WEIGHT, 46"D X 72"H; PAID \$7,000
25	1	PYRADIA ELECTRICAL FURNACE (2008) , MAX. TEMPERATURE 1050C
26	1	METSIM MULT-MODE COMBUSTION FACILITY FOR INDUSTRIAL WASTE TREATMENT, COMBUSTION OF INDUSTRIAL WASTES, BIOMASS COMBUSTION STUDIES, SAFE TOXIC MATERIALS ENCAPSULATION; PAID \$57,000
27	1	HYTROL 199-CRR MOTORIZED POWER CONVEYOR , 5FT X 19" W, HEIGHT ADJUSTABLE: 28" TO 39", 575V, 3 PHASES, 60 CYCLES. PAID \$5,550
28	1	HYTROL 199-CRR MOTORIZED POWER CONVEYOR , 5FT X 19" W, HEIGHT ADJUSTABLE: 28" TO 39", 575V, 3 PHASES, 60 CYCLES. PAID \$5,550
29	1	Equipment for evaluation of heat transfer through fabrics. PAID \$5,500
30	1	Battery Charger LA MARCHE
31	1	KING 6.5HP UPRIGHT PISTON TYPE AIR COMPRESSOR, Model KC-5160V1, Voltage: 208/240 V, Amperage: 23A, RPM: 3450, Phase: 1

INFINITY ASSET SOLUTIONS INC.

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

E-mail: info@infinityassets.com Web: www.infinityassets.com

		Hertz: 60 Hz, Operating Pressure: 95 – 125 PSI, CFM at 40 PSI: 22, CFM at 100 PSI: 18.5 PAID \$2300
32	1	SQUARE D TRANSFORMER, HV 600; Hz 60; Amps 62.5; KVA 37.5
33	1	MARCUS TRANSFORMER, 225 KVA; Hz 60; Phases 3
34	1	MARCUS TRANSFORMER, 45 KVA; 600 H.V.; Phases 3
35	1	WATER COOLING TANK 1MX1.2MX1.5M WITH TOCCO OPERATING PANEL, WORTHINGTON 10HP PUMP, V 550; RPM 3510; Phases 3; Amps 10; Hz 60
36	1	THERMCRAFT 5 ZONE Pre-heating Control Panel
37	1	MILLER THUNDERBOLT 225 WELDER V230; Amps 45.5; KW 7.2; Monophase 60 Hz with portable cart
38	1	PALLET TRUCK, 2500KG CAP.
39	1	MOBILE LIFT WALKBEHIND ELECTRIC LIFT WITH 1,500LBS. CAP.
40	1	MODULAR PLATFORM/MEZZANINE WITH STAIR, RAMPS, RAILS
41	1	LOT - BOARDROOM/MEETING ROOM FURNITURE TO INCLUDE (6) 156" x 60" tables, (16) CHAIRS ON WHEELS PAID \$4,650
42	1	PROTECTOSEAL FLAMMABLE STORAGE CABINET Dimensions: 60CMX90CMX105CM
43	1	MINI 200LBS. ELECTRIC SCALE WITH DIGITAL READOUT
44	1	SPEED SCRUB FLOOR CLEANER
45	1	MANGELAN Air Blower, Model 1610; 230V. Motor MARATON ELECTRIC RPM 3450
46	1	GAST REGENAIR Air Blower with BADOR Industrial Motor 3.5HP; V 575; Amps. 3.6; RPM 345; Hz 60; Phases 3.
47	1	ASB COMBUSTION SYSTEM with two sets of Heating Elements 600V; 40KW; 60Hz; 3 Phases
48	1	LOT - (6) ALUMINIZED SAFETY COATS PAID \$3990
49	1	LOT - CABINET WITH CONTENTS: Digital Pressure Switch MD-S800V; Flowmeters for liquids, 4 graphite crucibles H200mm X130mm dia.; one pair high temperature boots; 2m metallic flexible tubing for thermocouple fishing; 1m2 flexible metallic grit; new bulbs, O-rings various diameters, water cleaning kit, brass

		frames with grit of 90 & 63 microns orifices, Intel Thermal solution TS13X; new thermocouples wire kits, 2 high temperature helmets, and plastic transparent shields, etc.
50	1	LOT - CABINET WITH CONTENTS: Sets of Roller Chains Precision Power Transmission; Various diameters induction copper coils, Hundreds of ceramic tubing, transparent plastic tubes, SINTRO magnetic vibrator, one pair high temperature boots, 2 high temperature helmets, 10 ft rubber band; thermocouples; Swagelok; several coils of thermocouple wires, fabric serviettes, accounting calculator for color printing etc.
51	1	LOT - CABINET WITH CONTENTS: coils of new thermocouples wires; 5 big (dimensions 190mm dia., 260mm H) new graphite crucibles; 15 ceramic tubes 5cm dia. X 25cm long; 100 steel bars 1mmdia X200mm length; 5 new graphite crucibles 5cm dia. X 10cm H; 15 graphite bars of various diameters 7mm-15mm, Length 200mm; electric switches; thermocouple box; various casting tools: spoons for melt, tongs, bars, 10 graphite tubes 6cm dia., 23cm length, 2 high temperature helmets, 15 m plastic tubes, etc.
52	1	LOT - CABINET WITH CONTENTS: Temperature calibration kit, 20 small alumina crucibles, graphite plates and tubes, coils of various omega thermocouple wires, 2 helmets for high temperature, water heater, a box of wool filtering fiber, various diameters of alumina refractory tubes and caps, high temperature boots, 3 big alumina crucibles Dia 11cm x height 20 cm, 2 respirators, 6 new big graphite Salamander crucibles dia.130mm, height 200mm , a box with various plates and bars of graphite, etc.
53	1	LOT - CABINET WITH CONTENTS: Brazing torch, several meters of transparent plastic tubes, power extension Cords, feeder, electrical bulbs metallic protection, 3 boxes of Shim stock Steel 100 inch long, o.15, connectors, full box of flares, connector, 2 high temperature

INFINITY ASSET SOLUTIONS INC.

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

E-mail: info@infinityassets.com Web: www.infinityassets.com

		helmets with transparent plastic shields, 150 new thermocouple tips for high temperature measurements, 4 big Salamander Graphite crucibles dia 130mm, height 200mm etc.
54	1	LOT - CABINET WITH CONTENTS: Alumina crucibles four pcs, Dia. 9cm, height 15cm, various thermocouple wire, coils of regular electric wire, respirators, water cleaner kit, high temperature helmet with face transparent face shield, 4 new wheels, new Golden Rimlock cutting wheel, a sac refractory powder for furnace lining, a motor, 10 m electrical wire cable, small graphite crucible, Dia. 8cm, height 10 cm; 50 m transmission chain, oxygen meter, refractory wool, BN rods, etc.
55	1	LOT - CABINET WITH CONTENTS : One high temperature helmet plus transparent plastic shield; aluminum powder, alumina cement; extension cords; temperature controller; Slack tube; liquid flow meters, various rheostat potentiometers, various air flow meters, electrical switch boxes, various small motors; electric cables, etc.
56	1	LOT - CABINET WITH CONTENTS: flowmeters, electrical wires, one big graphite crucible Dia. 130 mm, height 200mm; refractory boards, high temperature thermocouples, refractory board material in plates 80x80 cm, several connectors, oxymeter, 10m white rubber tube, etc.
57	1	LOT - CABINET WITH CONTENTS: Various flowmeters, Vacuum gage, micromanometer; pocket thermometer; Gastec Analyzer tubes; refractory tubes various diameters; connectors; Delta gage; motors; power supply Omeron; flowmeters; transparent plastic tubes;
58	1	LOT - Wooden Cabinet with its Content (Alumina, Silica Crucibles): 40 Alumina crucibles various sizes: Dia. 38cm, H 50cm (\$250); Dia. 27cm, H 38cm (\$180); Dia. 22cm, H 33cm (\$150); Dia. 17cm H 28 cm (90); graphite crucibles Dia. 22cm H 32cm (\$80); silica crucibles Dia. 25cm, H 36cm (\$120); Dia. 17cm, H 28cm (\$50), etc.
59	1	LOT - Blue Storage Cabinet with its Content: Cole Parmer instrument pump;

		high speed selective plating Power Pack; oscilloscope; TSI image splitter; thermocouple heads; coil of thermocouple wire; metallic flexible tubing; thermocouple gauge; oxygen analyzer; power supply, etc.
60	1	LOT - Blue Storage Cabinet with its Content: 100 of 10mm Dia x600mmL refractory tubes; 400 meta sampling device; NOVA 37# tester; Micronta power supply; coils of electric wires; thermocouple wires & heads, etc.
61	1	LOT - Blue Storage Cabinet with its Content: New Doal Sawing products, 50 Liquid steel sampling tools; liquid steel temperature & dissolved oxygen sensors; several industrial Protective eye wear; paint and primers, high temperature paint, coils of electrical wires, 1.5 m ceramic tubes. etc.
62	1	LOT - Casting TOOLS: Tongs, spoons, small crucible holder
63	1	LOT - (2) LARGE Crucible Holders
64	1	LOT - Refractory Blanket: 1mX10m Refractory Blanket
65	1	LOT - Thirty Two (32 sensors) of LiMCA probe, Detection of inclusions in liquid steel (Paid 320\$/probe)
66	1	Portable lift (500lbs capacity)
67	1	LOT - (1) Argon, (1) Compressed air Cylinder
68	1	LOT - (1) Argon, (1) Compressed air Cylinder
69	1	LOT (13) Casting molds, Dimensions: 20 x 55 x 12 cm PAID \$2600
70	1	LAND FTI6 Theraml Imager Camera System with Real Time Memory (for Thermal Mapping of Surfaces) with case s/n 376392/AVA/23 PAID \$35,000.
71	1	LOT - (2) Argon, (1) Helium Cylinder
72	1	LOT 3M Hollow Glass Bubbles, 20lb
73	1	LOT - (1) Helium, (1) Compressed air Cylinder
74	1	ENERPAC Hydraulic System, Motor & ENERPAC Pump & 4 Hydraulic Cells
75	1	Saint GAUBIN Quarts Tubes. Dimensions: Dia. 3 inch, and 4 inch; L 5feet; plus Refractory Tube (3inch X 3 ft) for Tubular Furnace PAID \$650
76	1	Office Desk plus one Desktop Computer (2Gb RAM; 2.13 GHz).
77	1	Office Desk for two people plus one

INFINITY ASSET SOLUTIONS INC.

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

E-mail: info@infinityassets.com Web: www.infinityassets.com

		Desktop Computer (4GB RAM; 2.4GHz; 2TB hard Disk)
78	1	Office Desk for two people plus one Desktop Computer (2.13 GHz; 2GB RAM).
79	1	Office Desk for two people plus one Desktop Computer (2GB RAM; 1TB Hard Disk; 3.06 GHz)
80	1	Office Desk plus Desktop Computer (8GB RAM; 1000Gb Hard Disk)
81	1	Fire Extinguisher
82	1	Fire Extinguisher
83	1	Fire Extinguisher
84	1	Desk plus Desktop Computer (Core 7, 12GB Ram, 1000Gb hard disk.)
85	1	Two Barrels of Cryolite
86	1	Mild Steel 1072 sliced billets in 3 wooden boxes, 550lbs
87	1	Mild Steel 1026 sliced billets, in two wooden boxes, 640lbs
88	1	Three wooden boxes of Mild Steel 1072 sliced billets total 860 lbs (254 lbs; plus 290lbs; plus 315 lbs).
89	1	Alcan commercial aluminum ingots; 50 ingots
90	1	Filters 10 PPI; 20PPI, and 30PPI (Pores Per Inch), dimensions: 3 inch X 3inc X 1 inch; 150 pcs
91	1	One Drum of Magnesium Alloy AZ31B , 100kg, cut in pieces.
92	1	Mahogany Metallic File Cabinet; 90cm X 165cm X 46 cm
93	1	Working Table or Office Desk; Dimensions: 30inc X 36inch X 57 inch
94	1	METALLIC SERVICE TABLE ON WHEELS (Dimensions: 48in X28in X 36H)
95	1	Lot - (2) Two Compressed Hydrogen cylinders
96	1	File Cabinet, Dimensions: 18 in X 27in X 57in
97	1	File Cabinet, Dimensions: 15 in X 27in X 57in
98	1	File Cabinet, Dimensions: 16in X 27in X 57in
99	1	File Cabinet, Dimensions: 18in X 27in X 57in
100	1	File Cabinet, Dimensions: 18in X 18in X 57in
101	1	WORKING TABLE: Dimensions 120in X 42in X 29in
102	1	102 Metallic Service Table on Wheels Dimensions: 22in X 24in X48in.
103	1	Wooden Working Table on Wheels.

		Dimensions: 19in X27in X29in
104	1	Working Table on Wheels plus Power Connection, Dimensions: 30in X27in X30in
105	1	Ferrous Materials: a) FeMn(80%) lumps; 200 kg, b) FeCr (lumps) 30 kg, c) FeSi (lumps) 160kg, d) Pig iron:1000kg
106	1	Drawer Cabinet Dimensions 60" L X 30" table height X 30"W. Total height 78"
107	1	Desk with drawers; Dimensions: 60" L X 30" W X 30" H
108	1	Refractory Boards, 8 pcs; Dimensions: 25" X 37", Thickness 2,5".
109	1	TWIN ROLL CASTER Water Modell, Roll Dia. 550mm, plus nozzle for the incoming stream of fluid. Paid \$750
110	1	BLUE STORAGE CABINET
111	1	Metallic Storage Cabinet. Dimensions: 90" X165" X 27"
112	1	Lot - Steel and Aluminum Scrap
113	1	Service Table. Dimensions: 90"L X 25"W X 36"H, Selling Price
114	1	Service Table only Dimensions 77"L X 47"W X 36"H; Paid \$520
115	1	Service Table Dimensions: L 78"L X38"W X35" H, Paid \$550
116	1	(5) Laboratory Chairs
117	1	Teledyne Hastings -Raydist Air Flowmeter model Nall: 120V: 0.5A: 60Hz Serial No11945 Paid \$1500
118	1	Master Alloys, 50kg on various types (MgAl, MnAl, Sc, and Zr based)
119	1	Metallic Table on Wheels: dimensions 30 x30inches; H 30inches
120	1	SKILSAW table saw
121	1	BROOK HANSEN HP 100 Motor; 3phases; 88Amps; 575 V; 60Hz.
125	1	Filing Cabinet with 5 drawers Dimensions: 36X18X65inch

INFINITY ASSET SOLUTIONS INC.

63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5

Tel: (905) 669-8893 Fax: (905) 669-7512

E-mail: info@infinityassets.com Web: www.infinityassets.com



METSIM INC.

High Temperature Melting & Casting Laboratory

NOTES