

# PUBLIC AUCTION

## SFI of Ohio LLC

*Large Capacity Finishing, Fabrication & Machining Facility*

3880 Grace Street, New Boston, Ohio, USA

**2007**



PANGBORN 12 HEAD ROTO BLAST MACHINE, MODEL ES-1848-98

**Full 4th Axis**



TOSHIBA SHIBAURA BTD 11E R16 CNC HORIZONTAL BORING MILL

**2007**



COL-MET PAINT BOOTHS & RAPID ENGINEERING CURE OVEN

**2 Available**



CINCINNATI PRESS BRAKES, UP TO 500 TON X 16'

**3 Available**

**AUCTION:**

**Tuesday February 5,  
11:00 AM**

**Inspection:**

**Monday February 4,  
9 AM to 4 PM**

**Real Estate Offered For Sale**

**3 Ways to Participate  
Onsite, Proxy & Online Webcast  
Visit Our Websites For Details**

**200 Lot Sale, Please Be Prompt!**



**INFINITY**  
Asset Solutions  
infinityassets.com 905.669.8893

AUCTIONS • LIQUIDATIONS • FINANCING • APPRAISALS

Sale In Conjunction With



**GoIndustry  
DoveBid**

A LIQUIDITY SERVICES MARKETPLACE

# Large Capacity: 2007 PANGBORN, 12 Head



## SHOT BLAST

2007 **PANGBORN** Blast Cleaning Systems, 12 Head Roto Blast Machine, Model ES-1848-98, (4) 30 HP Wheels, (8) 25 HP Wheels, Work Dimensions 10' Wide X 10' High, Approx. Overall Dimensions: 23' Width, 26' Height To Top Of Elevator, 75' Length, Abrasive Flow 379,000 Lbs/Hr, Dust Collector Model Pc03-24, 9,462 Hrs, 460v, sn 10893



## Full 4th Axis

## CNC BORING MILL

1995 **TOSHIBA SHIBAURA** BTD 11E R16 CNC Horizontal Boring Mill, Tosnuc 777 Control, Travels: X-78.7", Y-59.1", Z-19.7", W-78.7", 55" x 63" Rotary T-Slot Table, Table Capacity 13,860 lbs, Cat 50, 60 ATC, Full 4th / 360,000 Degree Index Increments, Spindle Diameter 4.3", Max Spindle Speed 2,500 RPM, Max. Feed Rate 157 IPM, Power Draw Bar, Coolant, Chip Auger, Chip Conveyor, sn 441788



# and Roto Blast Finishing System, (2) 2007 COL-MET Paint Booths



## PAINT BOOTHS

(2) 2007 **COL-MET** Paint Booths, 10' X 15' Opening Drive Through, 40' Length, 25' Enclosures, Each With: (4) **DWYER** Mark II Model 25 Manometers, **GRACO** Promix II Plural Component Proportioners, Paint Pots, Control Panel: Fan, Burner, Lights, Ready, Spray Mode, Purge, Bake Mode, Cool Down, **3M** Model 5700 Co Monitor. Common: (7) **GRACO** High Flo Pumps, Series C07b, Max Flow 20 Gpm, 100 Psi, (2) **WASTE MANAGEMENT** Inc Solvent Tanks, (2) **MILLER** Coolmate 4 Chillers. Assorted SS Paint Piping, **FLUID MANAGEMENT** Explosion Proof Gyro Mixer Model 28709, **HERKULES** G405 Paint Gun Washer, **Kobalt** 4.5 Hp Upright Air Compressor



2006

FADAL CNC VMC, MODEL 2216FX



2006

Installed in 2008

HYUNDAI KIA CNC VMC, MODEL VX400

## CNC VERTICAL MACHINING CENTERS

2006 **FADAL** Model 2216FX, Fanuc Series Oi MC Control, Travels: X-22", Y-16", Z-20", 16" x 36" Table, Cat 40, 21 ATC, 8,000 RPM, Rapid Traverse X&Y- 400 IPM, 22.5 HP, sn 012006109233

2006 **HYUNDAI KIA** Model VX400, Fanuc Series Oi MC Control, Travels: X-31.5", Y-18.1", Z-20.5", 18" x 39.5" Table, Cat 40, 24 Sidemount ATC, Coolant Through Spindle, 12,000 RPM, 15 HP, sn G3683 0395

*This brochure is only a partial listing. Please visit our websites [infinityassets.com](http://infinityassets.com) and [go-dove.com](http://go-dove.com) for more detailed listings and photos.*

# ent Booths & **RAPID ENGINEERING** Cure Oven




## **CURE OVEN**

**RAPID ENGINEERING** Cure Oven, Approx. 10'6" Width x 11' Height x 95' Length, Natural Gas, 30 Mins Min Pre-Ignition Purge, Max Temp 400 Deg. F., 3,850,000 BTUH, Digital Temp & Discharge Limit Readouts, 4,200 CFH Input Rate, 14" Min Supply Pressure, 1 PSI Max Supply Pressure, 0.2-0.5" WC Burner Chamber Negative, 2.2" WC Diff, Burner Gas Pressure, OP II 435 Burner Type, 40 HP Recirculating Fan, 1 HP Burner Fan, ¾ HP Oven Exhaust Fan, Honeywell Control, Galab Timer, 460V, sn 072038



**CINCINNATI** 500 TON X 16', MODEL 500H



**CINCINNATI** 350 TON X 12', MODEL 350 CBX10



**CINCINNATI** 230 TON X 14', MODEL CB230

## **HYDRAULIC PRESS BRAKES**

**CINCINNATI** 500 Ton x 16', Model 500H, 12' Between Frames, 12" Stroke, Dual Pedestal Controls, 460V, sn 39622

**CINCINNATI** 350 Ton x 12', Model 350 CBX10, 10' 6" Between Frames, 10" Stroke, Hurco Autobend 7, 2 Axis CNC Control, Merlin Light Curtains, Foot Pedal & Pedestal Control, 460V, sn 49097

**CINCINNATI** 230 Ton x 14', Model CB230, 12' 6" Between Frames, Hurco Autobend 7, 2 Axis CNC Control, Foot Pedal Control, 460V, sn 40544



**2006**

**WEBER 43" BELT SANDER, MODEL TT-1P (6) 1100**



**1 of 3 Saws**

**HYD MECH S23A AUTO. HORIZ. BAND SAW**

## SANDING/GRINDING

2006 **WEBER 43"** Belt Sander, Model TT-1P (6) 1100, Double Rotation, Siemens Simatic Panel Control, sn 93436183

**DONALDSON TORIT 5 HP** Dust Collector Model 20CYC, sn 2177548

**DOALL** Model G1, 6" x 18" Surface Grinder, Electromagnetic Chuck

Tabletop 2"x2' Belt Sander

## SAWS

1997 **HYD MECH S23A** Auto. Horiz. Band Saw, PLC 100 Control, Approx. Cap. 18"x14", 1.5" Blade, 5+2 HP, 240V, sn XA0397009

**MARVEL** Vertical Bandsaw, 1" Blade, 18" Throat, 33"x32" Table

**PEERLESS** Model 1200M, 12" x 16" Auto. Horiz. Band Saw, 1" Blade, sn AM66-436-66

## WELDERS

(20) **LINCOLN ELECTRIC** Power Wave 455M, Waveform Digital Feed

**LINCOLN ELECTRIC** Idealarc DC-600 w LN-9 GMA Wire Feeder

(5) **MILLER** Deltaweld 452, DRO, S-22A Wire Feeder

**MILLER** Deltaweld 651, Wire Feeder

**MILLER** Deltaweld 450, Wire Feeder

**MILLER** CP302, 22A Wire Feeder

**MILLER** CP-200, 22A Wire Feeder

**NELSON** Stud Welder Series 4500, Model 101

**PILOT** 48 Volt Charger, Model 2200

Assorted Welding Wire

## MILLS

2005 **TRUMP** 11"x52" Table, Newall 2 Axis DRO, Power X&Y, Power Draw Bar

**MILLPORT** 10"x50" Table, Newall 2 Axis DRO, Power X

## LATHES

**VICTOR** 1660B, 8" 3 Jaw Chuck, Tailstock, Toolpost, Steady Rests, Spare Chucks, Newall 2 Axis DRO, Foot Brake, sn 60030241

**MILLPORT** SJ 1760G, 10" 3 Jaw Chuck, Tailstock, Toolpost, Steady Rests, Spare 4 Jaw Chucks, Acu Rite 2 Axis DRO, sn471106

## RADIAL ARM DRILLS

**CINCINNATI** Bickford, Super Service, 6', Box Table, sn CC8413-4151

**CINCINNATI** Bickford, Super Service, 4', Box Table, Dual Sided T Slot Table

## RAW MATERIAL

Full Length Heavy Wall Hollow Pipe Up To: 16" Dia, & Solid Round Up To 4.5", 336' of 8"x4"x5/16" x 24', 8"x6"x3/16" x20' 8"x4"x.3125"x26', And More!

Plate Steel Including:  
1"x74"x174", 1.5"x96"x240",  
1.375"x96"x180", 1"x96"x240",  
0.375"x60"x244", 0.590"x96"x80",  
0.5"x72"x201", 0.25"x48"x144",  
0.1875"x72"x120", And More!

## CRANES

(20) 1 Ton Column Mounted Jib Cranes, 20'-23', Most with Electric Chain Hoists



VIEW OF 20+ **LINCOLN ELECTRIC** WELDERS



VIEW OF 9 **MILLER** WELDERS



PARTIAL VIEW OF HEAVY DUTY RACKING



**2005**

**1 of 2 Mills**

**TRUMP** MILL



**1 of 2 Lathes**

**VICTOR 16" X 60" LATHE, MODEL 1660B**



**Up To 6'**

VIEW OF 2 **CINCINNATI** BICKFORD RADIAL DRILLS



**1 of 2**

**INGERSOLL RAND 100 HP** ROTARY SCREW AIR COMPRESSOR



**1 of 2**

**INGERSOLL RAND** REFRIGERATED AIR DRYER



**6.82 ACRES OF REAL ESTATE AVAILABLE FOR SALE, BUILDING DIMENSIONS: 88' X 1,138', 48' CEILING,  
(3) 10 TON CRANES, RIVER & RAIL ACCESS.**



**For Complete  
Equipment  
List and Photos  
Visit  
InfinityAssets.com  
and  
go-dove.com**

(20) 1 TON COLUMN MOUNTED  
JIB CRANES, 20'-23"



PARTIAL VIEW  
OF ASSORTED  
RAW  
MATERIAL +  
OFFCUT  
INVENTORY

## AIR COMPRESSORS

**INGERSOLL RAND** 100 HP Rotary Screw, Model IRN100HCC, sn NV7745U07040

**INGERSOLL RAND** 100 HP Rotary Screw, Model SSREP100, sn F9573U94103

**INGERSOLL RAND** Refrigerated Air Dryer Model D850INA400, sn 485144

**INGERSOLL RAND** Dryer Model TS3A, sn DN 0795-031207

Plus: IR Oil Filters, Receiving Tanks Etc

## MISCELLANEOUS

Heavy Duty Cantilever Racking Up To 16' and 5' Arms, Minuteman Vacuum, Warehouse Ladders, Scales, Rotary Tables, Vises, Die Lifts, Barrel Totes, Pallets, Etc.

## REAL ESTATE

Property Acreage: 6.82

Building Dimensions: 88' x 1,138', 48' Ceiling.

Steel building with concrete floor, 2 story office, River & Rail access.

Plant is equipped with 3 overhead cranes on common 1,100' Rails.

(2) P&H, Birmingham, 10 Ton x 75', Double Girder, P&H sn's: 99C1456, CA29260

Frontage on S Grace St: 1,308.40 feet

(4) Dock Level Doors

(4) Ground Level Doors

**3 Ways to Participate  
Onsite, Proxy &  
Online Webcast  
Visit Our Websites For Details**

## PROXY BIDDING

We will be happy to bid on your behalf if you are unable to attend our auction. Please call our office at 905-669-8893, or visit our website [www.infinityassets.com](http://www.infinityassets.com) to submit proxy bid.

## TERMS OF SALE



**Payment: SALE IN US FUNDS.** All payments must be in Cash, Certified Funds, Visa, MasterCard or Interac, Wire Transfers or Company Checks must be accompanied with a bank letter guaranteeing irrevocable payment to Infinity Asset Solutions Inc. Maximum credit card charge of \$2,000.

All Online bidders must register on Bidspotter by 5pm Monday February 4th.

A 15% buyers premium will be added to all onsite purchases (18% Online).

A \$500 refundable security deposit is required upon onsite registration (\$2,000 Online).

A 25% deposit is required at time of purchase, balance due by 4 pm, Wednesday February 6th, 2013. NO EXCEPTIONS.

All goods are sold "As Is, Where Is", ALL SALES ARE FINAL. All subject to prior sale. Complete terms and conditions including removal procedures, are available on our website, will be posted at the auction and will be provided at the time of registration.

## REMOVAL TIMES

All Items By Friday February 15. Pangborn & Col-Met & Oven: Call To Discuss.

**Hours:** Monday – Friday between 8 am – 4 pm.

No items may be removed during auction. NO EXCEPTIONS.

**ADDRESS:** 3880 Grace Street, New Boston, Ohio, USA, 45662

Int'l Airports Near Auction Site:

Port Columbus International Airport (CMH), Approx: 104 mi, 2 hr

Cincinnati/Northern Kentucky International Airport (CVG), Approx. 116 mi, 2 hr, 15 min

## HOTELS NEAR AUCTION SITE:

**Holiday Inn** 711 2nd Street, Portsmouth, Ohio (740) 354-7711

**Days Inn** 8340 Ohio River Road, Wheelersburg, Ohio (740) 574-8431

**Super 8** 4266 U.S. 23, Portsmouth, Ohio (800) 536-0519

*This brochure is meant merely as a guide. Infinity Assets and GoIndustry DoveBid make no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods before-hand to satisfy themselves.*

Member In Good  
Standing Of:



**INFINITY**  
Asset Solutions  
[infinityassets.com](http://infinityassets.com) 905.669.8893

AUCTIONS • LIQUIDATIONS • FINANCING • APPRAISALS

Sale In Conjunction With



**GoIndustry  
DoveBid**

A LIQUIDITY SERVICES MARKETPLACE