



PUBLIC AUCTION

Surplus to the Ongoing Operations of

BROAN® **NuTone**® CANADA

Complete 100,000 Sq. Ft. Stamping, Fabrication, Warehousing & Distribution Facility

1140 Tristar Drive, Mississauga, ON Canada



Auction: Wednesday April 25, 10:00 AM (ET)

Inspection: Tuesday April 24, 9 AM to 4 PM

**Bid Live Onsite
& Online Via**

BidSpotter.com

 **INFINITY**
Asset Solutions

- AUCTIONS
- LIQUIDATIONS
- FINANCING
- APPRAISALS

905.669.8893
infinityassets.com


BidSpotter.com



250 TON CAP.

1 OF 2

HEIM S2-250-100X48 STRAIGHT SIDE PUNCH PRESS



150 TON CAP.

FEDERAL PRESS S2-150-96-48 STRAIGHT SIDE PUNCH PRESS

PUNCH PRESSES

HEIM S2-250-100X48 Straight Side Floor Mounted Punch Press, 250 Ton Cap., 100" x 48" Bed, 6"-12" Stroke, 20" Shut Height, 21 Strokes/min, Tekpress TP1095-09 Upgraded Controls, 120V, 1 Phase, 24 VDC, 5,000 Short Circuit Ratings, s/m 27431-1

HEIM Straight Side Punch Press, 250 Ton Cap., 100" x 48" Bed, 20" Shut Height, 6"-12" Adjustable Stroke, 21 Strokes/min, Tekpress Solutions TP1093-09 Controls, 1/60/170V, Banner MSCA-1 Mini Screen Control Box, s/n 3299

FEDERAL PRESS S2-150-96-48 Straight Side Mechanical Punch Press, 150 Ton Cap. 96" x 48" Bed Size, 14" Stroke, Die Space 28, 15-30 Strokes/min, Dominion Power Press 14/69-02 Electrics, 3/60/460V, 120 Control Volts, 1000 V.A. Light Curtains

VERSON Mechanical C-Frame Punch Press, 150 Ton Cap., 84" x 26", 5"-6" Stroke, 14" Shut Height, 50 Strokes/min, Light Curtains, Dominion Power Press 14632-02 Upgraded Controls, 3/60/480V, Microguard System, Merlin M6000 Safety Curtain, s/n 19527

L&J #125 OBI Punch Press, 28" x 40" Bolster, 14" Shut Height, 18 Strokes/min, Microguard System, 2009 Dominion Power Press 174633-02-PV Controls, 3/60/460V, Air Clutch, s/n 10109A



150 TON CAP.

VERSON C-FRAME PUNCH PRESS



125 TON CAP.

L&J #125 OBI PUNCH PRESS

UNCOILERS

AMERICAN STEEL 1000 Single Sided Uncoiler, 10,000lb Cap. w/ Coil Carriage, Inglewood 3/60/460V Upgraded Electrical, 5KA, 120V Control Voltage, s/n 3358

AMERICAN STEEL Single Sided Hydraulic Uncoiler, 4,000/6,000lb Cap., Holding Reel Base, s/n 8252

LITTELL 60 reel Single Sided Uncoiler w/ Inglewood 480V Electrics, 5HP, MAXIR 5KV, 120 Volt Control

COLT Single Sided Uncoiler, Variable Speed Controls

DURANT MD-605 Single Sided Uncoiler

FEEDERS

COE CE250 30" x 24" Feeder, s/n 1043558

COE CF200 18" x 18" Feeder, s/n 8851-1

COE 25" Feeder w/ CIECO PCI-100 DRO Controller

MECON 14"W Cap. Feeder


P/A INDUSTRIES SRF-32/SSS Feeder, s/n 17070500A



6,000LB CAP.

1 OF 5 UNCOILERS

AMERICAN STEEL 1000 SINGLE SIDED UNCOILER



30" X 24"

1 OF 5 FEEDERS

COE CE250 FEEDER

STRAIGHTENERS

P/A INDUSTRIES Straightener

PRESS BRAKES

ALLSTEEL T45-10 Hydraulic Press Brake, 10' x 45 Ton, Tekpress TP1158-09 Control, 3/60/575V, 25 AMP, 120 VAC, 24 VDC, MERLIN ISB DRO Controller, Light Curtains, s/n 456

ALLSTEEL 20-6 Hydraulic Press Brake, 6' x 20 Ton, 5HP, 3/60/208V, MERLIN Light Curtains, s/n 157

ALLSTEEL 10-4 Hydraulic Press Brake, 4' x 10 Ton, Foot Operated, 7.5HP




1 OF 2 SLITTING LINES

WALLNER SLITTING LINE



1 OF 5 SPOT WELDERS

WELD-O-MATIC AF SPOT WELDER



14 STATION

DUAL SIDED

1 OF 2 ROLL FORMERS

CUSTOM BUILT ROLL FORMER



AMADA BR-610W DEBURRING MACHINE



MILLER SYNCROWAVE 200 WELDER



2004

VIDEO AVAILABLE

1 OF 2 ROBOTS

ABB IRB 2400 6-AXIS ROBOT



1 OF 3 SAWS

K&K ROLL-IN BANDSAW



70 TON CAP

GEKA HYDRACROP-70-S IRONWORKER

SLITTING LINES

WALLNER 4680 Slitter w/ Winder, 20"W Cap., s/n SL-18-083 c/w WALLNER 3085 Unwinder, s/n 2343-RE-18

WALLNER 3064 (SL-24-LD) Slitter, 10HP, 3/60/575V, s/n 002 c/w WALLNER Winder & Control Panel

ROLL FORMERS

Custom Built (14) Station Double Sided Roll Former w/ Loading/Unloading System, Super Structure, Control Panel

KOLEV ENGINEERING (9) Station Roll Former, 14"W Cap.

ROBOTS Located Offsite at 1215 Nicholson Road, Unit 1, Newmarket, ON

2004 **IRB 2400** 6-Axis Robot, s/n 24-28192 w/ IRB S4CPLUS M2000 Controller, 460/575/600V, DeviceNet Slave, Advanced Functions, LoadID and Collision Detect, IO Plus, 40,163hrs

2004 **IRB 140T** 6-Axis Robot, s/n 14M-26940 w/ IRB S4CPLUS M2000 Controller, 460/575/600V, DeviceNet Slave, Advanced Functions, LoadID and Collision Detect, IO Plus, 14,956hrs

SPOT WELDERS

WELD-O-MATIC AF Spot Welder, 25KVA, 24" Throat, Techno DRO Controller, 3/60/575V, s/n 3461

WELD-O-MATIC AF Spot Welder, 25KVA, 24" Throat, Techno F30/2 DRO Controller, 3/60/600V, s/n 3495

WELD-O-MATIC AS Spot Welder, 15KVA, 18" Throat, Techno DRO Controller, 3/60/575V, s/n 2934

TAYLOR WINFIELD TW-24 Spot Welder, 3/60/440V, s/n 693437

PEER 24 Spot Welder, 5KVA, TE-90 Mark II DRO Controller, 3/60/440V, s/n 693420

ELECTRIC WELDER

MILLER Syncrowave 200 CC-AC/DC Squarewave Power Source, Digital Read-Out, s/n LG120-35L, Mounted on Castors

PLASMA CUTTER

THERMAL DYNAMICS Professional AIRCUT 15C Plasma Cutting System

IRONWORKER

GEKA HYDRACROP-70-S Ironworker, 70 Ton Cap.

MILLING MACHINE

EX-CELL-O 602 Vertical Milling Machine, Mitutoyo 2-Axis DRO, s/n 6023341

DEBURRING MACHINE

AMADA BR-610W Wet Type Deburring Machine, 3/60/230/400/460V, 5.5 KW Wheel Motor, Net Weight 1,200KG, s/n 61200072

BANDSAWS

10" Horizontal Metal Cutting Bandsaw, Variable Speed Controls, 2HP, 1/60/110/220V

K&K Roll-In Bandsaw, 1HP, 110V, s/n 185

KING KC-712GH Horizontal Metal Cutting Bandsaw, s/n 272343

This brochure is meant merely as a guide. Infinity Asset Solutions makes no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.



40HP
ATLAS COPCO AIR COMPRESSOR



15,000LB CAP. 1 OF 3 FORKLIFTS
HYSTER S125A BCS LP FORKLIFT

COMPRESSORS

2013 **ATLAS COPCO** Rotary Screw Air Compressor, 40HP, Variable Speed, 31.8-206.5 CFM @ 175 PSI, Air Cooled, 39 F, 13 BAR/189 PSI/1.3MPa, 575V/3PH/60Hz, s/n AP1434069

ATLAS COPCO GA55 Rotary Screw Air Compressor, 132 PSI, 320 CFM, 73.8HP, 3,600 RPM, s/n All-461128

COMAIRCO DPM-650 Refrigerated Air Dryer, 200 PSIG, 650 SCFM Cap., 3/60/575V, s/n 04L-D01132

DRYING OVEN

ADVANCE PROCESS 20' x 70' Natural Gas Drying Oven (Sold for Components)

METAL PLATE ROLLS

Custom Built 24" W Cap. Pyramid Metal Plate Rolls w/ 1HP Electric Motor, 1/60/115/208-230V, Table, Foot Control Switch, Forward/Reverse

DYNAMIL

WESTERN TECHNOLOGY VRP70 Series Dyanmil, 1/60/120V, 20 AMPS, s/n VC-96-407

FORKLIFT

HYSTER S125A BCS LP Propane Forklift, 15,000lb Cap., 150" Max Lift, 3 Stage Mast, Side Shift, Solid Tires, s/n A24D2804VEE
HYSTER S100XL Propane Forklift, 11,300lb Cap., 162.5" Max Lift, 2 Stage Mast, Solid Tires, s/n D004V02343J

NISSAN 5S Forklift, 5,600lb Cap., 4,850mm Max Lift, LP Powered, 3 Stage Mast, Side Shift, Cushion Tires, s/n CUL02-9Q0117

PORTABLE A-FRAME HOIST

GORBEL 6,000lb Cap. Portable A-Frame Overhead Crane w/ 3 Ton Cap. Trolley, Chainfall, 78" W Opening, Locking Wheels, Adjustable Height

PORTABLE ENGINE HOIST

BEECH B-1000 Portable Engine Hoist, Manual Operation, s/n 027138

DRILL PRESSES

TRADEMASTER Industrial Series Floor Type Drill Press

KIRA NSD-13R Bench Type Drill Press w/ Stand, s/n B05196



6,000LB CAP.
GORBEL PORTABLE GANTRY



1 OF 2
TRADEMASTER DRILL PRESS



BEECH B-1000 PORTABLE ENGINE HOIST



PYRAMID METAL PLATE ROLLS



ADVANCE PROCESS DRYING OVEN



3M MATIC CASE SEALERS



NESTAFLEX 226 FLEX CONVEYOR



ARCTIC ARC-616HS AUTO BANDING MACHINE



1 OF 2 FANS

ABSOLUTE AIR CEILING MOUNTED FAN



KING KC-788FX
BELT/DISC SANDER



CANABLAST SANDBLASTING
CABINET



1 OF 2 SHOP PRESSES

CAROLINA CBP5500
SHOP PRESS



1 OF 4

WAGNER V600.305 PUMP

SUPPORT EQUIPMENT

- ENVIRA-NORTH SYSTEMS** Five Blade Ceiling Mounted Fan, Electric Powered w/ Set of Spare Blades, Variable Speed Control, Forward/Reverse
- ABSOLUTE AIR** Ceiling Mounted Fan w/ Airflow Director Blades
- 3M** Matic Case Sealers
- KING KC-788FX** Belt/Disc Sander, 6" x 48" Belt, 12" Disc, 1 Phase, 3,450 RPM, s/n 033389
- DELTA 52-61-1C** Belt/Disc Sander, 1/60/250V, s/n 92E30301
- WEG** 1/2HP Belt Sander, 1/60/115/230V
- JET JBG-6A** 6" Bench Grinder, 1/2HP, 1 Phase, 3,450 RPM, s/n 10061525
- DELTA/BALDOR** 3/4HP Bench Grinder
- ARCTIC ARC-616HS** Auto Banding Machine, 1/60/110V, s/n 9905152
- DELTA XL-10** Portable Table Saw
- CANABLAST M364-8.S-DB.30A** Sandblasting Cabinet, 1HP, 1/60/120V, s/n MS-22B1.1025
- CAROLINA CBP5500** Shop Press, 55 Ton Cap., s/n 55691
- KING CANADA** 20 Ton Manual Shop Press w/ Grid Guard
- Oxy/Acetylene Set w/ Cart
- PENTALIFT** Steel Stacking Bin Tipper
- NESTA-FLEX** 226 Roller Top Flex Conveyors
- PSC S42G40A-220** Natural Gas Pressure Washer, 3,000 PSI, 200,000 Min – 395,000 Max BTU/Hr, s/n 6935
- GRACO** Bulldog Series B-96-A Air Powered Pump, 125 PSI, Part #C32410-13
- (4) **WAGNER V600.305** Pumps
- WAGNER** 5 Gal. Spray Paint Unit on Cart
- PLUS:** Nuts & Bolts Storage Bins w/ Contents, Pallet Jacks, Panel Transfer Carts, Shop Carts, Electric Powered Floor Fans, Employee Lockers, Portable Warehouse Ladders, Parts Storage Bins, Dump Hoppers, Roller Top Inflow Conveyor Units, Shipping Desks, Digital Scales, Two Door Storage Cabinets, Lunckroom Contents and Much More!

OFFICE FURNISHINGS

Good Selection of Office Assets

TERMS OF SALE



Payment: All payments must be in Cash, Certified Funds, Wire Transfers, or Company Cheques, which must be accompanied with a bank letter guaranteeing irrevocable payment to Infinity Asset Solutions Inc. Invoices up to \$2,000 can be paid by Visa, Mastercard or Interac.

All bidders must register on Bidspotter by Tuesday April 24, 5pm.

A 16% Onsite and 18% Online buyers premium will be added to all purchases.

A \$2,000 refundable security deposit is required upon online registration.

A 25% deposit is required at time of purchase, balance due by Wednesday April 25, 5pm, 2017. NO EXCEPTIONS.

All goods are sold "As Is, Where Is", ALL SALES ARE FINAL. All subject to prior sale. Complete terms and conditions including removal procedures, are available on our website.

REMOVAL TIMES

All items by Friday May 11, 2018.

No items may be removed during auction. NO EXCEPTIONS.

DIRECTIONS: To 1140 Tristar Drive, Mississauga, ON, L5T 1H9

From Toronto Pearson International Airport (Approx 13 KM, 11 min)

Exit airport take ON-427 S. Take ON-401 W. Keep right at the fork, follow signs for ON-410/Brampton. Continue onto ON-410 N. Take the exit toward Courtney-park Dr E to Tristar Dr. Destination will be on the left.

This brochure is meant merely as a guide. Infinity Asset Solutions makes no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.



- AUCTIONS • LIQUIDATIONS
- FINANCING • APPRAISALS

63 Maplecrete Road, Concord, Ontario L4K 1A5 Canada

infinityassets.com • Tel: (905) 669-8893 • Fax: (905) 669-7512