

PUBLIC AUCTION



DECOUPAGE & PLIAGE MAURICIE

8905 Boulevard Parent, Suite 103, Trois-Rivieres, Quebec, Canada

Complete **TRUMPF** CNC Laser Cutting & Fabrication Facility



TRUMPF 5,000 WATT LASER MODEL TRUMATIC L4050



TRUMPF 3,000 WATT LASER MODEL TRUMATIC L2530



FANUC ROBOT MODEL M-410IB/700



TRUMPF 95 TON CNC HYDRAULIC PRESS BRAKE MODEL TRUMABEND V85

Auction: Tuesday October 18, 11:00 am

Inspection: Monday October 17, 9:00 am to 4:00 pm

Short Sale
Please Be Prompt!

Onsite & Online Webcast
Powered By BidSpotter.com



INFINITY
Asset Solutions
infassets.com

AUCTIONS
FINANCING



LIQUIDATIONS
APPRAISALS

905.669.8893

TRUMPF 5,000 WATT CNC LASER

2003



Only 7,658 Beam on Hours

6'5" X 13' Table



TRUMPF Laser Model Trumatic L4050, 5,000 Watt, 6'5" X 13' Capacity, Siemens Sinumerik 840D CNC Control, Only 7,658 Beam on Hours, Travels: X-157.5", Y-78.7", Z-4.5", Max Cutting Thickness 1", Max. Workpiece Weight 3,968 lb, Max. Axis Speed (Simultaneous) 300 m/min, Trumf TLF-5000 Magnetic Bearing Resonator, 3 Trumf Cutting Heads 5", 7.5" & 9", Plus Assorted Nozzle Tips Size 0.8-2.7, Shuttle Table, KLH Kalttechnik GMBH Chiller Model L30/36 TK 3.01 (sn TL00030224), Dust Collector, Safety Lights, 460V, sn A0250A0041



AUCTIONEER'S NOTE:

**TRUMPF LASERS NEVER RUN IN PRODUCTION
MINT CONDITION!**

This brochure is meant merely as a guide. Infinity Assets makes no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods before-hand to satisfy themselves.

TRUMPF TruTool Slat Cleaner for Laser Tables, Model TSC2, Slag Remover for Laser Flatbed Machines, Slat Thickness Range 2-2.9mm, Working Speed 10 m/min, 120V, sn 2010 06-03602

TRUMPF 3,000 WATT CNC LASER



TRUMPF Laser Model Trumatic L2530, 3,000 Watt, 4' x 8' Capacity, Siemens Sinumerik 840D CNC Control, Travels: X-98.4", Y-49.2", Z-4.5", 3 Cutting Heads: 3.75", 5", 7.5", Max Positioning Speed (Simultaneous) 85 m/min, Max Material Cutting Capability- Mild Steel .75" Stainless .375", Aluminum .25", Trumpf TLF 3000 Turbo Resonator, Shuttle Table, KKW Riedel Chiller Type L15/21 TR3/18.3, Dust Collector, Laser Safety Lights sn 910625

FANUC ROBOT LOADING SYSTEM



FANUC Robot Model M-410iB/700, 4 Axis, Max Payload 700 kg/1,543 lb, Max Reach 123.7", Axis Motion Range in Degrees: J1-360, J2-144, J3-136, J4-540, Mechanical Brakes on All Axes, Fanuc System R-30IA Control, Electric Servo Driven, Includes Optional Remote Control I Pendant, 575V, Robot Fitted with 6' x 10' Platform with Air Suction, sn A05B-1042-B201

AGT Heavy Duty Raw Material Storage System Including 5 - 5' x 10.5' Steel Pallets, 8 Level Storage Capacity, Powered 5'x10' Shuttle Table on Steel Track – **New. Never Used. Mint Condition!**

TRUMPF CNC PRESS BRAKE


2000



ASSORTED TRUMPF PRESS BRAKE TOOLING

TRUMPF 8 Axis CNC Hydraulic Press Brake Model TrumaBend V85, 95 Ton Capacity, Delem DA65 CNC 8-Axis Control, 4 Axis CNC Back Gauge (X,R,Z1,Z2), V- Axis CNC Programmable Crowning, I-Axis CNC Programmable Die Shift, Max Bending Length 81", Distance Between Housing 69", Open Height 15.15", Speeds: 710 IPM Advance, 2-24 IPM Pressing, 1200 IMP Return, Stroke Length 8.5", Bending Capacity 1/4" x 6', Throat Depth 16", 4 Axis Back Gauge (XR2122), X Travel 24", Speed of Travel in X – 1,200 IPM, R Axis Travel (Back Gauge Up/Down) 9.8", Hydraulic Clamping Top & Bottom, CNC Crowning, Laser Light Curtains, Palm Button & Foot Pedal Control, 460V, sn 883474

TRUMPF CNC CONTOUR MEASURING MACHINE



2002

TRUMPF Model Qualifier 1250, Contour Measuring Machine, Glass Table Size & X&Y Travels: 49" x 49", Height Measuring Range (Y Axis) 1.57", With CCD Camera and Laser Diode, Resolution of Length Measurement System X & Y Axes: 1 μ m, Max Workpiece Thickness 1.57", Max. Positioning Speed 2,362 IPM, Max Table Load Capacity 551 lb, Solid Granite Base, Maintained in Air Conditioned Environment, 400V, sn A0600A0029.

COMPLETE TRUMPF SPECS CAN BE DOWNLOADED AT INFASSETS.COM

APPRAISAL SERVICES

Behind each Infinity appraisal stands over 3 decades of industrial knowledge and expertise. Let our CPPA certified appraisers conduct your next appraisal. Call us in complete confidence at **905-669-8893**

Bid Live ONSITE or ONLINE at BidSpotter.com





BUTTERING / STEEL MASTER
 MODEL PRIMA
 2-KB-13, DUAL
 HEAD, 53" WIDE
 BELT SANDER

DEBURRING MACHINES

2000 **BUTTERING / STEEL MASTER** Model Prima 2-KB-13, Dual Head, 53" Wide Belt Sander, Dry Type, First Head Contact Roller 8" Diameter, Second Head Stainless Steel Wire Brush, Both Heads Height Adjustable, DRO, Programmable PLC Control for Motorized: Belt, Brush & Conveyor, Max. Material Thickness Range 0.02" - 4.7", Sanding Belt Size 53.9"x74.8", 220V, sn 63132

RAMCO Model DW-37R, 36" Wide Belt Sander, Single Head, Material Thickness Range 1/8" - 5", Variable Table Speed Range 16-62 FPM, Table Work Height 32-7/8" - 37-1/5", Sanding Belt Size 37"x60", 20 HP, 460V, sn 372-A

MIDWEST SANDRIGHT CORP Wet Type Dust Collector, Model DC2800, 2,800 CFM, Approx. Water Capacity 160 Gallons, 10 HP, 230V, sn 25777-0501

MATERIAL HANDLING

CATERPILLAR Propane Forklift Model GP25K, 5,000 lb Capacity, Indoor/Outdoor Tires, 3 Stage Mast, Side Shift, 48" Forks, sn 6AP00847

2005 **ANVER** 4,000 lb Capacity Suction Lift Model VPE1, L400M8-110-4/44Max. Load Length 12', Max Load Width 6', 8 Suction Plates, VacGuard Control System, sn 502237-4

R REDDY INC 1 Ton Jib Crane, Approx. 20' High, 15' Span, Budget 1 Ton Electric Hoist

HERCULES 3,000 lb Capacity 4'Spreader Bar
JUNGHEINRICH Pallet Jack
 5 Sections 42" x 12' High Racking, 5 Levels of 12' Beams x 6", Plus Damo Guard Kick Plates

SUPPORT EQUIPMENT

LINCOLN ELECTRIC Model Precision Tig 185 Welder

LINCOLN ELECTRIC Model SP-175 Plus Welder

10" Chop Saw with Mitering Capability

AIR COMPRESSOR

INGERSOLL RAND Model SSR-UP6-30-125, sn PX1507U03122

INGERSOLL RAND Dryer Model TS100
 (2) **INGERSOLL RAND** Oil Filters Model IRHE123, Receiving Tank

RAW MATERIAL

34 - Sheets Assorted Stainless Steel from 10 Gauge/ 0.140" to 30 Gauge/ 5/16", Sheet Sizes From 4'x8' to 5' x 10'

27 - Sheets Assorted Steel & Checker Plate from 10 Gauge .134" to 1/2", Sheet Sizes From 4'x8' to 5'x10'



RAMCO MODEL DW-37R, 36" WIDE BELT SANDER



MIDWEST SANDRIGHT CORP WET TYPE DUST COLLECTOR, MODEL DC2800



10" CHOP SAW



VIEW OF **LINCOLN ELECTRIC** TIG 185 & SP-175 WELDERS



VIEW OF **INGERSOLL RAND** 30 HP COMPRESSOR, DRYER & OIL FILTERS

RAW MATERIAL - Sheets Up To 5'x10'



34 - SHEETS ASSORTED STAINLESS STEEL



27 - SHEETS ASSORTED STEEL & CHECKER PLATE



21 - SHEETS ASSORTED ALUMINUM



15 - ASSORTED SKDS OF OFFCUTS, UP TO 1" THICK STEEL



CATERPILLAR PROPANE FORKLIFT MODEL GP25K,
5,000 LB CAPACITY



ANVER 4,000 LB CAPACITY SUCTION LIFT

21 – Sheets Assorted Aluminum from .09” to 1/4”, Sheet Sizes From 4’x8’ to 4’x10’
15 Skids Of Assorted Steel, Stainless & Aluminum Offcuts, Up To 1” Thick Steel

MISCELLANEOUS

Assorted Welding Wire and Supplies, 10 Assorted Safety Lights and Mirrors, Spare **MOTOMAN** Yasnac XRC Control Pad, Vices, Assorted Trumpf Support Equipment, (4) 4’x4’ Heavy Duty Steel Work Tables On Casters, (5) Assorted Tool Boxes and Cabinets

Conveyor Belts, Safety Supplies, Assorted Manual & Electric Power Tools, **DEWALT** & **METABO** Hand Grinders, Precision Measuring Equipment, **MITUTOYO** Digital Verniers, **POULAN** Chainsaw, Pin Gauge Sets, **KILO TECH** Digital Scale Model KCS 301, (2) **GENERAL** Drill Presses, Assorted Casters, Conduit, Piping, 2 Yard, Tilting Dump Bin

OFFICE

Lot assorted Office Furniture & Equipment, **FELLOWES** Paper Shredder, **HP** Color Laserjet CM4730 MFP Colour Laser Printer Copier, **NORTEL** Norstar Phone System w 6 Handsets, Kitchen Bar Fridge, Microwave, Coffee Maker

This brochure is meant merely as a guide. Infinity Assets make no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.



HERCULES 3,000 LB CAPACITY 4’ SPREADER BAR



PARTIAL VIEW OF HEAVY DUTY ROLLER TABLES, ASSORTED SAFETY LIGHT CURTAINS



PARTIAL VIEW OF PRECISION INSPECTION EQUIPMENT, POWER TOOLS ETC.

R REDDY INC
1 TON JIB
CRANE, APPROX.
20’ X 15’

TERMS OF SALE



Payment: All payments must be in Cash, Certified Funds, Visa, MasterCard or Interac, Wire Transfers or Company Checks must be accompanied with a bank letter guaranteeing irrevocable payment to Infinity Asset Solutions Inc.

A 2% surcharge will apply on all payments made by credit card.
Bidspotter Participants Must Register By 5pm Monday October 17th
A 13.5% buyers premium will be added to all onsite purchases (16.5% Online).
A \$500 refundable security deposit is required upon onsite registration (\$2,000 Online).
A 25% deposit is required at time of purchase, balance due by 4 pm, Wednesday October 19th, 2011. **NO EXCEPTIONS.**

All goods are sold “As Is, Where Is”, **ALL SALES ARE FINAL.**
All subject to prior sale. All Sales in Canadian Funds.
Complete terms and conditions including removal procedures, are available on our website, will be posted at the auction and will be provided at the time of registration.

REMOVAL TIMES

All items by Wednesday October 26th, 2011. **Hours:** Monday – Friday between 8 am – 4 pm. No items may be removed during auction. **NO EXCEPTIONS.**

DIRECTIONS: From Montreal Pierre Elliott Trudeau Airport To: 8905 Boul. Parent, Trois-Rivieres, Quebec, G9A5E1, 149 km, Approx. 1 Hr, 45 Mins. Exit airport and follow signs to Autoroute 520W/40E, Continue to follow 40 East, through construction stay on 40 East toward Trois Rivieres, Take exit 196N to merge onto Autoroute 55 N toward Shawinigan, Take exit 191 for Boulevard Industriel toward Boulevard Saint-Michel, Turn right onto Boulevard Industriel, Take the 1st left onto Rue Jules Vachon, Take the 1st right onto Boulevard Parent, Destination will be on the right.

HOTELS NEAR AUCTION SITE:

Super 8 Trois Rivieres	3185 Boulevard Saint-Jean, Trois Rivieres	(819)-377-5881
Comfort Inn	6255 Rue Corbeil, Trois-Rivieres	(819)-371-3566
Days Inn Trois Rivieres	3155 Boulevard Saint-Jean, Trois Rivieres	(800)-263-1414

Members In Good Standing Of:



AUCTIONS LIQUIDATIONS • FINANCING APPRAISALS

63 Maplecrete Road, Concord, Ontario L4K 1A5 Canada
Tel: (905) 669-8893 • Fax: (905) 669-7512