

PUBLIC AUCTION



State Of The Art Lost Wax
Investment Casting Facility
Including: Foundry, CNC
Fabrication and CNC Machining

Two Late Model Facilities:

Fabrication & Machining: 2600 Matte Boulevard, Brossard/Montreal, Quebec, Canada
Investment Casting Foundry: 7595 Rue Ignace, Brossard/Montreal, Quebec, Canada

Onsite & Online Webcast
via BidSpotter.com

Sale Will Be Conducted Theatre Style
At The 2600 Matte Boulevard Facility



2006

TRUMPF HIGH SPEED LASER CUTTING CENTER, MODEL TRUMATIC TC L3050

5' x 10'

5,000 Watt

Only 1,409 Beam On Hours!

Auction:
Wednesday
February 23,
10:30 AM

Inspection:
Tuesday
February 22,
9 AM to 4 PM



2005

TRUMPF 24 TON TURRET PUNCH, MODEL TRUMATIC 5000R-1600



As New As 2002

INDUCTOTHERM 175 & 125 KW
POWER SUPPLIES PLUS 6 INDUCTOTHERM
MODEL DURALINE FURNACES UP TO
150 KG CAPACITY

 **INFINITY**
Asset Solutions
www.infassets.com 905.669.8893

AUCTIONS • LIQUIDATIONS • APPRAISALS • FINANCING

M-N A
MACHINERY NETWORK AUCTIONS

AUCTIONEERS | APPRAISERS | LIQUIDATIONS | FINANCING
888-998-4440 | EMAIL: info@machinerynetworkauctions.com

CNC LASERS

Only 1,409 Beam On Hours!

2006



SIEMENS SINUMERIK 840D CONTROL



5' X 10' TABLE



TRUMPF 5000 WATT TLF
CO2 LASER HEAD



TABLE, PLUS: DELANEY 12' JIB BOOM,
SUCTION LIFT

2006 **TRUMPF** High Speed Laser Cutting Center, Model Trumatic TC L3050, Travel: X-118.10", Y-59.05" & Z-4.53", Maximum Axis Speed: 656'/Min Axially Parallel & 984'/Min Simultaneous, 55'/Sec Axis Speed Acceleration, .984" Max Sheet Thickness, Dual Shuttle Pallet Table Size 5' x 10', 1,984 LBS Max Work Piece Weight, Siemens Sinumerik 840D Control, Light Curtains, Only Approx. 5,000 Hours, 460V, s/n A0230A1049, 2006 Trumpf 5000 Watt TLF CO2 Laser, Model TLF A0230A1049, 33 To 72 kw Output Rate, 132 AMPS, 480V, s/n D0004A7660, w/ 2005 KLH Chiller, Model L30 36 TK 3.02, R134a Refrigerant, 480V, s/n TA 0050836, Delaney 12' Jib Boom, 400 lb Cap, Suction Lift.



1995 **AMADA** Laser, Model LC-1212xII, Fanuc Oscillator Laser, Model C1500B, 1,500 Watts Max Laser Output, 50" Axis Travel, 65'/Min Cutting Speed, Rapid Axis Speed: X & Y-262'/Min & Z-196'/Min, 50" x 100" Max Sheet Size, .354" Max Sheet Thickness, 462 LBS Max Work Piece Weight, Fanuc Series 16-L Control, s/n 11212251

**CAN'T ATTEND AUCTION?
ALSO BID ONLINE
VIA INFASSETS.COM**

CNC TURRET PUNCHES

2005



2005 **TRUMPF**
TOOLING POSITION
IDENTIFIER, MODEL
MULTISET ITM



2006 **TRUMPF**
TOOL SHARPENER,
MODEL QUICKSHARP ITM



SIEMENS SINUMERIK 840D CONTROL

2005 **TRUMPF** 24 Ton Turret Punch, Model Trumatic 5000R-1600, Travel: X-118.11" & Y-64.96", Working range: X- Minus 1.96" To Plus 120.86" & Y-Minus .275" To Plus 65.35", Maximum Axis Speed: X-328'/Min , Y-196'/Min & C-330 Revolutions/Min, .314 Max Sheet Thickness, 3" Max Tool Diameter, 21 ATC, Siemens Sinumerik 840D Control, Only Approx. 5,000 Hours, Light Curtains, 460V, s/n T-9749 - A0060A0458, Plus Assorted Trumpf Tooling

2006 **TRUMPF** Tool Sharpener, Model Quicksharp ITM, 3.93" Max Workpiece Diameter, 3.89" Max Workpiece Height, 4.92" Grinding Disc Diameter, 98.42 Ft/Sec Cutting Speed, s/n A0660A0190

2005 **TRUMPF** Tooling Position Identifier, Model Multiset ITM, s/n A0630A0813



AMADA 22 Ton Turret Punch, Model PEGA 244, Fanuc 6 M Control, Travel: X & Y-40", Table Speed: X & Y- 2000 IPM, 40" x 40" Table Size, 49" Throat, 30 RPM Turret Speed, 24 Station Turret, 350 T/Min Stroke Per Minute, .236" Max Sheet Thickness, 3.5" Max Hole Diameter, 40" x 40" Sheet Size, 40"x80" With Repositioning, s/n P2440358

*This brochure is only a partial listing.
Please visit our websites at
www.infassets.com or
www.machinerynetworkauctions.com
for more detailed listings and photos.*

STATE OF THE ART LOST WAX IN



M.P.I. 25 TON WAX INJECTION PRESS, MODEL 55-25-18



TEMPCRAFT WAX INJECTION PRESS, MODEL V182CF



STRATASYS WAX PROTOTYPE MACHINE, MODEL FDM 3000



3 D SYSTEM THERMOFORM THERMOJET SOLID OBJECT PRINTER

RAPID PROTOTYPE DEPT.

STRATASYS Wax Prototype Machine, Model FDM 3000, 10"x10" Variable Height Table, Max Height Range 18", Watlow Digital Read Out For Model, Support & Envelope, s/n 2294 [IG]

2000 3 D SYSTEM Thermoform Solid Object Printer, Model Thermojet, s/n 00DD0411, Plus IBM Thinkpad Laptop [IG]

STRATASYS Water Works, Stainless Steel Ultra-Sound Pan with Control, Model HT-1812-STRAT, 18"x12" Tub Opening, s/n B508518-K9M [IG]

WAX INJECTION DEPT.

2003 M.P.I. 25 Ton Wax Injection Press, Model 55-25-18, 38" x 30" Stationary Platen, 23"x18" Top Platen, Digital Temp Display For: Wax Reservoir Zones 1&2, Injection Unit, Wax Hose, Flex Nozzle, Moving Platen, Stationary Platen, s/n 1838, Includes 2004 M.P.I. Model 95-25-50 Melt and Mix Unit, Digital Temp Display For: Melter Zones 1&2, Wax Reservoir, Wax Pump, Wax Transfer 1, s/n 1854 [IG]

TEMPCRAFT Wax Injection Press, Model V182CF, 34"x33" Stationary Platen, 20"x18" Top Platen, Digital Display For: 3 Zone Tank Temperature, Injection System Temperature, Nozzle Tip Temperature, Cycle Time, Conair Hopper Feeder, s/n 2174 [IG]

WAX INJECTION PRESS, 24"x18" Stationary and Top Platens, Digital Display For: Nozzle Height, Nozzle Temp, Top & Bottom Platen Temp, Injection and Clamp Time, Mixing and Heating Tank w DRO [IG]

(5) Electric Work Stations For Soldering, Welding, Plaque w Heated Pans, Clamps and Lights [IG]

4 Station Stainless Steel Chemical Mixing Tanks [IG]

Lot Assorted Dies And Templates For Press [IG]

Large Selection Assorted Wax Cast Racks and Roller Trolleys [IG]

CASTING DEPT.

(7) **LIGHTNIN** Model XJ117 Investment Casting Electric Mixers, 1.17 HP, Each With 23" Diameter x 27" Deep Rotary Mixing Containers [IG]

(3) Two Stage Rainfall Type Investment Coating Chambers, Interior Dimensions 38"x37"x37", Elevator System, Recovery Basin, Conveyor and Frame, Pendant & Fixed Controls [IG]

(2) Motorized Elevator Style Drying Racks, 8 Racks Each, 7' Long Racks, 103"x66" Footprint, 180" Height [IG]

ACE 5 HP Dust Collector System, w/ 20 Filter Bags [IG]

Stainless Steel Tanks Set, Model CB500, Hexagonal Design With 4 Compartments, Tank Temperature Gages, Center Lifting Device [IG]

Lot of Sanding Moulds And Carts [IG]



WAX INJECTION PRESS



ELECTRIC WORK STATIONS



LOT ASSORTED DIES AND TEMPLATES FOR PRESS



ASSORTED WAX SPRUES, BASES AND HEADS



EXAMPLE OF WAX & METAL CASTINGS

VESTMENT CASTING & FOUNDRY

2002



INDUCTOTHERM 175KW INDUCTION POWER SUPPLY, MODEL iPOWER-TRAK 175-30CR



3 Available

TWO STAGE RAINFALL TYPE INVESTMENT COATING CHAMBERS, PLUS DUAL ELEVATOR DRYING SYSTEM

Large Quantity Of DUPONT Florida Premium Zircon Sand, REMET Ramasil Sand, Fused Silica, Mulcoa Mulgrain, 288B Pink Pastille, 5 Skids Wax Raw Material Blocks, (28) Raw Casting Material Bars [IG]

OVENS / KILNS

2003 **PACIFIC KILN** Flash Fire Dewax Oven, Model FFDWS-9484836-DB, Approx. Interior Dimension 58"x48"x60", 48"x60" Shuttle Table, Max 2,050,000 BTU/Hr, Natural Gas, Honeywell Controls, Roof Exhaust, s/n 0703-41 [IG]

(2) **PACIFIC KILN** Pre-Heat Furnace, Model PBF-60-NG, Approx. Interior Dimensions 50"x40"x48", 2,050,000 BTU/Hr, Natural Gas, Honeywell Controls, Roof Exhaust, s/n's 1289-143, 1289-144 [IG]

INDUCTOTHERM Water Circulating / Cooling System, 5" Cancoil Fans, 2" Baldor 10 H.P. Motors, 400 L. Reservoir, 2 1/2" Water Pump, 12' x 8' Iron Mezzanine [IG]

LOST WAX INVESTMENT CASTING

2002 **INDUCTOTHERM** 175KW Induction Power Supply, Model iPower-Trak 175-30CR, 200 KVA, Furnace VIP Control, s/n 02J-158297-246-11 [IG]

w/ (3) **INDUCTOTHERM** Furnaces, Model DURALINE, 110 LBS (50 kg) Capacity, Power Tilting [IG]

1993 **INDUCTOTHERM** 125 KW Induction Power Supply, Model iPower-Trak 125-30R, 145 KVA, Furnace VIP Control, s/n 93-13194-246-11 [IG] w/ (1) **INDUCTOTHERM** Furnace, Model DURALINE, 330 LBS (150 kg) Capacity, Power Tilting, s/n 02J1529733521 [IG]

(2) **INDUCTOTHERM** Furnaces, Model DURALINE, 110 LBS (50 kg) Capacity, Power Tilting [IG]

Power Tilting, Jib Boom w/ Brumund Foundry Portable Rotary Aluminum Degasser, 31"x48"x7" Receiving Bin, [IG]

4 Basin Rotary Casting Receiving Bins, 19" Dia. X 9" Deep, Masks, Aprons, Gloves, Tools, Flexair Fume Extractors, Rolling Carts Etc. [IG]

SPRUE CLEANING & BUFFING DEPT.

WHEELABRATOR Shot Blast Cabinet, 49" x 60" x 76", Auger Style Recuperating Cabinet, Manual Extension Boom, 10 HP, s/n 300421 [IG]

U.S. INDUSTRIES Pneumatic Demoulder Cabinet 28"x35"x53" Interior Capacity, H Frame Mould Clamp [IG]

2000 **AEROLYTE** Tumbler, Model BNP 164-600R, 26" Diameter x 25" Wide, s/n 50678, Includes GUYSON C400 Dust Extractor, s/n D90618A3 [IG]

(2) **STEPHEN BADER** 2" Belt Polisher, 4' Tri Wheel, with Cabinet, 7.5 HP [IG]

(2) **BLAST-IT-ALL** Sand Blast Cabinet, 45"x27" [IG]

CANABLAST 39" x 35" Sand Blast Cabinet [IG]

EMPIRE Sand Blast Cabinet with Vacuum, Model IG-3648, s/n 8509 [IG]
2005 **CANABLAST** Dust Collector, Model DEM 160, s/n MD-51L4-0201 [IG]

(2) **U.S. ELECTRICAL** Abrasive Saw, Model XX-3Y, 592068, 7.5 HP, 36" x 60" Metal Cabinet [IG]



3 INDUCTOTHERM FURNACES UP TO 330 CAP.

1993 **INDUCTOTHERM** 125 KW INDUCTION POWER SUPPLY, MODEL iPOWER-TRAK 125-30R



2 Available

PACIFIC KILN PRE-HEAT FURNACES, MODEL PBF-60-NG



PACIFIC KILN FLASH FIRE DEWAX OVEN, MODEL FFDWS-9484836-DB



7 Available

LIGHTNIN MODEL XJ117 INVESTMENT CASTING ELECTRIC MIXERS

PROXY BIDDING:

We will be happy to bid on your behalf if you are unable to attend our auction. Please call our office at 1-866-669-8893, or visit our websites to submit a proxy bid.
www.infassets.com or www.machinerynetworkauctions.com

1999



AMADA 10' X 138 TON HYD. PRESS BRAKE, MODEL Fx&B III-1253NT



MAZAK CNC VMC, MODEL VTC-200B



HECKLER & KOCH CNC VMC, MODEL BA 20 CNC



NAKAMURA-TOME CNC LATHE, MODEL SLANT-1



PROMECAM 6' 7" X 55 TON HYD. PRESS BRAKE, MODEL 1T2-050-20



PROMECAM 10' X 1/4" SHEAR, MODEL GHE 630



WHEELABRATOR SHOT BLAST CABINET

2000

AEROLYTE TUMBLER, MODEL BNP



STEPHEN BADER 2" BELT POLISHERS

CNC VERTICAL MACHINING CENTERS

2001 MAZAK CNC Vertical Machining Center, Model VTC-200B, Travelling Column Type, Cat 40, 24 ATC, Travel: X-44.09", Y-20.08" & Z-20.08", Table Size 20.08" x 57.48", Spindle Speed 10,000 RPM, 20 HP, MAZATROL PC-Fusion-CNC 640M Control, Plus Renishaw TS27R Probe System, s/n 154214

HECKLER & KOCH CNC Vertical Machining Center, Model BA 20 CNC, Travels: X-51.18", Y-13.77" & Z-7.87, Rapid Feed Rates: X & Y-39.37"/Min & Y-26.42"/Min, 7.87" Stroke, Dual 16.5" x 29.5" Pallets, 24 ATC, SK 30 Tooling, Heidenhain Control

CNC TURNING CENTER

NAKAMURA-TOME CNC Lathe, Model Slant-1, 8" 3-Jaw Chuck, 2.17 Bore, 14.17 Max Turning Length, 1.625" Collet Capacity, 12.99" Turning Diameter, 21.65" Swing, Travel: X-8.07" & Z-17.52", 12 Station Turret, 19 CTC, Tail Stock, FANUC System 11 TE Control, 15 HP, s/n C 21507, Plus Asst Sandvik Tooling

CNC PRESS BRAKES

1999 AMADA 10' x 138 Ton Hydraulic Up Stroke Press Brake, Model Fx&B III-1253NT, 118.1" Max Bending Length, 16.54" Open Height, 15.75" Throat Depth, 5.91" Stroke Of Ram, 106.3" Distance Between Uprights, 7 Axis Back Gauge: D1 & D2 Ram Depth, L1 & L2 Back Gauge, Y1 & Y2 Horizontal Finger & Z Vertical Finger, AMADA AMNC-PC-7 CNC Control, Full Length Tredal, 10 HP, 460V, s/n 12530068

PROMECAM 6' 7" x 55 Ton Hydraulic Press Brake, Model 1T2-050-20, 79" Max Bending Length, 12" Open Height, 16" Throat Depth, 4" Stroke Of Ram, 66" Distance Between Uprights, 2 Axis CNC Back Gauge, Hurco Autobend 5C CNC Control, Foot Pedal, 575V, s/n 0324

Large Selection Of Assorted Press Brake Tooling

FABRICATION EQUIPMENT

PROMECAM 10' x 1/4" Shear, Model GHE 630, 5.51" Max Stroke, 2.45"/Sec Cutting Speed, 3"/Sec Max Raise Speed, 46" Squaring Arm, Power Back Gauge, Sheet Support System, 7.5 HP, s/n 302

FIRST Mill, Model LC 185 VSX, 10" x 50" Table, 2 Axis Fagor DRO, Power X, 60-4,500 RPM, 5 HP, s/n 70903229 [IG]

SMART Milling Machine, 10" x 50" Table, 70-4,200 RPM, Power X, 2-Axis SINO DRO, s/n K4V972099

CHAMP Milling Machine, Model 3VH, 10" x 52" Table, 60-4,200 RPM, Power X-Axis, FAGOR 2 Axis DRO, s/n 3683

CHAMP Milling Machine, Model 2VS, 9" x 42" Table, 70-4,200 RPM, Power X, s/n 3674

KGB Vertical Milling Machine, Model 675, 8" x 28" Table, s/n 4163

HUSKY Milling Machine, Model AM-VC-AIS-A, 8" x 30" Table, s/n 802 [IG]

GOODWAY Lathe, Model GW-1660, 18" x 60", 2" Bore, 10" 3-Jaw Chuck, Tailstock, Steady Rest, Extra 14" 4 Jaw Chuck, s/n 74265

MAGER & WEDEMAYER Lathe, 18" x 30", 10" 3 Jaw Chuck, 2-1/4" Bore, Tailstock, Tool Post, s/n GP 74B 17AK [IG]

FEELER Lathe, Model FTS-27, SERIES II Variable Speed, 6 Station Turret, s/n 760214

FULLAND Sinker Type EDM, Model 630SD, 40" x 20" x 15" Tank Size, 24" x 14" Plate, Fire Suppression, s/n G3975

PROTH Surface Grinder, Model PSGS-614, 6" x 14" Magnetic Vise, s/n 508228-1

JONES-SHIPMAN Surface Grinder, Model: 540, w/ 6" x 18" Chuck [IG]

HESKA Vertical Band Saw, Model ESU-4F, 24" x 24" Table, 16" Throat, Blade Welding System, s/n 848735

DO-ALL Vertical Band Saw, Model 2005-NC, s/n 379-78103 [IG]

DELTA Vertical Band Saw, Model KC 3071, s/n 012965 [IG]

DELTA Vertical Band Saw, Model 31340, s/n 9826

SABI Semi-Automatic Horizontal Band Saw, Model EB250, s/n 86030118 [IG]

AZIMUTH Punch, Model 15-1P, s/n 2061 [IG]

(2) PEMSERTER 6 Ton Riveting Machine, Model 4, 18" Throat, Pneumatic Foot Pedal Control, s/n E4-610, E4-602, w/ Assorted Tooling, Dies & (3) 11 Drawer Cabinets 30"W x 20"D x 44"H, With Rivet Fastener Inventory

AEM 36" Metal Belt Sander, Model MEF-29-90, w/AEM Cooler Filtration Unit, s/n MA52647309, Plus Assorted Sanding Belts

JOHANSEN Horizontal Belt Sander, Model T-88K, 6" x 9-1/2", s/n 16084

(2) PROGRESS Horizontal Belt Sander, 6" x 48", s/n 12696

KING 36" Slip Rolls, Model BB-S5016, 22 Gage Capacity, 2" Diameter Rolls, w/ 24" x 36" Steel Table

DELTA Drilling Machine, Model 11-951, s/n R 88-20, KING 5/8" Press Drill, Model PD16BC, s/n 58738 [IG], 1993 Press Drill, Model KS-13, s/n 1080 [IG], APB Extensible Support, Model FT-200 w/ Accessories, 43" x 59" Metal Work Bench w/ Wheels, POWERMATIC 5" X 42" Belt Sander, Model 013, s/n 9510359, BALDOR 1/2 H.P. Work Bench Turntable [IG]

DELTA Drilling Machine, Model 11-951, s/n R 88-20, KING 5/8" Press Drill, Model PD16BC, s/n 58738 [IG], 1993 Press Drill, Model KS-13, s/n 1080 [IG], APB Extensible Support, Model FT-200 w/ Accessories, 43" x 59" Metal Work Bench w/ Wheels, POWERMATIC 5" X 42" Belt Sander, Model 013, s/n 9510359, BALDOR 1/2 H.P. Work Bench Turntable [IG]

SPOT WELDER

TAYLOR WINFIELD Spot Welder, Model ERB-36-100, 100 KVA, 4' Throat, w/ Large Coolant System With Tank



1 of 6 Mills

FIRST MILL MODEL LC 185 VSX



AEM 36" METAL BELT SANDER, MODEL MEF-29-90



HERMES GRAVOGRAPH, MODEL IS8000



PEMSERTER 6 TON RIVETING MACHINE, MODEL 4



1 of 2 Surface Grinders

PROTH SURFACE GRINDER, MODEL PSGS-614



1 of 3 Lathes

GOODWAY LATHE MODEL GW-1660



LASER DESIGN LASER CMM, MODEL SURVEYOR 1200



1 of 5 Stroke Sanders

JOHANSEN HORIZONTAL BELT SANDER, MODEL T-88K



FEELER LATHE MODEL FTS-27



UNIVERSAL LASER SYSTEMS LASER CUTTER, MODEL ULS 50PS

PLASMA CUTTER

HERMES DYNAMIC Plasma Cutting Machine, Model Cuttmaster 100, s/n 01499211

WELDERS

- (2) LINCOLN Tig Welder, Model Power Wave 455 M/STT
- LINCOLN Welder, Model Squarewave 255, w/ Cooler, Model Magnum
- (3) MILLER Tig Welder, Model Dynasty 350
- (2) MILLER Tig Welder, Model Dynasty 300 DX, 200 AMP, w/Miller Coolmate 3
- MILLER Welder, Model Millermatic 251, 200 AMP
- MILLER Welder, Model Syncrowave 250 DX, 250 AMP, w/Cooler s/n LB121672
- MILLER Tig Welder, Model Dynasty 200
- ACKLANDS Welder, Model AK-Matic 1200, w/ Canon gun And Feeder System, s/n XB063267 [IG]
- CANOX Welder, Model: C250 E-HF, w/ Cooler, s/n JG121974 [IG]
- TRION Smoke Hog, Model FRED-ICS-1.5, s/n ICS15v-S8-00182

PRECISION MEASURING

- LASER DESIGN Laser CMM, Model Surveyor 1200, Model RPS Laser Probe, 36" x 24" Marble Table, Renishaw MIP Probe, w/ Computer, s/n 12C4C97-SY00356 [IG]
- OPTICAL GAUGING PRODUCT (OGP) Optical Comparator, Model XL-30, 30" Diameter Screen, s/n 300108 [IG]
- MITUTOYO 12" To 24" Height Gages, 8" To 40" Verniers, 1" To 8" Micrometers, Dial indicators w/ Magnetic Bases, Gage Block sets, Pin Gage sets, Radius Gages, Portable Refractometer, Granite Surface Plates: 52" x 108" x 8", 36" x 24" x 6", 12" x 18" x 3",

ENGRAVING

- HERMES Gravograph, Model IS8000, 13,000 - 20,000 Variable Speed Spindle, 70 Watt Servo Spindle Motor, 3.15" Spindle Travel, 11/64" Tool Diameter, 35" Clearance Between Columns, w/ 24" x 48" Metal Table, Remote Control Pendant, Computer, s/n 190255/0699 [IG]
- UNIVERSAL LASER SYSTEMS Laser Cutter, Model ULS 50PS, 24"x18" Work Table, AF500 Dust Collector, s/n 1697 [IG]

LAB EQUIPMENT

- FISHER SCIENTIFIC Isotemp Lab Oven, Model 630F, 19"W x 15"D x 17"H Oven Capacity, 110 V, s/n 9010028
- COLE-PARMER Oven, Model G03053-20 with JB INDUSTRIES Pump [IG]
- MAGNAFLUX Black Light Model ZB-100F, w Jib Boom, Labino UV Floodlight, Stainless Steel Counter With Sink And (4) Tank Compartments [IG]
- HERMLE Centrifuge, Model: Z 232 MKII, 6 Tube Chamber [IG]
- OHAUS Digital Scale Model Adventure Pro AV812 [IG]
- ORION PH Meter Model 250A [IG]
- VERIFICATION Stainless Steel Unit [IG]

OVEN

OMEGA 10' x 12' x 9' Oven, 400 Degrees Fahrenheit, 8' x 11' x 6' Inside Chamber, w/Pump, Digital Omron Control

PAINT DEPT

- 42' METAL PAINT LINE, w/ Modular 10' x 20' Paint Booth With (2) 72" x 90" Double Swing Doors, And Modular 10' x 22' Drying Booth With 72" x 86" Double Lateral Sliding Doors, (17) Windows, 124' Tube Construction With Inter Chain Manual Parts Conveyor, Lighting, (14) 24" X 24" Filter Cartridges w/ Roof top Exhaust System, Sprinkler System, (7) IWATA LPH-95, (2) Binks 2001 Spray Guns, Mixing Stations, Parts Drying Carts
- Modular Paint Booth 10'x 11'x 7.5', Interior Lighting, Exhaust, Plus Enclosed 15'x 11'x 7.5' Spray Area, 9'x 11'x 7.5' Inspection Area, 6.5'x 11'x 7.5' Storage Area
- 2008 WAGNER Electrostatic Powder Coating Gun, Model Optister EPG, s/n 1183
- 2000 RED DEVIL Paint Mixer, Model 5400, 1 Gallon Capacity, 110 V, s/n 00HE0369
- Lot Assorted Chemical Coatings; Acrylic Enamel, Polyurethane Enamel, Acrylic Urethane, Epoxy Metal primer, Two Parts Epoxy coatings

COMPRESSORS

- COMPAIR 50 HP Hydrovane Air Compressor, Model HV37, w/ Receiving Tank, s/n AC08-575D
- PNEUMATECH Refrigerated Air Dryer, s/n 985198
- (2) COMPAIR 25 HP Hydrovane Air Compressors, Model 128 PUAS, s/n C20A 3301F 001889, C20A3210F001860 [IG]
- 5 HP Piston Air Compressor w/ Receiving Tank [IG]
- Assorted Lot: 25 HP Piston Air Compressor Without Receiving Tank (not Installed), Electric Motor, Assorted Condensators [IG]



OMEGA 10' X 12' X 9' OVEN



NEW MODULAR PAINT BOOTH



WAGNER ELECTROSTATIC POWDER COATING GUN

2008



42' METAL PAINT LINE W/ MODULAR BOOTHS



TAYLOR WINFIELD SPOT WELDER, MODEL ERB-36-100



13 ASSORTED MILLER & LINCOLN ELECTRIC WELDERS



JUNGHEINRICH ELECTRIC FORKLIFT, MODEL EFG 320

2004

1 of 3

FORKLIFTS

2004 JUNGHEINRICH Electric Forklift, Model EFG 320, 3,800 LBS Capacity, 3 Stage Mast, Side Shift, In/Out Tires, 42" Forks, s/n FN311250 w/ Charger [IG]

(2) JUNGHEINRICH Electric Forklifts, 4,000 lb Capacity, 3 Stage Mast, Side Shift, 4' Forks, w/ Chargers

RAW MATERIALS

Large Selection Of Assorted Stainless Steel, Steel Full Size Flat Stock, Satin, Galvanized, Plus Plexiglass, Lexan, Fiberglass Sheets, Plus Full Length Round, Square, Rectangular Steel Tubing, Plus Large Collection Of Scrap Steel, Stainless, Etc

Large Selection Of Assorted Corrugated Cardboard Boxes, Etc.

MISCELLANEOUS

CHAMPION 120V, 3000 Watt Portable Generator, Model CSA40015 [IG]

PRESTO 36" x 24" Scissor Table Cart

MONTREAL SCALE 500 lbs Floor Scale, s/n 68897 [IG]

TURBO-TEK 20 HP High Pressure Washer, Model 5050 [IG]

ALLOYD Plastic Forming Mill, Model 2S M 1428V, s/n 98028 [IG]

GENERAL Bench Saw, Model 350, s/n AG 5148 [IG]

(2) HEESEMAN 5" x 12' Stroke Sanders (Storage) [IG]

WALTER 10" Double Polishing Machine, Model 7226D, s/n 740825

FRED 48" x 36" Downdraft Vacuum Table

(2) NELSON Stud Welders, Model NCD 100

Complete Supply Room Including Electric, Pneumatic and Manual Hand Tools, DEWALT Cordless Tools, Drill Bits, Reamers, Blades, Air Guns, Shelving Units, Ladders

Huge Selection Of Asst. Heavy Duty Pallet Racking & Storage Systems, Over 125 Asst. Multi Level Rolling Carts, (50) 8.5" x 3.5" x 2 3/4 Aluminum Bins

Lot Assorted; Metal & Vinyl Banding Carts, Made 2 Manage Inventory Control Barcode System with Scanners, (4) Pallet Jacks, Tool Boxes, Large Selection of Lista Cabinets, Tooling, Fittings, Hardware, Large Selection Of Rolling Carts & Work Tables, DEWALT, MAKITA & MILWAUKEE Chop Saws, SIMONIZ S1700 Pressure Washer, Shopvacs, Flexarm 3/8" Tapping Arm, AIR KING Ind. Fan, Etc [M]

Office Furniture & Equipment, Filing Cabinets, Book-Shelves, Cabinets, Folding Tables, Horizontal Freezers, Refrigerator, Microwaves, Kitchen Accessories, Exercise Equipment; Weights And Benches, Stationary Bike, Abdominal Biceps, Triceps Machine, Ping Pong Table [M & IG]

Note: Matte & Ignace Facilities Are Beside Each Other Machinery with [M] Located At 2600 Matte Boulevard Machinery with [IG] Located At 17595 Rue Ignace

FINANCING AVAILABLE FOR ALL TYPES OF CREDIT

ADVANT LEASING LIMITED
 Jason Bonneville President
 5500 North Service Rd. Suite 803, Reimer Millennium Tower
 Burlington, ON L7L 6W6
 t: 905.335.3301 x224 f: 905.335.3302 t: 1.877.469.3360
 www.advantleasing.com e: jason@advantleasing.com

TERMS OF SALE



Payment: All payments must be in Cash, Certified Funds, Visa, MasterCard or Interac, Wire Transfers or Company Checks must be accompanied with a bank letter guaranteeing irrevocable payment to Infinity Asset Solutions Inc.

A 2% surcharge will apply on all payments made by credit card.

Online registration must be completed by 5pm, Tuesday February 22, 2011.

A 13.5% buyers premium will be added to all onsite purchases (16.5% Online).

A \$500 refundable security deposit is required upon onsite registration (\$2,000 Online).

A 25% deposit is required at time of purchase, balance due by 4 pm,

Thursday February 24, 2011. NO EXCEPTIONS.

All goods are sold "As Is, Where Is", ALL SALES ARE FINAL.

All subject to prior sale. All Sales in Canadian Funds.

Complete terms and conditions including removal procedures, are available on our website, will be posted at the auction and will be provided at the time of registration.

REMOVAL TIMES

All Items By Friday March 11, 2011. **Hours:** Monday – Friday between 8 am – 4 pm.

No items may be removed during auction. NO EXCEPTIONS.

DIRECTIONS:

From Montreal (Pierre Elliott Trudeau) Airport to: 2600 Matte Boulevard, Brossard, Quebec, Canada, J4Y 2P6

Approx. 28 KM, 30 Minutes.

Head east on Boulevard Romeo Vachon S, Slight right to stay on Boulevard Romeo Vachon S, Take Ramp onto Autoroute 520 W, At roundabout, take the 3rd exit onto Autoroute 20 E, Take exit 68-S E for Autoroute 20 E / Autoroute 10 towards Point Champlain / Quebec (11 km), Merge onto Autoroute 15 S / Autoroute 20 E, Continue onto Autoroute 10 E (11.6 km), Take exit for QC-134 o/Boulevard Taschereau O (West) towards La Prairie (3.8 km), Turn left at Boulevard Matte, Destination will be on the right.

HOTELS NEAR AUCTION SITE:

Comfort Inn Brossard	7863 Boulevard Taschereau, Brossard, Quebec	(450) 678-9350
Econo Lodge	8350 Boulevard Taschereau, Brossard, Quebec	(450) 466-2186
Best Western	7746 Boulevard Taschereau, Brossard, Quebec	(450) 466-6756

This brochure is meant merely as a guide. Infinity Assets make no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.



INFINITY
 Asset Solutions
 www.infassets.com 905.669.8893

AUCTIONS • LIQUIDATIONS • APPRAISALS • FINANCING

M-N-A
 MACHINERY NETWORK AUCTIONS

AUCTIONEERS | APPRAISERS | LIQUIDATIONS | FINANCING
 888-998-4440 | EMAIL: info@machinerynetworkauctions.com

Printed in Canada