

PUBLIC AUCTION

UNIQUE OPPORTUNITY TO PURCHASE BRAND NEW AND DEMO MACHINES AT AUCTION

AUCTION ENDS:
SEPTEMBER
12
2013
THURSDAY
4:00 P.M. ET

ONLINE AUCTION ONLY!

ONLINE BIDDING AVAILABLE **BidSpotter.com**

INSPECTION: Wednesday, September 11, from 8:00am to 3:00pm ET

(15) HYUNDAI WIA NEW AND DEMO CNC MACHINES



W/MILLING



2012 **BRAND NEW**

HYUNDAI WIA L400LMC CNC TURNING

40"/57" SWING **3 AVAILABLE**



2012 **BRAND NEW**

HYUNDAI WIA LV1400 VERTICAL TURRET LATHE

4-AXIS



2012 **BRAND NEW**

HYUNDAI WIA KH1000 HORIZONTAL MACHINING CENTER

C & Y AXES



2011 **UNCRATED**

HYUNDAI WIA L200Y CNC TURNING MACHINE



MACHINERY NETWORK AUCTIONS
AUCTIONEERS | APPRAISERS | LIQUIDATION | FINANCING
Tel. 888.998.4440 • machinerynetworkauctions.com

FOR MORE INFORMATION AND COMPLETE PHOTO GALLERY GO TO:
www.machinerynetworkauctions.com
www.infinityassets.com or call Gary: 888-998-4440
or email: info@machinerynetworkauctions.com

Sale in Conjunction with:



INFINITY Asset Solutions
63 Maplecrete Road, Concord, Ontario L4K 1A5 Canada
Tel: (905) 889-8893 • Fax: (905) 669-7512
AUCTIONS • LIQUIDATIONS • FINANCING • APPRAISALS

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
--------------	-------	----------------	------	----------	-----------	---------------------------------	----------

CNC TURNING MACHINES

HYUNDAI WIA	L400LMC	FANUC 32iT-A CONTROL, 30" MAX SWING, 82.7" MAX TURN LENGTH, C-AXIS MILLING, 22" MAX TURN DIAMETER, 15" HYDRAULIC CHUCK, 4.6" BAR. CAP., 5.1" SPINDLE BORE, A2-11 SPINDLE NOSE, 2,000 RPM, 50HP, TLSTK	2012	0098	BRAND NEW IN CRATE	ONE YEAR	NJ
HYUNDAI WIA	L400MC	FANUC 32iT-A CONTROL, 30" MAX SWING, 45" MAX TURN LENGTH, C-AXIS MILLING, 22" MAX TURN DIA, 15" HYDRAULIC CHUCK, 4.6" BAR CAP., 5.1" SPINDLE BORE, A2-11 SPINDLE NOSE, 50 HP, 2,000 RPM	2012	0023	BRAND NEW IN CRATE	ONE YEAR	CA

CNC MULTI-AXIS TURNING CENTERS

HYUNDAI WIA	L200Y	FANUC 32iA CONTROL, 21.7" MAX SWING, 20.9" MAX TURN LENGTH, C-AXIS MILLING, Y-AXIS MILLING, 8" CHUCK, 2.6" BAR CAPACITY, 3.1" SPINDLE BORE, 9.4 MAX TURN DIA, 4,000 RPM, 20HP	2011	0035	UNCRATED	90 DAYS	NJ
HYUNDAI WIA	SKT300MS	FANUC 18i-TB CONTROL, MILLING, , 29.5" MAX SWING, 26" MAX TURN LENGTH, C-AXIS & SUB-SPINDLE, 12" & 8" CHUCKS, 3.5" BAR CAP. MAIN SPINDLE, 2.6" BAR CAP. SUB-SPINDLE, 19.3" MAX TURN DIA, 3000 RPM MAIN SPINDLE, 4000 RPM SUB	2011	0068	BRAND NEW IN CRATE	ONE YEAR	NJ
HYUNDAI WIA	SKT250SY	FANUC 18i-TB CONTROL, 6 AXIS, C-AXIS MILLING, Y-AXIS MILLING, SUB-SPINDLE, 10" CHUCK, 3" BAR CAP., 3.7" SPINDLE BORE, 2" SUB SPINDLE BORE, 3.5K RPM, 6K RPM SUP SPINDLE, 30 HP, 10 HP SUB SPINDLE	2008	002	UNCRATED	90 DAYS	NJ
HYUNDAI WIA	SKT250LMS	FANUC 21i-TB CONTROL, 29.5" MAX SWING, 49.2" MAX TURN LENGTH, C-AXIS MILLING W/SUB-SPINDLE, 10" CHUCK, 3" BAR CAP., 3.7" MAIN SPINDLE BORE, 3" SUB SPINDLE BORE, 16.1 MAX TURN DIA, 3.5K RPM MAIN, 4K RPM SUB SPINDLE, 29.5 HP MAIN, 14.7 HP SUB SPINDLE	2008	0003	UNCRATED	90 DAYS	FL
HYUNDAI WIA	SKT200TT-SY	FANUC 18i-TB CONTROL, 9 AXIS, (2) 10" CHUCKS, (2) TURRETS, C-AXIS MILLING BOTH SPINDLES, Y-AXIS MILLING TOP TURRET, (2) 10" CHUCKS, 2.6" BAR CAP., 3" SPINDLE BORE, 15.4" MAX TURN DIA (UPPER) / 11.8" MAX TURN DIA (LOWER), 5K RPM, 33 HP BOTH SPINDLES	2008	0025	UNCRATED	90 DAYS	TX
HYUNDAI WIA	SKT15L	FANUC 0i-TC CONTROL, 21" MAX SWING, 16.1" MAX TURN LENGTH, 6" CHUCK, 1.7" BAR CAP., 2" SPINDLE BORE, 6K RPM, 15 HP, 13.8 MAX TURN DIAMETER	2011	0084	BRAND NEW IN CRATE	ONE YEAR	NJ

VERTICAL TURRET LATHES

(3) HYUNDAI WIA	LV1400	FANUC 32iA CONTROL, 40" CHUCK, 57" SWING, 55" MAX TURN DIA, 31.5" MAX TURN LENGTH, 31.5" RAM TRAVEL, 37.5" CLEARANCE UNDER RAM, 494 RPM, 50 HP, 12 ATC, CC	2012	006, 008 & 009	BRAND NEW IN CRATE	ONE YEAR	NJ & CA
-----------------	--------	--	------	----------------	--------------------	----------	---------

HORIZONTAL MACHINING CENTERS

HYUNDAI WIA	KH1000	FANUC 31i-A CONTROL, (2) 39.4" PALLETS, 82.7"X53.1"X55.1" TRAVELS, 8000 RPM, CAT 50 TAPER, 34 HP, GEARED, 807 FT.LB. TORQUE, 6,600 LB LOAD CAPACITY, CTS, CC	2012	0062	BRAND NEW IN CRATE	ONE YEAR	NJ
HYUNDAI WIA	HS6300	FANUC 31i-A CONTROL, (2) 24.8" PALLETS, 41"X34"X34" TRAVELS, 1 DEGREE, 90 ATC, 8K RPM, 25HP,781 FT. LB. TORQUE, 1969"/MIN. RAPIDS, CAT 50, GEARED, CTS, CC.	2013	0023	BRAND NEW IN CRATE	ONE YEAR	NJ

VERTICAL MACHINING CENTERS

(2) HYUNDAI WIA	HI-V50DH	FANUC 0i-MC CONTROL, DUAL PALLET, 27.6"X19.7" EACH, 23.6"X18.1"X22.4" TRAVELS, 12,000 RPM, 15 HP, CAT 40 TAPER, 30 ATC, COOLANT THRU SPINDLE, SPINDLE CHILLER, 7.9"-30.3" DISTANCE TABLE TO NOSE	2011	1050 0555	UNCRATED	90 DAYS	NJ
-----------------	----------	--	------	-----------	----------	---------	----

Are you Considering an Auction?

For a confidential inquiry call Gary at 888-998-4440 or email gt@machinerynetworkauctions.com

CNC TURNING MACHINES

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	L400LMC	FANUC 32iT-A CONTROL, 30" MAX SWING, 82.7" MAX TURN LENGTH, C-AXIS MILLING, 22" MAX TURN DIAMETER, 15" HYDRAULIC CHUCK, 4.6" BAR. CAP, 5.1" SPINDLE BORE, A2-11 SPINDLE NOSE, 2,000 RPM, 50HP, TLSTK	2012	0098	BRAND NEW IN CRATE	ONE YEAR	NJ
HYUNDAI WIA	L400MC	FANUC 32iT-A CONTROL, 30" MAX SWING, 45" MAX TURN LENGTH, C-AXIS MILLING, 22" MAX TURN DIA, 15" HYDRAULIC CHUCK, 4.6" BAR CAP., 5.1" SPINDLE BORE, A2-11 SPINDLE NOSE, 50 HP, 2,000 RPM	2012	0023	BRAND NEW IN CRATE	ONE YEAR	CA

30" x 80"

2 AVAILABLE



MACHINE IN CRATE

2012

EQUIPPED WITH:

- FANUC 32iT-A CNC Control
- 10.4" COLOR LCD CRT with standard full key board
- 12-position Drum Turret
- Complete Coolant System: Separated tank 300 Liters (79.3 gal)
- Chip and Coolant Splash Guarding (Full Coverage)
- 15 Inch Dia. Hydraulic Thru-hole Chuck Package:
 - Draw Tube I.D. : 117.5 mm
 - Samchully Kitagawa HCH15A08 with one (1) set of soft jaws
- Hyd. unit: 13 liters, 2.95 Hp, 23 liter/min(60Hz), 60 kg/cm2
- Foundation Kit (Leveling Pads)
- Manuals: one(1) each (Programming, Operating, Installation, Part List, Electric circuit diagrams)
- Auto Q-setter
- Front door Interlock
- Standard work light
- Chuck open/close confirmation
- Programmable live tail stock
- High pressure coolant (6 bar)
- Spindle rpm + load meter
- Work counter B
- Customer macro B & variables (200ea)
- BMT 75 live tooling with C1 axis
- Operation status lights (yellow)

VERTICAL TURRET LATHES

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
(3) HYUNDAI WIA	LV1400	FANUC 32iA CONTROL, 40" CHUCK, 57" SWING, 55" MAX TURN DIA, 31.5" MAX TURN LENGTH, 31.5" RAM TRAVEL, 37.5" CLEARANCE UNDER RAM, 494 RPM, 50 HP, 12 ATC, CC	2012	006, 008 & 009	BRAND NEW IN CRATE	ONE YEAR	NJ & CA

40"/57" SWING

12 ATC



2012

BRAND NEW


EQUIPPED WITH:

- FANUC 32iA CNC Control
- 40" 3-Jaw Power Chuck
- Chip Conveyor
- Full Enclosure
- 10.4" COLOR LCD CRT with standard full key board
- Complete Coolant System : Separated tank 420Liters (111 gal)
- Chip and Coolant Splash Guarding (Full Coverage)
- Hydraulic unit: 40 liters, 70 kg/cm2 psi
- Foundation Kit (Leveling Pads)
- Manuals: one (1) each (Programming, Operating, Installation, Part List, Electric circuit diagrams)
- Front door Interlock
- Standard work light
- Operation status lights (yellow)
- Actuator (Cylinder for the Chuck)

CURRENT MODEL SOLD BY HYUNDAI WIA

CNC MULTI-AXIS MACHINES

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	L200Y	FANUC 32iA CONTROL, HIGH ACCURACY & HIGH PRODUCTION, 21.7" MAX SWING, 20.9" MAX TURN LENGTH, C-AXIS MILLING, Y-AXIS MILLING, 8" CHUCK, 2.6" BAR CAP., 3.1" SPINDLE BORE, 9.4 MAX TURN DIA, 4,000 RPM, 20HP	2011	0035	UNCRATED	90 DAYS	NJ



EQUIPPED WITH:

- FANUC 32iA CNC Control
- 10.4" COLOR LCD CRT with standard full key board
- Complete Coolant System: Separated tank 185 Liters (48.9 gal)
- 8 Inch Dia. Hydraulic Thru-hole Chuck Package:
 - Draw Tube I.D.: 66.5 mm(2.6")
 - Samchully Kitagawa H-08A06 with one (1) set of soft jaws
- Front Door Interlock
- Hyd. unit : 15 liters, 1 Hp, 14 liter/min(60Hz), 50 kg/cm2
- Auto Q-setter
- Manuals : one(1) each (Programming, Operating, Installation, Part List, Electric circuit diagrams)
- Standard work light (yellow)
- Chuck open/close confirmation
- Bar feeder Interface (LNS)
- High pressure coolant (6 bar)
- Work counter B
- Spindle rpm + load meter
- Customer macro B & variables (200ea)
- 12D Drum Turret Standard Tooling Package (Inch)
 - Axial Driven Holder: VDI 40, 2 pcs; Radial Driven Holder: VDI 40, 2 pcs; Out-Diameter Holder: 1" x 1", 4 pcs; Grooving Tool Holder: 1" x 1", 2 pcs; Boring Tool Holder: 1-1/4", 2 pcs; Boring Bar Socket: 1", 1 pcs; Boring Bar Socket: 3/4", 1 pcs; Boring Bar Socket: 1/2", 1 pcs; Drill Socket: MT2, 1 pcs; Drill Sleeve: MT1x2, 1 pcs; Milling Collet, 11 ea

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	SKT300MS	FANUC 18i-TB CONTROL, MILLING, , 29.5" MAX SWING, 26" MAX TURN LENGTH, C-AXIS & SUB-SPINDLE, 12" & 8" CHUCKS, 3.5" BAR CAP. MAIN SPINDLE, 2.6" BAR CAP. SUB-SPINDLE, 19.3" MAX TURN DIA, 3000 RPM MAIN SPINDLE, 4000 RPM SUB	2011	0068	BRAND NEW IN CRATE	ONE YEAR	NJ



EQUIPPED WITH:

- FANUC 18I-TB Control
- Std. 12" Main & 8" Sub Spindle Chuck
- Std. Soft Jaws
- Splash Guard
- Coolant System
- Tail Stock
- Live Center
- Foot Switch
- Q-Setter
- Spindle Load Meter
- Work Light
- Call Light (Yellow)
- Boring Bar Socket
- Drill Socket (MT 2,3,4)
- U-Drill Holder
- Tool Box & Hand Tools
- Leveling Pads
- Manual Tailstock

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	SKT250SY	FANUC 18i-TB CONTROL, 29" MAX SWING, 24.4" MAX TURN LENGTH, C-AXIS MILLING, Y-AXIS MILLING, SUB-SPINDLE, 10" CHUCK, 3" BAR CAP., 3.7" SPINDLE BORE, 2" SUB SPINDLE BORE, 3.5K RPM, 6K RPM SUP SPINDLE, 30 HP, 10 HP SUB SPINDLE	2008	002	UNCRATED	90 DAYS	NJ




EQUIPPED WITH:

- FANUC 18i-TB CNC Control
- 10.4" Color LCD CRT with standard full key board
- 12-position Drum Turret
- Complete Coolant System: Separated tank 220 Liters (58.1 gal)
- Chip and Coolant Splash Guarding (Full Coverage)
- 10 Inch Dia. Hydraulic Thru-hole Chuck Package
- Draw Tube I.D. : 77 mm
- Samchully Kitagawa HAS-10 with one (1) set of soft jaws
- Hyd. unit: 40 liters, 2 Hp, 19 liter/min(60Hz), 50 kg/cm2
- Auto Q-setter
- Foundation Kit (Leveling Pads)
- Front door Interlock
- Manuals: (1) each (Programming, Operating, Installation, Part List, Electric circuit diagrams)
- Standard work light (yellow)
- Chuck open/close confirmation
- Bar feeder Interface (LNS)
- High pressure coolant (6 bar)
- Work counter B
- Spindle rpm + load meter
- Customer macro B & variables (200ea)
- Main and sub spindle C axis
- VDI 40 Live Turret
- Parts catcher for sub spindle
- Parts ejector for sub spindle



CNC MULTI-AXIS MACHINES


MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	SKT250LMS	FANUC 21i-TB CONTROL, 29.5" MAX SWING, 49.2" MAX TURN LENGTH, C-AXIS MILLING W/SUB-SPINDLE, 10" CHUCK, 3" BAR CAP, 3.7" MAIN SPINDLE BORE, 3" SUB SPINDLE BORE, 16.1 MAX TURN DIA, 3.5K RPM MAIN, 4K RPM SUB SPINDLE, 29.5 HP MAIN, 14.7 HP SUB SPINDLE	2008	0003	UNCRATED	90 DAYS	FL



EQUIPPED WITH:

- FANUC 21i-TB CNC Control
- 8" Spindle Chuck
- 10.4" COLOR LCD CRT with standard full key board
- 12-position Drum Turret
- Complete Coolant System: Separated tank 315 Liters (83.2 gal)
- Chip and Coolant Splash Guarding (Full Coverage)
- 10 Inch Dia. Hydraulic Thru-hole Chuck Package:
- Draw Tube I.D. : 77 mm
- Samchully Kitagawa HAS-10 with one (1) set of soft jaws
- Hydraulic unit : 40 liters, 2 Hp, 28 liter/min(60Hz), 35 kg/cm2
- Foundation Kit (Leveling Pads)
- Manuals : one (1) each (Programming, Operating, Installation, Part List, Electric circuit diagrams)
- Manual Q-setter
- Front door Interlock
- Standard work light (yellow)
- Chuck open/close confirmation
- Bar feeder Interface (LNS)
- High pressure coolant (6 bar)
- Work counter B
- Spindle rpm + load meter
- Customer macro B & variables (200ea)
- Parts catcher for sub spindle
- Parts ejector for sub spindle

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	SKT200TT-SY	FANUC 18i-TB CONTROL, 9 AXIS, (2) 10" CHUCKS, (2) TURRETS, C-AXIS MILLING BOTH SPINDLES, Y-AXIS MILLING TOP TURRET, (2) 10" CHUCKS, 2.6" BAR CAP, 3" SPINDLE BORE, 15.4" MAX TURN DIA (UPPER) / 11.8" MAX TURN DIA (LOWER), 5K RPM, 33 HP BOTH SPINDLES	2008	0025	UNCRATED	90 DAYS	TX



EQUIPPED WITH:

- FANUC 18i-TB CNC Control
- 10.4" COLOR LCD CRT with standard full key board
- (2) 12-position Live Drum Turret (upper & low)
- Main/Sub spindle with C axis
- Complete Coolant System: Separated tank 230 Liters (60.8 gal)
- Chip and Coolant Splash Guarding (Full Coverage)
- 8 Inch Dia. Hydraulic Thru-hole Chuck Package:
- Draw Tube I.D. : 66.5 mm
- Samchully Kitagawa H-08A06 with one (1) set of soft jaws
- Standard Work Light
- Chuck Foot Switch
- Chuck Open/close by M-code
- Front Door Interlock
- Hydraulic unit : 20 liters, 2 Hp, 17 liter/min(60Hz), 35 kg/cm2
- Q-setter
- Bar feeder Interface (LNS)
- High pressure coolant (6 bar)
- Foundation Kit (Leveling Pads)
- Manuals : one(1) each (Programming, Operating, Installation, Part List, Electric circuit diagrams)

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	SKT15L	FANUC 0i-TC CONTROL, 21" MAX SWING, 16.1" MAX TURN LENGTH, 6" CHUCK, 1.7" BAR CAP, 2" SPINDLE BORE, 6K RPM, 15 HP, 13.8 MAX TURN DIAMETER	2011	0084	BRAND NEW IN CRATE	ONE YEAR	NJ



EQUIPPED WITH:

- FANUC 0i-TC CNC Control
- 8.4" LCD CRT with standard full key board
- 12-position Drum Turret
- Complete Coolant System: Separated tank 135 Liters (35.7 gal)
- Chip and Coolant Splash Guarding (Full Coverage)
- 6 Inch Dia. Hydraulic Thru-hole Chuck Package
- Draw Tube I.D.: 46 mm
- Samchully Kitagawa HS-06A05 with (1) set of soft jaws
- Hyd. unit: 15 liters, 1 Hp, 14 liter/min(60Hz), 35 kg/cm2
- Foundation Kit (Leveling Pads)
- Manuals : one(1) each (Programming, Operating, Installation, Part List, Electric circuit diagrams)
- Manual Q-setter
- Front door Interlock
- Standard work light
- Chuck open/close confirmation
- One touch tail stock
- Bar feeder Interface (LNS)
- High pressure coolant (6 bar)
- Work counter B
- Spindle rpm + load meter
- Customer macro B & variables (200ea)
- Operation status lights (yellow)

HORIZONTAL MACHINING CENTERS

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	KH1000	FANUC 31i-A CONTROL, (2) 39.4" PALLETS, 82.7"X53.1"X55.1" TRAVELS, 8000 RPM, CAT 50 TAPER, 34 HP, GEARED, 807 FT.LB. TORQUE, 6,600 LB LOAD CAPACITY, CTS, CC	2012	0062	BRAND NEW IN CRATE	ONE YEAR	NJ

80" x 53" x 55" TRAVELS

4-AXIS



EQUIPPED WITH:

- FANUC 31i-A Control
- Full 360,000 Position Indexing
- Full Enclosure
- Chip Conveyor
- Coolant through the Spindle
- With 1,000 PSI
- Total Splash Guard
- Flood Coolant
- APC (2 Pallet)
- Sp. Cooling Unit
- Coolant Tank
- Internal Chip Conv (2 Set)
- Work Light/Std. Tool Kit & Box
- Leveling Pads & Bolts
- Jet Coolant
- Oil Skimmer

Current Model

2012

BRAND NEW

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
HYUNDAI WIA	HS6300	FANUC 31i-A CONTROL, (2) 24.8" PALLETS, 41"X34"X34" TRAVELS, 1 DEGREE, 90 ATC, 8K RPM, 25HP,781 FT. LB. TORQUE, 1969"/MIN. RAPIDS, CAT 50, GEARED, CTS, CC.	2013	0023	BRAND NEW IN CRATE	ONE YEAR	NJ

BIG PLUS SPINDLE



EQUIPPED WITH:

- FANUC 31i-A CNC Control
- Standard Work Light
- Rigid Tapping (Max 4,800 rpm)
- Coolant System (800 liter)
- Chip and Coolant Splash Guarding
- Spindle Taper Air Blow During Tool Change
- Lubrication System
- Machine Arranged for 220v + 5% volt operation
- Foundation Kit
- One (1) set of Adjusting Tools and Manuals
- 2 Pallet Changer System
- Door Interlock
- 90 Tool Capacity
- Big Plus Spindle(BBT#50)
- Spindle thru coolant (70 Bar)
- Spindle override + rpm + Load meter
- Chip conveyor side type
- Oil chiller unit for spindle
- Worker counter B type
- Manuals: one (1) each
- Programming
- Operating (including tooling, maintenance)
- Parts List
- Electric circuit diagrams

2013

BRAND NEW

VERTICAL MACHINING CENTERS

MANUFACTURER	MODEL	SPECIFICATIONS	YEAR	SERIAL #	CONDITION	WARRANTY ON MACHINES & CONTROLS	LOCATION
(2) HYUNDAI WIA	HI-V50DH	FANUC 0i-MC, DUAL PALLET, 27.6"X19.7" EACH, 23.6"X18.1"X22.4" TRAVELS, 12,000 RPM, 15 HP, CAT 40 TAPER, 30 ATC, COOLANT THRU SPINDLE, SPINDLE CHILLER, 7.9"~30.3" DISTANCE TABLE TO NOSE	2011	1050 0555	UNCRATED	90 DAYS	NJ

A.P.C.

2 AVAILABLE

EQUIPPED WITH:

- FANUC 0i-MC Control
- 8.4" Color TFT Monitor
- 640 M (2,100 ft) Memory Capacity
- Rigid Tapping (Max 4,000 rpm)
- Spindle Through Coolant with 20 kg/cm2 (285 psi)
- Swing OP-Panel & Remote M.P.G. for easy operation
- Complete Coolant System (300 liter / 79 gallon Tank Cap.)
 - 0.4 kW(0.5 Hp) Pump for Bed Flushing, 0.4 kW (0.5 Hp) Pump for Flood
- Standard Work Light (1 color)
- Full Closed Splash Guarding
- Front Door Interlock
- Spindle Taper Air Blow During Tool Change
- Hydraulic Unit (60 liter, 2.2 KW, 45 kg/cm2)
- Machine Arranged for 220v + 5%, 0 Hz volt operation
- Foundation Kit
- Manuals: one (1) each
- Programming
- Operating (including tooling, maintenance)
- Electric circuit diagrams
- Parts List



2011

UNCRATED

(4) MORE MNA UPCOMING AUCTIONS

CNC MACHINERY & EQUIPMENT INVOLVED IN STATE-OF-THE-ART MOLD & DIE BUILDING
Inglewood, CA – August 22, 2013

LIBERTY DUCT – CLOSURE OF A HVAC DUCT MANUFACTURING FACILITY
Las Vegas & Sacramento – September 10, 2013

FORMER ASSETS OF TOTAL QUALITY PLASTICS
Wisconsin – September 26, 2013

FORMER ASSETS OF M&M MOLDING
New Jersey – October 1, 2013

TERMS & CONDITIONS

Internet bidders are required to pay in full within 24 hours of final invoice. Applicable sales tax will be added to the purchase price and the buyer's premium of all taxable items. The Auctioneer and seller expressly and specifically disclaim, without limitation, any warranty of merchantability or fitness for a particular purpose. Terms, for online sales we usually have the following: Online Bidders Must Register By 5pm Wednesday Sept 11. Balance Due By 4pm Friday September 13th. Customers can get additional consideration along with finance company pre-approval letter. Removal Deadline: September 25th. A \$2,000 refundable security deposit is required upon online registration. 18% Buyer's Premium applies on all sales ALL SALES ARE FINAL! Complete terms and conditions including removal procedures are available on our website. RIGGING / REMOVAL IS THE RESPONSIBILITY OF THE BIDDER / BUYER. All removal activity must be in accordance with OSHA guidelines and safety standards. REMOVAL MAY BE BEGIN WHEN THE AUCTION HAS BEEN COMPLETED & PAYMENT IN FULL HAS BEEN MADE.

REMOVAL DEADLINE: September 25, 2013

WARRANTY DISCLAIMER

All crated machines are sold with a one-year warranty on all Hyundai-Wia parts plus Fanuc's two-year warranty on the control. The uncrated machines will be at 90 days on all Hyundai-Wia parts and one-year on the Fanuc control.

Full warranty details available on our web-site
www.machinerynetworkauctions.com

DISCLAIMER: Auctioneer is not responsible for errors, omissions, additions or deletions. Items offered may not necessarily be sold as described and/or photographed.

Buyers should verify all aspects of their potential purchases during inspection. Please check with the auctioneer's office for additions or deletions.

ONLINE BIDDING AVAILABLE



PROXY BIDS: If you are unable to participate in this sale Proxy Bids are accepted. Proxy bids may be submitted online directly from the lot catalog or call (818) 788-2260 for a proxy bid form.



AUCTIONEERS | APPRAISERS | LIQUIDATIONS | FINANCING
888-998-4440 | EMAIL: gt@machinerynetworkauctions.com

15910 Ventura Blvd, Suite 1410
Encino, CA 91436
www.machinerynetworkauctions.com

888-998-4440

Sale in
Conjunction
with:



PUBLIC AUCTION

(15) HYUNDAI WIA NEW AND DEMO CNC MACHINES

ONLINE AUCTION ONLY!

INSPECTION: Wed., Sept. 11, 8am to 3pm ET

ONLINE BIDDING AVAILABLE **BidSpotter.com**

AUCTION ENDS:
SEPTEMBER

12
2013

THURSDAY
4:00 P.M. ET



9-AXIS

2008

UNCRATED

HYUNDAI WIA SKT200TT-SY CNC MULTI-AXIS MACHINE

**Attention
Plant Manager**



Auctioneer, Mark Schustrin, BOND #14-SUR-140246



Scan Here
to Register
for the Sale!



PUBLIC AUCTION

(15) HYUNDAI WIA NEW AND DEMO CNC MACHINES

INSPECTION: Wednesday, September 11, from 8:00am to 3:00pm ET

AUCTION ENDS:
SEPTEMBER

12
2013

THURSDAY
4:00 P.M. ET



2011

BRAND NEW

HYUNDAI WIA SKT300MS CNC MULTI-AXIS MACHINE



3 AVAILABLE

2012

BRAND NEW

HYUNDAI WIA LV1400 VERTICAL TURRET LATHE



2 AVAILABLE

2011

UNCRATED

HYUNDAI WIA HI-V50DH VERT. MACHINING CENTER

HELP DESK

For Online Registration, Inspection & Transportation,
Call Gary at (888) 998-4440 or email
info@machinerynetworkauctions.com

REMOVAL DATE:

Items Must be Removed by
Sept. 25, 2013. No Exceptions

ONLINE
BIDDING
AVAILABLE



MACHINERY NETWORK AUCTIONS
AUCTIONEERS | APPRAISERS | LIQUIDATION | FINANCING
Tel. 888.998.4440 • machinerynetworkauctions.com

FOR MORE INFORMATION AND
COMPLETE PHOTO GALLERY GO TO:
www.machinerynetworkauctions.com
www.infinityassets.com or call Gary: 888-998-4440
or email: info@machinerynetworkauctions.com

Sale in Conjunction with:



WWW.MACHINERYNETWORKAUCTIONS.COM