

PUBLIC AUCTION

As Appointed By The Trustee In Bankruptcy

Lakehead Marine & Industrial Inc. Complete Shipyard Featuring Large Capacity Turning, Boring & Bending

401 Shipyard Road, Thunder Bay, Ontario, Canada



Auction: Wednesday November 12, 10:00 AM (ET)
Inspection: Tuesday November 11, 9 AM to 4 PM (Over 1,000 Lots!)

**Bid Live Onsite
& Online Via
 BidSpotter.com®**

 **INFINITY**
Asset Solutions
infinityassets.com 905.669.8893
AUCTIONS • LIQUIDATIONS • FINANCING • APPRAISALS

 **Hilco** Industrial
www.hilcoind.com

VERTICAL BORING MILLS

Swing 196.8"



SCHIESS Model 2K 300/500 Vertical Boring Mill, Table Diameter 118.1", Swing 196.8", Horizontal Head Travel 102", Vertical Head Travel 66.9", Approx. Work Height Under Rail 78.74", 4 Jaw Chuck, Twin Swiveling Rams, 2 Sony 2 Axis DRO's, Dual Pendant Control, Operator Panel, .71 – 52.5 RPM, Threading, 40 HP, sn 73138
(2) Spare Chuck Mounting Plates Available, Up To 13'

**Complete Contents Of Ship Building
And Fabrication Facility**

KING 52" Vertical Boring Mill, 5 Position Turret, Ram, Side Head, Table Diameter 52", Swing 56", Approx. 43" Under Rail, 25 HP, sn N/A

BORING MILLS

6" Spindle



Also Available: Vertical Head Attachment, Spindle Support, Angle Plates, Boring Bars, Tooling Etc.



ASQUITH 6" Floor Type Horizontal Boring Mill, 50 Taper Power Drawbar, Travels: X-240", Y-96", Z-60", Spindle Speed Range 1.5 - 600 RPM, Spindle Feed Rate .018 - 60 IPM, Fagor Innova 3 Axis DRO, 32" Dia. Facing Head, 96" x 96" Infeeding Power Rotary Table w/ Pendant, (120" x 180" Floor Plate) (May be sold separately) Threading, Full Pendant Controls, 30 HP, sn S20907.

Bid Live ONSITE or ONLINE at

BidSpotter.com[®]

KEARNS Model D5 Horizontal Boring Mill, Travels (Approx) X-96", Y-84", Z-48", 48" x 74" T Slotted Table, 59.1" x 59.1" T Slotted Riser Table, 400 RPM, 32" Facing Head, Tailstock, sn 4355

LARGE CAPACITY LATHES – 13 AVAILABLE UP TO 88" X 472"



Max 70.8" x 472.4"



GEMINIS Engine Lathe
Model GE-1400-S



Max 62.9" x 393.4"



GEMINIS Engine Lathe
Model GE-1200-S

**Plus: 10 More Lathes
By: TOS, BERTRAM,
GEMINIS, AMERICAN
& More!**



Max 88" x 472.4"

MEUSER Engine Lathe Model MVIIS

MOBILE CRANES



GROVE Industrial Tractor Crane Carrier Model 8450 G, sn BCIX5016LN 32180, 1974, GVWR 82,000 lb, Front & 1st Int Axles 18,000 lb, 2nd Int & Rear Axle 23,000 lb, 4,216 Miles, Grove Mobile Crane Model TMS 475 LP, Up To 100,000 lb Capacity, 142' Max Reach, 4 Stage Boom, 6' Outriggers, sn 32180



COLBY Mobile Gantry Crane, Model 240, 45 Ton Capacity, Radius Range 67' - 143', Up To 30 FPM, Plus 5 Ton Auxiliary Hoist at Any Radius, Up To 150 FPM, Cab Operated Full Control, Crane Smart Digital Readout, Hoist Room Monitor, Gantry Bridge Travel 110 FPM, Travels on Rail, Approx Max Wheel Load at Gantry 80,000 lb, Approx Crane Weight 250,000 lb, 550 V, sn 42121-45-MON-240



BMC Model IC80 1B Mobile Crane, Max 17,000 lb on Outriggers, Max 30', Up To 70 Degree, Cab, sn 813B

LORAIN Model MC 8150 Long Tapered Peak Boom Crane, 10 x 4, 150 Ton Capacity, 6 Sheaves, Working Range 90' - 350', 0-80 Degrees, 2 Winches, 4 - 10' Outriggers, Radio Load System Model 737, Diesel Cummins Engine, 665 Miles, sn 35918

LATHES

GEMINIS Model GE-1400-S Engine Lathe with 2-Carriages, Swing Over Gap 70.8", Over Bed 56.7", Over Carriage 42.1", Distance Between Centers 472.4", Bed Length 514", 47" 4 Jaw Chuck, Spindle Bore 4.1", Speeds 2.8-560 RPM, 3 Steady Rests, Follow Rest, Tailstock Quill Diameter 6", Inch/Metric Threading, Taper Attachment, Coolant, 40 HP, sn 5388

GEMINIS Model GE-1200-S Engine Lathe with 2-Carriages, Swing Over Gap 62.9", Over Bed 49.6", Over Carriage 34.2", Distance Between Centers 393.4", Bed Length 438", 47.2" 4 Jaw Chuck, Spindle Bore 4.12", Speeds 2.8-450 RPM, 3 Steady Rests, Tailstock Quill Diameter 6", 40 Ton Weight Capacity, 3 Steady Rests, Tailstock Quill Diameter 5.9", Inch/Metric Threading, Taper Attachment, Coolant, 40 HP, sn 4596

MEUSER Engine Lathe, Model MVIIS with 2-Carriages, Swing Over Bed 88", Distance Between Centers 472.4", Bed Length 504", Additional 48" Bed Extension, 80" 4 Jaw Chuck, 5" Spindle Bore, 4 Steady Rests, Belt Sanding Attachments, Inch/Metric Threading, Speeds 1.6-315 RPM, Coolant, 50 HP, sn 20570

BERTRAM Model 32 Timesaver Engine Lathe with 2-Carriages, Swing 32" x 360" Between Centers, 396" Bed Length, 30" 4 Jaw Chuck, 2" Spindle Bore, 3 Steady Rests, Threading, Speeds 4-240 RPM, sn 13844

AMERICAN Model Pacemaker Engine Lathe with 2-Carriages, 28" Swing, 288" Between Centers, 312" Bed Length, 18" 4 Jaw Chuck, 2.25" Spindle Bore, Speeds 13-800 RPM, 2 Steady Rests, Threading

PASCOL Custom Lathe, 22.5' OD x 15.75' D x 5", 2 Spider Chucks on Headstock and Tailstock each with 8 Extension Arms, 8' Machine Base

TOS Model SU 40 Engine Lathe, c/w Grinding Head, 15.7" x 59", 10" 3 Jaw Chuck, 2.5" Bore, Tailstock, 2 Steady, Grinding Attachment on Carriage, sn 724015246

DONGYANG Model LS Engine Lathe, 18" x 40", 9" 3 Jaw Chuck, 2.25" Bore, Tool Post, Tailstock, Steady Rest, Sony 2 Axis DRO, sn DY00163

BERTRAM Engine Lathe, 26" x 40", 20" 4 Jaw Chuck, 2" Bore, Tailstock, Tool Post, sn 12211

TOS Model SU 40 Engine Lathe, c/w Grinding Head, 15.7" x 59", 10" 3 Jaw Chuck, 2.5" Bore, Tailstock, 2 Steady, Grinding Attachment on Carriage, sn 724015246

DONGYANG Model LS Engine Lathe, 18" x 40", 9" 3 Jaw Chuck, 2.25" Bore, Tool Post, Tailstock, Steady Rest, Sony 2 Axis DRO, sn DY00163

FAIRBANKS Morse Engine Lathe 16" x 48", 12" 4 Jaw Chuck, 1.75" Bore, Tailstock, Steady Rest, Tool Post, sn 32912

WEISSER HEILBRONN Engine Lathe, Model G1, stock, Toolpost, sn 6664

LODGE & SHIPLEY Engine Lathe, sn 32912

96" x 240" Table



CINCINNATI Hypro Open Side Combination Planer/Planer Mill

PLANER MILL

CINCINNATI Hypro Open Side Combination Planer/Planer Mill, 96" x 240" Table, 240" Table Travel, #50 Taper, Rambaudi 11.5 HP Vertical Milling Head, Vertical Planer Head, Side Planer Head, Milling Speeds to 2400 RPM, 1 Spare Rambaudi Head, Sanding Head Attachment, Pendant Control, sn 6375

UNIVERSAL MILL

MECOF Model CS8 Travelling Column Universal Mill, 39.4" x 196.8" Table, Universal Head and Right Angle Head Attachments, Travels: X-145.6", Y-41.3", Z-43.3", Speeds 30-1440 RPM, Max Feed Rates X,Y,Z - 98.4", Right Angle Head, Sony 3 Axis DRO, Full Pendant Controls, sn 107221 (10) 10' x 15" x 6" T Slot Floor Track Table Extensions

Large Quantity of Tooling, Boring, Facing Heads, 50 Taper Tooling, Rotary Chucks, Angle Tables, Spare Vertical Head Attachments, Machining Vises Up To 17"

CNC LATHE

LEADWELL Model LTC-30P CNC Lathe, Fanuc OT Control, Swing 25.6", Max Turning Dia. 15.7", Max Distance Between Centers 59.8", 12" 3 Jaw Chuck, 10 Station Turret, Turret Travels: X-7.9", Z-50", Rapid Traverse: X-400 IPM, Z- 480 IPM, Spindle Bore 3.7", Hydraulic Tailstock, Quill Stroke 4.9", Tool Pre-Setter, 10 - 3000 RPM, Chip Conveyor, 30 HP, sn E86037

CNC VERTICAL MACHINING CENTER

LEADWELL MCV-2000P Vertical Machining Centre, Fanuc OM Control, Travels: X-80", Y-36", Z-22", Table Size 34"x84.6", Riser Plate 34"x81", 50 Taper, 20 ATC, 4,000 RPM, Rapid Traverse X,Y,Z 400 IPM, sn L89057

SHEAR

ACCUSHEAR 12' x 1" Capacity Shear, Model 8100012, Front Operated 48" Power Back Gauge, Powered Blade Clearance, 9-23 Strokes/Min, 92" Squaring Arm, (4) 48" Material Support Arms, 70 HP, Total Weight 95,000 lb, 575V, sn 833

PRESS BRAKE

PACIFIC 18' x 750 Ton Press Brake, Model K750-18, 16'2" Between Housings, Brake Capacity 5/8" x 15' Over 5", 18'2", 14" Throat, 18" Stroke, Open Height 28", Closed Height 10", 3-Speed Hydraulic Unit, 60 H.P. Motor, sn 3252-LC

IRONWORKER

MUBEA 110 Ton Iron Worker, Model KBL Optima 110-7, 4 x 4 x 1/2", Foot Pedal Control, Dies, sn 137A/41666F/26

39.4" x 196.8" Table



MECOF Model CS8 Travelling Column Universal Mill



LEADWELL CNC Lathe Model LTC-30BP



LEADWELL CNC Vertical Machining Centre MCV-2000P



Partial View Of Spare Heads, Tables

(3) 14"x40" Mag Chucks



Bid Live ONSITE or ONLINE at

BidSpotter.com



ACCUSHEAR Shear Model 8100012



PACIFIC Press Brake Model 750-18



MUBEA Iron Worker Model KBL Optima 110-7



IRD MECHANALYSIS Balancer

BALANCER

IRD MECHANALYSIS Model B200, Balancing Machine, Approx 36" Track, Max Weight 25,000 lb, Max Weight Per Support 15,000 lb, Max Sensitivity Per Plane .01 oz in or 1 gram in, Max Diameter Over Bed 112", Rotor Belt Drive Diameter Range 1-60", Entek IRD Model 245 Automatic Shaft Balancer Control Panel, 25 HP

PLATE BENDING ROLLS

DIPAULO Double Pinch Hydraulic Plate Roll, 10'2" x 1/2" Capacity, Top Roll 12", Bottom Rolls 10.5", Pedestal Mounted Joy Stick Controls, Digital Roll Position Readouts, Tilting Top Roll With Hinged Drop End, Hydraulic Drive, 12" Roll Travel, 20 HP, Extended Roll Shafts, 600V, sn #046-5748

LOUDON BROTHERS Glasgow, Vertical Plate Rolls, 12'1" Rolls, 11'9" Working Capacity, 1 1/2" Plate Capacity, 17" Outside Roll, 15" Inside Rolls, Approx. 15" Travel, 17'6" x 32'1" x 3/4" Steel Decking 50 HP,

ANGLE BENDING ROLL

HASSLEHOLMS / ROUND0 Angle Roll Model R6, Capacities: Angle - 5" x 5" x 5/8", - Flat Iron 10" x 1.5", T-Bar WT5 x 50, Square Bar - 2.75" x 2.75", 9.5" Wide x 17-3/8" Diameter Bending Rolls, Symmetrical & Asymmetrical Bending, sn OB 2056

This brochure is meant merely as a guide. Infinity Asset Solutions and Hilco Industrial make no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.



Partial View of Precision Inspection



DIPAOLLO 10'2" x 1/2" Double Pinch Hydraulic Plate Roll



Angle - 5" x 5" x 5/8"

ROUND0 Angle Roll Model R6

WELD POSITIONER

ARONSON HD 400A Welding Positioner, 40,000 lbs Capacity at 12", 12,000 at 60", Table Size 84" x 84", Max Load Torque 480,000 lb in Rotation, 830,000 lb in Tilt, Inherent 9" Overhang, 7.5 HP, Variable Speed Table Rotation, Remote Pendant Control, sn 7743

RANSOME 10,000 lb Capacity Welding Positioner, Model 10-P, 30" Rotary Table, RPM Range .05 - 2, C of G 6" Above Table and 6" Eccentric, 220V, sn 146422

WELDING MANIPULATORS

RANSOME Sub Arc Welding Manipulator System, Model 12 12, Travels 12' Vertical, 12' Horizontal, Carriage Speed 5 - 200 IPM, 550V, sn 7614018, Includes: Arco Wand Flux Recovery Unit, Lincoln Electric Idealarc DC -1000 Welder

LINDE Sub-Arc Welding System, 2' x 9' Table, J Governor Wire Feed, Linde SVI-500 Power Supply

TANK TURNING ROLLS

(7) **ARONSON Model WRD 30**, 30 Ton Capacity 1 Driver, 1 Idler Rolls, Diameter Range 8" - 18", 30,000 lb Unit Capacity, 6" Wide Rubber Rolls x 20" Diameter, Pendant Controls

RADIAL DRILLS

MAS 13' Radial Drill, Model VR 84A, Drill Capacity 3.9", Max Bore Dia 11.8", Morse Taper, Spindle Dia 2.5", Spindle Stroke 18.7", Spindle Speed 9-1,400 RPM, Heavy Duty Column, Portship Box Table, 17 HP, 575V, sn 156110103

SORALUCE 7' Radial Arm Drill Model Tr3-2500, 23-1,650 RPM, Morse Taper, 18" Column, Box Table, 51"x84" Auxiliary 90 Degree Table, sn #374313201

HECKERT 4' Radial Arm Drill Model BR40/2 x 1250, 1,200 RPM, 10" Column, Box Table, 575V, sn 814137

MILLS / DRILLS

CINCINNATI Universal Mill, Model 420-16, 16" x 80" Table, 50 Taper, Sony 3 Axis DRO, 2 Arbor Supports, sn 11A4U1AHO-7

CINCINNATI Toolmaster Mill, 10"x36" 40 Taper, 140-3,800 RPM

ERLO Gear Head Drill, Model TCA-25, 12"x12" Adjustable Table

PROGRESS Gear Head Drill Press, Model 5E, 15"x25" Adjustable Table Lot of Indexing Heads, Milling Heads, etc.

SAWS

DO-ALL Vertical Bandsaw Model TF14, 14" Throat, 1" Blade x 172", 45 Degree Tilt, Clamping, Infeed 4' x 26" Roller Conveyor, Outfeed 12'x26" Roller Conveyor, 575V, sn 337-80410

COBRA Saw, Model 1822, 18" x 22" Capacity, 1.25" Blade, 45 Degree Tilt, 575V, Infeed 9'10" x 16" Roller Conveyor, Outfeed 12'6" x 16" Roller Conveyor,

DO-ALL Vertical Bandsaw Model ML, 2'x2' Table, 16" Throat, Blade Welder, sn 424455

DO-ALL Vertical Bandsaw Model 1612-0, 16" Throat, 24"x24" Table, Blade Welder, 550V, sn 209-63361

WICKSTEED Power Hacksaw, 14" Blade

JOHNSON Model J Horizontal Bandsaw, Approx 10"x8" Capacity, sn 8938

FORD SMITH Cold Saw, 16" Blade



84" x 84" Table

40,000 lb Capacity

ARONSON HD 400A Welding Positioner



12' x 12' Travel

RANSOME Sub Arc Welding Manipulator



11'9" x 1 1/2" Capacity

LOUDON BROTHERS Vertical Plate Rolls



1 of 3 Radial Drills

MAS 13' Radial Drill, Model VR 84A

DELTA Abrasive Cut-Off Saw

PRESSES

CHARLES F ELMES Engineering Electric Heavy Duty Horizontal Wheel Press, 61" Between Frames, 11" Diameter Ram, Assorted Clamps

DAKE H Frame Press, Model 32-151, Horizontally Mounted on Wheels, 4' Between Frames, sn 160293

H Frame Hydraulic Shop Press, 42" Between Frames, Enerpac Drive

CUTTING SYSTEM

LINDE Oxy Fuel Cutting Table Model CM/56/120, (2) 5' x 10'4" Trace Tables, (2) 9' x 9" Cutting Tables, HL-7 Linatrol Tracer Head, 4 Cutting Heads, 115V, sn 84039499

WELD POTS

9 Portable Weld Pots Including: 6'6"x11'6"x30" Steel Containers, Each with 12 (1 w/9)

CANOX Welding Regulators Type C450, 600 - 480V Transformers, Up To 1/4" Weld Rod Huge Quantity of Welding Hose & Wire

DIESEL WELDERS

3 **MILLER** Big Blue 400D Diesel Welder

3 **CANOX** Big Red 400D Diesel Welder

9 **SHIELD ARC** Model S7046 Welder, 400 Amp, 575 V

WELDING DEPARTMENT

(2) **MILLER** Phoenix 456 CC/CV Arc Welders, DRO, Miller 60 Series Wire Feed

(5) **MILLER** XMT304/456 CC/CV Welders, DRO, Miller Wire Feeds

MILLER Syncrowave 250 Welder

(2) **LINCOLN ELECTRIC** Idealarc DC 600 Arc Welders

(8) **LINCOLN ELECTRIC** Idealarc R3R-500 Welders

(2) **LINCOLN ELECTRIC** Idealarc TM 500/500 Welders

THERMAL ARC Pak 5 XR Plasma Cutting System

LINDE VI-1200 Welder

ERICO Blue Arc Stud Welder Model ESS-1500

NEDERMAN Portable Smog Hog

(5) **GULLCO** Rod Ovens Model 350, 1,500 Watt, Temp 150-550 Deg. F.

(10) 8 Station Portable Weld Gauge Stations

3 **MILLER** MP-65E, Wire Feeds

MILLER XMT 300 CC/CV DC Inverter Arc Welder w Auto Link

MILLER XR A Extended Reach Air Cooled Wire Feeder

MILLER Deltaweld 650, Wire Feeder

THERMAL ARC Pak 45 Plasma Cutting System, SC 504 Standoff Control

LINCOLN ELECTRIC Model NA-5, TC-3 Portable Spot Welder

(5) Track Cutters, Tracks, Plus 6' x 20' Weld Table

OVERHEAD CRANES

KONE 40/10 Ton Capacity, 38' 1/2" Span, Dou-

BIO CIRCLE Parts Washer Model 600C



1 of 2 Mills

CINCINNATI Universal Mill, Model 420-16



1 of 8 Saws

18" x 22" Capacity

COBRA Saw, Model 1822



MITTS & MERRILL Key Seater #5




7 Available

ARONSON 30 Ton Tank Turning Roll



NEWARK Gear Cutter



CHARLES F ELMES Wheel Press



LANDIS 4" Bolt Threader



CLIMAX Key Mill Model 65



40" x 60" Stainless



MILLER & CANOX
Diesel
Welders

15 Diesel/Gas Welders Available



Over 150 Welders Available



Partial View of
MILLER & LINCOLN
Electric Welders



Portable Weld Pots,
Steel Containers,
Each with 12 **CANOX**
Weld Regulators &
Transformers

9 Pots Available



(2) 9' x 9' Tables

LINDE 9'x9' Oxy Fuel Cutting Table



8' 10" x 22' 1"

1 of 9 Heavy Duty Steel Tables

Steel Set-Up Table



Partial View of Drills, Gears, Plate Grabs

ble Girder, Lift Height 31', Hoist Speeds: Main 12/4 FPM, 30 HP, Aux 16/4 FPM, 12 HP, Trolley Speed 60/20 FPM, Bridge Speed 128/32 FPM, Top Running, 40 Ton & 10 Ton, Pendant Control, 575V, sn 5121 (South Building)

KONE 40 Ton Capacity, 38' 1/2" Span, Double Girder, Lift Height 31', Hoist Speed 12/4 FPM, Trolley Speed 60/20 FPM, Bridge Speed 128/32 FPM, Top Running, Pendant Control, 575V, sn 5120 (South Building)

RICHARD WILCOX 20 Ton, 50' Span, Double Girder, Top Running, McKissick Hoist, Pendant Control (North Building)

SHAW BOX 15 Ton, Approx. 38', Top Running, Double Girder, (North Building)

DAWLING & HARNISCHFEGER 20 Ton (40,000 lb), 50' Span, Double Girder, Underhung Operators Cab, Pendant Control, (North Building)

DAWLING & HARNISCHFEGER 15 Ton (30,000 lb) Crane, 38" Span, Double Girder, Underhung Cab, (North Building)

DAWLING & HARNISCHFEGER 9 Ton Crane, 23' Span, Double Girder, Top Running, (North Building)

1 Ton Jib Crane, Approx 18' Jib, 20' Mast (South Building)

Jib Boom, Approx 18' Long, 15' Mast, No Hoist, (South Building)

Jib Crane, 2 Ton, Approx 18', 20' Mast (South Building)

5 Ton Jib Crane, Approx 25', 10' Mast, 5 Ton Hoist (South Building)

HYDROSCALE Crane Hook Scale 50,000 lb Capacity

FORKLIFTS

HYSTER 32,400 lb Capacity Forklift, Model H300B, Diesel, 9' 2 Stage Mast, 7' Forks, Max Load Height 90", Dual Front Pneumatic Tires, Cab, 15 Deg. Back Tilt, sn B19P-1515Z

TOYOTA 5,650 lb Capacity Forklift, Model 7FGU30, Side Shift, 3 Stage Mast, Propane, 187" Lift Height, sn 62064

PICKUP TRUCKS

2009 **GMC** Pick Up Truck Model Sierra Nevada Edition, Extended Cab, 4x4, Approx. 114,700 kms, VIN 1GTSKUEA1AZ120592

1997 **FORD** Model F-350 Crew Cab Service Pick-Up, Side Tool Boxes, 157,090 KM, VIN 1FTJW35H7VEC74826

1996 **FORD** Model F-150 XL Pick-Up, Extended Cab, Approx. 270,012 km, VIN 1FTEX14N6TKA14927

Vintage Truck, 24' Gooseneck Trailer, Wood Decking

GENERATOR

CATERPILLAR Portable Generator Model 3304, 4.75 Bore, 6 Stroke, Engine Model 3304PC, sn 4B9379, Crothers Trailer Mounted

SUPPORT EQUIPMENT

LANDIS 4" Bolt Threader, Chuck Size 10", Thread Size 1/4" - 2.2", Carriage Cap 4.5", Centre Distance 20", 7.5 HP, Spare Thread Cutters

NEWARK Gear Cutter, 20" Centers, Tailstock
MITTS & MERRILL Key Seater #5, Max Keyway: Length 24", Width 3", Largest Standard

1 of 2 KONE 40 Ton x 38' Cranes



1 of 7 Double Girder Cranes

Also: 4 Jib Cranes Up To 5 Ton

KONE 40/10 Ton Capacity, 38' 1/2" Span

Post 4-7/8", Cutting Speed Range 8.5 - 20.6 FPM, Keyways, 10 HP, sn C-2506 4-43

MITTS & MERRILL Key Seater #3, Max Keyway: Length 15", Width 2", Largest Standard Post 3-3/8", Cutting Speed Range 12.9-21.4 FPM, 5 HP, sn G5225 4-53

Precision Hydraulic Bender Up to 4"

BROWN BOGGS Hand Brake 8" (Powered)

BC Induction Bearing Heater

OLIVER Tool Grinder Model 600, 9" Chuck, sn G-7866

JONES SHIPMAN Centerless Grinder, 18" Between Centers

CRAFTSMAN 10" Radial Saw

KING Industrial Table Saw

KING Belt Sander, Model KC-ES, 36" x 6"

Custom Pull Test Station Based on Aronson Model WRI 60

CLIMAX Key Mill Model 65, sn 665233

PRECISION INSPECTION

Inspection Tooling, Precision Testing & Measure Contents, Verniers Up To 40", Digital Verniers, Precision Levels, Micrometer Sets Up To 36", Gauge Blocks, Bore Gages, Hardness Testers, Parallel Blocks, Pentax View Finder, Hydra Lite Pressure Instruments, Ametek Dead Weight Pressure Tester, Precision Squares, Raytek Raynger ST Laser Sight, Portable Hardness Testers, Height Gauges, 36"x48"x8" Precision Marble Table

CLEANING

LANDA Platinum Series Pressure Washer Model PHW 4-3000

MOD-U-BLAST Abrasive Blast Tank, 125 PSI at 250 Deg. F., Gun Nozzle, Skid of Media

BIO CIRCLE Parts Washer, Model 600C, 40"x60" Stainless Steel Basin

RAPID Clean Parts Washer

HEAVY DUTY TABLES

8'10" x 22'1" Slotted Set-Up Table

6'1" x 10' x 9" Flat Surface Steel Set Up Table

6' x 6' Steel Acom Set-Up Table

52" x 96" Steel T Slot Setup Table

54" Diameter T Slot Table

9' x 4'9" x 8" Flat Surface Table

5'x8'x6" Steel Set Up Table

7'7" x 24' x 1.5" Steel Plate Table

(South Building)

Kitchen & Wade Rotary Table 7' x 7'

2 Steel Railway Carts 10' x 6', 7' x 6'

RAW MATERIAL

A Frame & Square Racking with Steel Raw Material, Solid Square, Round, Flat, Hex, Pipe, Spare Shafts, Sorted By Size, Plate, Huge Quantity Of Scrap Steel in Yard, Anchors, Chains, Steel Cables, Plates, Off-cuts, Approx 40,000 Lbs 6" x 6" x 1/2" & 7" x 4" x 1/2" Angle, 40' Length, Approx 50,000 Lbs 96" x 288" x 5/8" Sheets, 1/2" x 4" x 20', 1/2" x 6" x 20' Flat Bar

HUGE QUANTITY OF STEEL: RAW MATERIAL & SCRAP



70 Available

32,400 lb Cap.



1 of 2 Forklifts

HYSTER Diesel Forklift Model H300B



CATERPILLAR Portable Generator Model 3304



1 of 3 Pickup Trucks

GMC Pick Up Model Sierra Nevada Edition

1 of 5 Compressors



GARDNER DENVER 150 HP Air Compressor



MSA Auto Gas Test System Model Galaxy GX2



RICOH Wide Format Printer Model Aficio MP W3601



Partial View Of Office Furniture

SAFETY & TESTING

MSA Galaxy GX2 Automated Gas Check Test System

ALTAIR 4- Four Gas Multigas Detector Safety Equipment, Life Jackets, Safety Harnesses, Drager Self Contained Breathing Apparatus

OCENCO M-20.2 Emergency Escape Breathing Device

AIR COMPRESSORS

INGERSOLL RAND SSR x F150 Screw Compressor

GARDNER DENVER 150 HP Screw Compressor, Model Electra Saver (South Building)

GARDNER DENVER 40 HP Piston Type Compressor 20 HP Piston Type Compressor w/Air Tank

HUSKY Pro 3 HP Upright Air Compressor

MISCELLANEOUS

Huge Quantity of Drill Bits, Gears, Hardware, Cutters, Letter Sets, Ratchet Heads,

Dynabrade 7,200 RPM Pneumatic Sander, sn 3465, Double Pedestal Grinder, 17" x 2.5" Grinding Wheels, Clamps, Delta 6"x18" Toolmaker Surface Grinder, 20"x6" Belt Sander, Arbor Press, Ford Smith Double Sided Pedestal Grinder, Casals Professional 1600W Mag Drill, Lista Cabinets, Kwik Way Drill Attachment, Huge Quantity of Heavy Duty Electrical Cables, Light Extension Cords, Transformers, Hardware, Ladders, Portable Halogen Work Lights, Electrical Components, Fuses, Wiring, 30+ Chainfalls, 1/2 - 3 Ton, Hilti TE 905-AVR Jack Hammer, Hilti TE 70 Combi Hammer, (30) Plate Grabs Up To 10 Ton Capacity, Slings, Straps, Jobox Crates, Hand Tools, Torque Wrenches, Dial Gauges, Grinders, Collets, Letter Sets, Clamps, Power Tools, Chainsaws, Mag Drills, Sledge Hammers, Large Quantity SKF Bearings

OFFICE

Assorted Furniture, Antique Rolltop Desks, Computers, Printers, Cabinets, Boardroom, Copiers, Server Room, Phone System, Ricoh Aficio MP W3601 Wide Format Printer, sn W1420500003, Walkie Talkies, Digital Camera System

TERMS OF SALE



Payment: All payments must be in Cash, Certified Funds, Wire Transfers, or Company Checks, which must be accompanied with a bank letter guaranteeing irrevocable payment to Infinity Asset Solutions Inc. Invoices up to \$2,000 can be paid by Visa, Mastercard or Interac.

All Online bidders must register on Bidspotter by 5pm Tuesday November 11.

A 15% buyers premium will be added to all onsite purchases (18% Online).

A \$500 refundable security deposit is required upon onsite registration (\$2,000 Online).

A 25% deposit is required at time of purchase, balance due by 4pm Thursday November 13th, 2014. NO EXCEPTIONS.

All goods are sold "As Is, Where Is", ALL SALES ARE FINAL. All subject to prior sale. Complete terms and conditions including removal procedures, are available on our website, will be posted at the auction and will be provided at the time of registration.

REMOVAL TIMES

All Small Machines & Items - Nov. 21, Large Boring Mill, VTL, Geminis Lathes, Cranes - Friday December 5. **Hours:** Monday - Friday between 8 am - 4 pm. No items may be removed during auction. NO EXCEPTIONS.

DIRECTIONS: From Airport To: 401 Shipyard Road, Thunder Bay, Approx 17 km, 20 Mins.

Take Princess St and Round Blvd to 61 N, Take Harbour Expy to Grenville Ave, Turn left onto 61 N, Turn right onto Harbour Expy, Turn left onto Fort William Rd, Continue onto Water St, Water St turns slightly right and becomes Cumberland St N, Drive to Shipyard Rd, Turn right onto Grenville Ave, Slight left onto Shipyard Rd, Destination will be on the right

This brochure is meant merely as a guide. Infinity Asset Solutions and Hilco Industrial make no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.

Member In Good Standing Of:



INDUSTRIAL AUCTIONEERS ASSOCIATION



INFINITY
Asset Solutions
infinityassets.com 905.669.8893

AUCTIONS • LIQUIDATIONS • FINANCING • APPRAISALS



Hilco Industrial

www.hilcoind.com