PUBLIC AUCTION

PREMIUM POWER, SOLAR & INDUSTRIAL BUILDING MATERIALS

WELCOME TO OUR AUCTION!

CLOSES:
WEDNESDAY NOVEMBER 18

11:00 AM

CLEVELAND, OH. & HESPERIA, CA. USA

AUCTION DETAILS

FINAL PAYMENT:	**IN FULL BY 2:00 PM THURSDAY NOVEMBER 19TH , 2026**
REMOVAL:	**ALL GOODS MUST BE REMOVED BY: BY THURSDAY DECEMBER 3RD** **(Pick-Up By Appointment Only)**
BUYER'S PREMIUM	A **19%** BUYER'S PREMIUM WILL APPLY ON ALL PURCHASES
ACCOUNTING	**VICTORIA WHITMAN** **905-669-8893** **EMAIL:** **VWHITMAN@INFINITYASSETS.COM**
SITE SUPERVISOR	INFO@INFINITYASSETS.COM

WIRE TRANSFER INSTRUCTIONS

CREDIT: JP MORGAN, NEW YORK ABA # 021000021 FOR FURTHER CREDIT TO: ROYAL BANK OF CANADA 3300 HIGHWAY #7, CONCORD, ONTARIO CLIENT: INFINITY ASSET SOLUTIONS INC. ACCOUNT #: 4010286 , TRANSIT #: 00192 BANK #: 003, SWIFT # ROYCCAT2

TO REGISTER AND BID PLEASE VISIT BIDSPOTTER.COM

This catalog is meant merely as a guide. The Auctioneers do not warrant the accuracy, genuineness, authenticity, description, weight, count or measure of any of the lots specified herein.

LOT	QTY	DESCRIPTION
1	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
2	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
3	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
4	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

5	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
6	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
7	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
8	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
9	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
10	1	Lot of (1) Pallet of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
11	1	Lot of (2) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 2 pallets = 62 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
12	1	Lot of (2) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 2 pallets = 62 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

13	1	Lot of (2) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 2 pallets = 62 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
14	1	Lot of (2) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 2 pallets = 62 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
15	1	Lot of (2) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 2 pallets = 62 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
16	1	Lot of (3) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 3 pallets = 93 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
17	1	Lot of (3) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 3 pallets = 93 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
18	1	Lot of (3) Pallets of Philadelphia Solar 550 W Bifacial Solar Panels (Unused). Model: PS-M144(HCBF)-550W. 31 panels per pallet x 3 pallets = 93 total pcs. Approx. pallet dimensions: 89.65 x 44.61 x 42.72 in. (LOCATED IN HESPERIA, CALIFORNIA)
19	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		(Unused). (LOCATED IN HESPERIA, CALIFORNIA)
20	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
21	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
22	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
23	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
24	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model:

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
25	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
26	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
27	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
28	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
29	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
30	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN HESPERIA, CALIFORNIA)
31	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
32	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
33	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W,

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
33A	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
33B	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
33C	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
33D	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
33E	1	OZXCorp 14 kWh Solar Battery System w/ 6.5 kW Inverter. Complete Off-Grid Solar Battery Set for RV, Mobile Home and Backup Power Applications, Battery

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		capacity: approximately 14.3 kWh per set, Inverter model: OZX-6.5KW, Rated output: 6,000 W/VA, AC output: 120 V AC, 60 Hz, Solar input: 2 × 4,000 W, totaling 8,000 W, Maximum PV open-circuit voltage (Voc): 250 V DC (Unused). (LOCATED IN CLEVELAND, OHIO)
34	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
35	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
36	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
37	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
38	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
39	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
40	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
41	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

42	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
43	1	Lot of (3) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 3 pallets; 25 sheets per pallet; 75 sheets total. (LOCATED IN CLEVELAND, OHIO)
44	1	Lot of (5) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 5 pallets; 25 sheets per pallet; 125 sheets total. (LOCATED IN CLEVELAND, OHIO)
45	1	Lot of (5) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 5 pallets; 25 sheets per pallet; 125 sheets total. (LOCATED IN CLEVELAND, OHIO)
46	1	Lot of (5) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 5 pallets; 25 sheets per pallet; 125 sheets total. (LOCATED IN CLEVELAND, OHIO)
47	1	Lot of (5) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 5 pallets; 25 sheets per pallet; 125 sheets total. (LOCATED IN CLEVELAND, OHIO)
48	1	Lot of (5) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 5 pallets; 25 sheets per pallet; 125 sheets total. (LOCATED IN CLEVELAND, OHIO)
49	1	Lot of (5) pallets of 4x8 ft, 18 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 5 pallets; 25 sheets per pallet; 125 sheets total. (LOCATED IN CLEVELAND, OHIO)
50	1	Pallet of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 1 pallet(s); 40 sheets per pallet; 40 sheets total. (LOCATED IN CLEVELAND, OHIO)
51	1	Pallet of 4x8 ft, 12 mm Plywood Alternative -

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 1 pallet(s); 40 sheets per pallet; 40 sheets total. (LOCATED IN CLEVELAND, OHIO)
52	1	Pallet of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 1 pallet(s); 40 sheets per pallet; 40 sheets total. (LOCATED IN CLEVELAND, OHIO)
53	1	Pallet of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 1 pallet(s); 40 sheets per pallet; 40 sheets total. (LOCATED IN CLEVELAND, OHIO)
54	1	Pallet of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 1 pallet(s); 40 sheets per pallet; 40 sheets total. (LOCATED IN CLEVELAND, OHIO)
55	1	Pallet of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 1 pallet(s); 40 sheets per pallet; 40 sheets total. (LOCATED IN

		CLEVELAND, OHIO)
56	1	Lot of (2) Pallets of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 2 pallet(s); 40 sheets per pallet; 80 sheets total. (LOCATED IN CLEVELAND, OHIO)
57	1	Lot of (2) Pallets of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 2 pallet(s); 40 sheets per pallet; 80 sheets total. (LOCATED IN CLEVELAND, OHIO)
58	1	Lot of (2) Pallets of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 2 pallet(s); 40 sheets per pallet; 80 sheets total. (LOCATED IN CLEVELAND, OHIO)
59	1	Lot of (2) Pallets of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining (Unused). 2 pallet(s); 40 sheets per pallet; 80 sheets total. (LOCATED IN CLEVELAND, OHIO)
60	1	Pallet of 4x8 ft, 12 mm Plywood Alternative - Polyboard Waterproof Sheets HDPE, Wall & Trailer Lining

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		(Unused). 1 pallet(s); 40 sheets per pallet; 40 sheets total. (LOCATED IN CLEVELAND, OHIO)
61	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
62	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
63	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
64	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
65	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
66	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
67	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
68	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
69	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		per lot. (LOCATED IN CALIFORNIA)
70	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
71	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
72	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
73	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
74	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
75	1	Lot of (4) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 4 cards per lot. (LOCATED IN CALIFORNIA)
76	1	Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 10 cards per lot. (LOCATED IN CALIFORNIA)
77	1	Lot of (10) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 10 cards per lot. (LOCATED IN CALIFORNIA)
78	1	Lot of (10) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 10 cards per lot. (LOCATED IN CALIFORNIA)

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

79	1	Lot of (10) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 10 cards per lot. (LOCATED IN CALIFORNIA)
80	1	Lot of (10) Exascend Z CAM 1 TB CFast 2.0 Memory Cards. Manufacturer Part Number: EXSAM3L001TVDC2C00. Z CAM Certified. 520 MB/s read, 500 MB/s write. 10 cards per lot. (LOCATED IN CALIFORNIA)
81	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
82	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
83	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
84	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
85	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
86	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
87	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
88	1	Lot of (2) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
89	1	Lot of (3) Samsung battery modules; 2 modules per lot. Per source list: 200 Ah / 8.832 kWh each; 17.664 kWh total per lot. Model and ratings to be verified against manufacturer labels., Model: EM8831AE001A, Battery type: rechargeable lithium-ion, Nominal voltage: 44.16 V DC, Capacity: 200 Ah / 8.832 kWh per module, Operating voltage range: 38.4–49.8 V, Weight: approximately 57 kg / 125.7 lbs per module, Battery modules only; no cables or accessories included (LOCATED IN CALIFORNIA)
90	1	Pallet of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 1 pallet(s); 38 panels per pallet; 38 panels total. (LOCATED IN CLEVELAND, OHIO)
91	1	Pallet of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 1 pallet(s); 38 panels per pallet; 38 panels total. (LOCATED IN CLEVELAND, OHIO)
92	1	Pallet of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 1 pallet(s); 38 panels per pallet; 38 panels total. (LOCATED IN CLEVELAND, OHIO)
93	1	Pallet of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 1 pallet(s); 38 panels per pallet; 38 panels total. (LOCATED IN CLEVELAND, OHIO)
94	1	Pallet of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 1 pallet(s); 38 panels per pallet; 38 panels total. (LOCATED IN CLEVELAND, OHIO)
95	1	Lot of (2) Pallets of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 2 pallet(s); 38 panels per pallet; 76 panels total. (LOCATED IN CLEVELAND, OHIO)
96	1	Lot of (2) Pallets of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 2 pallet(s); 38 panels per pallet; 76 panels total. (LOCATED IN CLEVELAND, OHIO)
97	1	Lot of (2) Pallets of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 2 pallet(s); 38 panels per pallet; 76 panels total.
		(LOCATED IN CLEVELAND, OHIO)
98	1	Lot of (2) Pallets of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 2 pallet(s); 38 panels per pallet; 76 panels total. (LOCATED IN CLEVELAND, OHIO)
99	1	Lot of (2) Pallets of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 2 pallet(s); 38 panels per pallet; 76 panels total. (LOCATED IN CLEVELAND, OHIO)
100	1	Lot of (5) Pallets of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 5 pallet(s); 38 panels per pallet; 190 panels total. (LOCATED IN CLEVELAND, OHIO)
101	1	Lot of (5) Pallets of Trex Enhance Steel Railing &

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 5 pallet(s); 38 panels per pallet; 190 panels total. (LOCATED IN CLEVELAND, OHIO)
102	1	Lot of (5) Pallets of Trex Enhance Steel Railing & Fence Panels. Suitable for railing and fencing applications. Model BKSTLSQ0636HENPNL; 6 ft x 36 in; Charcoal Black. 5 pallet(s); 38 panels per pallet; 190 panels total. (LOCATED IN CLEVELAND, OHIO)
103	1	LOT OF (30) Armor Battery Films Aluminum Foil Rolls (Unused). EN Safe 96 double-sided carbon-coated current collector for electrodes. 12 µm thick; 325 mm wide. 30 rolls on 16 pallets; 132,300 meters total. All rolls sold together as one lot.
104	1	LOT OF (257) Imerys Graphite & Carbon C-Nergy Super C65 & C45 Conductive Carbon Black for Battery Electrodes (Unused). C65: 10 pallets; 23 bags per pallet; 230 bags x 7.5 kg = 1,725 kg. C45: 1 pallet; 27 bags x 6 kg = 162 kg. Total: 257 bags; 1,887 kg; 11 pallets. All sold together as one lot.
105	1	LOT OF (270) Jinko 395 W Bifacial Solar Panels (New / Unused). 10 pallets; 27 panels per pallet; 270 panels total. All 10 pallets sold together as one lot.
106	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
107	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
108	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
109	1	Monarch MK-V Electric

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
110	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
111	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
112	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
113	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
114	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
115	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
116	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
117	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric;

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

		4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
118	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
119	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.
120	1	Monarch MK-V Electric Tractor (New / Unused). 74 kWh battery; 100% electric; 4-wheel drive; 40 HP rated / 70 HP peak motor power. 40 HP rear PTO, 540 rpm; Cat I/II 3-point hitch; 9 forward / 3 reverse speeds. 1 tractor per lot.

INFINITY ASSET SOLUTIONS INC.
63 MAPLECRETE ROAD CONCORD, ONTARIO, L4K 1A5
Tel: (905) 669-8893 Fax: (905) 669-7512
E-mail: info@infinityassets.com Web: www.infinityassets.com

PUBLIC AUCTION

PREMIUM POWER, SOLAR & INDUSTRIAL BUILDING MATERIALS

NOTES