

# ONLINE AUCTION



Revere Plastics  
Systems, LLC.

Surplus to the Ongoing Operations

## Revere Plastics Systems, LLC

60,000 Sq. Ft. Injection Molding Facility

2150 Williams Pkwy, Brampton, Ontario



PARTIAL VIEW OF INJECTION MOLDING MACHINES



PARTIAL VIEW OF GRANULATORS



GORBEL FREE STANDING CRANE SYSTEM



PARTIAL VIEW OF BERG & ADVANTAGE CHILLERS

**CLOSES: Wednesday July 22<sup>nd</sup>, 11AM ET**

**Inspection: Tuesday July 21st, 9AM – 4PM or By Appointment Only**

Managed By:

 **INFINITY** Asset Solutions  
905.669.8893 • [infinityassets.com](http://infinityassets.com)

- AUCTIONS
- LIQUIDATIONS
- FINANCING
- APPRAISALS

In Conjunction with



**Apex Auctions**  
514.234.0664 • [apexauctions.ca](http://apexauctions.ca)

# 40+ INJECTION MOLDING MACHINES



320 TON **MITSUBISHI** MODEL 320MJ2-30C horizontal plastic injection molding machine with approx. 30.7oz shot, 37.4" x 37.4" platens, approx. 26.0" x 26.0" tie bar spacing, approx. 41.7" max daylight, 11.8" min mold height, 29.9" closing stroke, 460/230V / 3 Phase / 60 Hz, Year 1995 S/N 3S29F019

QTY (2) 310 TON **CINCINNATI MILACRON** MAXIMA MODEL MM310-26 horizontal plastic injection molding machine with 26oz shot, approx. 47" x 37" platens, approx. 36" x 26" tie bar spacing, approx. 41.7" max daylight, Milacron Xtream NT control, 460V / 3 Phase / 60 Hz, Year 2004, S/N H49A02000017 & H49A02000018

310 TON **TOSHIBA** MODEL ISGS310V21-19 horizontal plastic injection molding machine with approx. 41oz shot, approx. 36.6" x 35.4" platens, approx. 25.2" x 24.0" tie bar spacing, approx. 41.7" max daylight, INJECTVISOR V21 control, 60 Hz, 50 HP pump motor, Year 2003, S/N 355803

300 TON **CINCINNATI MILACRON** MODEL VT300-29 horizontal plastic injection molding machine with 29oz shot, 36.8" x 36.2" platens, 25.2" x 24.6" tie bar spacing, approx. 48" max daylight, 460V / 3 Phase / 60 Hz, Year 1997 S/N T38A0397020

300 TON **CINCINNATI MILACRON** MODEL VT 300-21 horizontal plastic injection molding machine with 21oz shot, 36.8" x 36.2" platens, approx. 25.2" x 24.6" tie bar spacing, approx. 48" max daylight, 460V / 3 Phase / 60 Hz, Year 1997, S/N T38A0397086


QTY (2) - 240 TON **NISSEI** MODEL FN5000 horizontal plastic injection molding machines with 21.4 oz shot, approx. 33.5" x 33.5" platens, approx. 23.2" x 23.2" tie bar spacing, approx. 41.3" max daylight, N9F control, 220/440V / 3 Phase / 60 Hz, 30 kW motor, 16.9 kW heater, Year 1998, S/N S22S164 & S/N S22S162

200 TON, **TOYO PLASTAR** MODEL TM-200H horizontal plastic injection molding machine with 13.1 oz shot, approx. 30.71" x 30.71" platens, approx. 22.05" x 22.05" tie bar spacing, approx. 38.19" max daylight, PLCS-9 control, Year 1999, S/N 1141202

190 TON **TOSHIBA** MODEL ISG190N horizontal plastic injection molding machine with approx. 15.2oz shot, approx. 31.1" x 29.1" platens, approx. 22.0" x 20.0" tie bar spacing, approx. 37.4" max daylight, INJECTVISOR V10 control, 60 Hz, 30 HP motor, YEAR 2000, S/N 851782

175 TON **FERROMATIK MILACRON** MODEL K-TEC175S horizontal plastic injection molding machine with approx. 7.1oz shot, approx. 33.0" x 33.0" platens, approx. 22.0" x 22.0" tie bar spacing, 460V / 3 Phase / 60 Hz, Year 2006 S/N 542524

165 TON **CINCINNATI MILACRON** MODEL VT 165-13 horizontal plastic injection molding machine with 13oz shot, approx. 26.8" x 25.6" platens, approx. 17.9" x 16.7" tie bar spacing, approx. 30.7" max daylight, 460V / 3 Phase / 60 Hz, Year 1997, S/N T36A0395055



# 40+ INJECTION MOLDING MACHINES



165 TON **CINCINNATI MILACRON** MODEL VT 165-13 horizontal plastic injection molding machine with 13oz shot, approx. 26.8" x 25.6" platens, approx. 17.9" x 16.7" tie bar spacing, approx. 30.7" max daylight, 460V / 3 Phase / 60 Hz, Year 1996, S/N T36A0395065

165 TON **CINCINNATI MILACRON** MODEL VT 165-7 horizontal plastic injection molding machine with 7oz shot, 26.8" x 25.6" platens, approx. 17.9" x 16.7" tie bar spacing, approx. 30.7" max daylight, 460V / 3 Phase / 60 Hz, S/N T36A0193044

150 TON **TOYO PLASTAR** MODEL M-150G2 horizontal plastic injection molding machine with approx. 7oz shot, approx. 25.2" x 25.2" platens, approx. 18.11" x 18.11" tie bar spacing, approx. 33.5" max daylight, 150 US ton clamping force, Year 1993, S/N 1110005

140 TON **KAWAGUCHI** MODEL K140 horizontal plastic injection molding machine with approx. 9.02oz shot, approx. 24.8" x 23.1" platens, approx. 17.1" x 14.8" tie bar spacing, approx. 29.7" max daylight, Mould-tek control

120 TON **NISSEI** MODEL FS120S25ASE horizontal plastic injection molding machine with 8.59oz shot, approx. 23.62" x 23.62" platens, approx. 16.14" x 16.14" tie bar spacing, approx. 22.44" max daylight, N9F control, 220/440V / 3 Phase / 60 Hz, Year 1995, S/N S120111

120 TON **NISSEI** MODEL FS120S18ASE horizontal plastic injection molding machine with approx. 5.7 oz shot, approx. 23.6" x 23.6" platens, approx. 16.1" x 16.1" tie bar spacing, approx. 22.4" max daylight, 230/575V / 3 Phase / 60 Hz, 15 kW motor, Year 1988, S/N S126264





LARGE FREE-STANDING MEZZANINE



7,550LB CAP.

NISSAN FORKLIFT



2015  
ARPAK PRO-4006-L PALLET STRETCH WRAPPER



PARTIAL VIEW OF PLANT SUPPORT EQUIPMENT

110 TON **MITSUBISHI** MODEL 515/100MSII horizontal plastic injection molding machine with approx. 10.6oz shot, approx. 24.0" x 15.75" max mold size, approx. 7.9" mold thickness, 286 cm<sup>3</sup> injection capacity, Year 1989, S/N 2S105033

110 TON **MANNESMANN DEMAG** MODEL ERGO-TECH-COMPACT 1100-310 horizontal plastic injection molding machine with approx. 5.3 oz shot, approx. 26.4" x 26.0" platens, approx. 18.5" x 18.5" tie bar spacing, approx. 33.5" max daylight, NC4 style control, 415V / 3 Phase / 50 Hz, Year 1998, S/N 7171-0141

110 TON **KAWAGUCHI** MODEL KM100B horizontal plastic injection molding machine with approx. 6.7 oz shot, approx. 23.2" x 23.0" platens, approx. 16.1" x 16.1" tie bar spacing, approx. 28.7" max daylight, S/N HA-RZ0512

100 TON **MITSUBISHI** MODEL 90MJ-5 horizontal plastic injection molding machine with approx. 5oz shot, approx. 22.0" x 22.0" platens, approx. 15.0" x 15.0" tie bar spacing, approx. 24.8" max daylight, 460/230V / 3 Phase / 60 Hz, 20 HP motor, Year 1992, S/N P0805035

100 TON **HERMESTEK** MODEL 100SI horizontal plastic injection molding machine with approx 5.3 oz shot, approx. 23.6" x 23.6" platens, approx. 16.5" x 16.5" tie bar spacing, approx. 26.4" max daylight, S/N 9804029

90 TON **TOYO PLASTAR** MODEL TI-90G2 horizontal plastic injection molding machine with approx 5.7oz shot, approx. 21" x 21" platens, approx. 14.17" x 14.17" tie bar spacing, approx. 25.6" max daylight, 90 US ton clamping force, Year 1992, S/N 1087064

55 TON **KAWAGUCHI** MODEL KM50B2 horizontal plastic injection molding machine with approx. 1.8oz shot, approx. 20.1" x 20.1" platens, approx. 14.2" x 14.2" tie bar spacing, approx. 19.7" max daylight, 0.98" screw diameter, 33,100 PSI injection pressure, Mould-tek control, S/N D8-TZ1150

55 TON **KAWAGUCHI** MODEL KM50B2 horizontal plastic injection molding machine with approx. 2.1 oz shot, approx. 20.1" x 20.1" platens, approx. 14.2" x 14.2" tie bar spacing, approx. 19.7" max daylight, S/N DD-XZ1192

40 TON **CREATOR** MODEL CI-40 horizontal plastic injection molding machine with approx. 0.95oz shot, approx. 18.5" x 18.5" platens, approx. 12.2" x 12.2" tie bar spacing, approx. 19.7" max daylight, EASY-9600 control, 600/220V / 3 Phase / 60 Hz, 10 HP main motor, Year 1999, S/N PA29001

**TERMS OF SALE**



Payment: All payments must be in either E-Transfer, Wire Transfer, Cash or Certified Cheque. Visa & Mastercard payments can be taken on invoices up to \$2,000 and will be subject to an administrative fee.

All bidders must register on Bidspotter by Tuesday July 21st, 5pm.

A 19% buyers premium will be added to all Online purchases.

A \$2,000 refundable security deposit is required upon online registration.

A 25% deposit is required at time of purchase, balance due by Thursday July 23rd, 2026, 4pm. NO EXCEPTIONS.

All goods are sold "As Is, Where Is"; ALL SALES ARE FINAL. All subject to prior sale.

Complete terms and conditions including removal procedures, are available on our website.

**REMOVAL TIMES**

All items by Wednesday August 12th, 2026.

**NOTE: EXCLUSIVE RIGGING MAY APPLY, VISIT [INFINITYASSETS.COM](http://INFINITYASSETS.COM) FOR MORE INFORMATION**

*This brochure is meant merely as a guide. Infinity Asset Solutions makes no guarantee, expressed or implied, as to the accuracy of the information in this brochure. Buyers should inspect the goods beforehand to satisfy themselves.*

Managed By:

**INFINITY** Asset Solutions  
905.669.8893 • [infinityassets.com](http://infinityassets.com)

- AUCTIONS
- LIQUIDATIONS
- FINANCING
- APPRAISALS

In Conjunction with



**Apex Auctions**  
514.234.0664 • [apexauctions.ca](http://apexauctions.ca)